WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.		
1 LOCATION OF WATER WELL:		Fraction				Range Number
County: FINNEY				22	T 26 S	R 33 □E 🗹 W
Street/Rural Address of			Global Positioning System (GPS) information:  Latitude:			
from nearest town or intersection: If at owner's address, check here				Longitude: (in decimal degrees)		
3,500 FT. NORTH & 840 FT. WEST				Elevation:		
2 WATER WELL OWNER: SIDNEY REYNOLDS				Datum: WGS 84, NAD 83, NAD 27 Collection Method:		
RR#, Street Address,	0,011	DER DRIVE		GPS unit (Make/Model:)		
City, State, ZIP Code	: SIGNAI	MOUNTAIN, TN 37377		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL		***************************************				7-13 m, > 13 m
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 560 ft.						
SECTION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water wasft. after hours pumpin						ping gpm
WNWNE- E EST. YIELD						
Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes V No  If yes, mo/day/yr sample was submitted						
S   If yes, mo/day/yr sample was submitted						
5 TYPE OF CASING USED: V Steel PVC Other						
CASING JOINTS: ☐ Glued ☐ Clamped 💆 Welded ☐ Threaded						
Casing diameter 16 in to 320 ft., Diameter in to ft., Diameter ft., Diameter in to ft.						
Casing height above land surface. 12 in., Weight 42.05 lbs./ft., Wall thickness or gauge No250						
TYPE OF SCREEN OR PERFORATION MATERIAL:  ✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Comment grout Dentonite Other						
Grout Intervals: From	e of possible cont	) <del></del> Fron	1 .449	ft. to .999 ft.	, From	It. toIt.
						ner (specify below)
Sewer lines	Cesspool	Sewage lagoon	Fuel storag		ed water well as well N/A	
Watertight sewer l		pit Feedyard	☐ Fertilizer st Distance	orage 🔲 Oil well/g from well	,	
FROM TO	LITHOLOG		FROM			JGGING INTERVALS
SEE A	TTACHED LOG			***************************************		
						w
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .12-19-11 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No208 This Water Well Record was completed on (mo/day/year) .12-20-11						
under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Nova filler						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.						
(white, blue, pink) to Kansas I Telephone 785-296-5524. See	Depar tment of Health and one copy to WA'	i and E nvironment, Bureau FER WELL OWNER and	of Water, Geold retain one for v	ogy Section, 1000 SW . our records. Include f	lackson St., Suite 420, See of \$5.00 for each c	onstructed well. Vi sit us at
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212				Check: 🔑 V	ише сору, 🔲 Ві	lue Copy, 🔲 Pink Copy

## The Professionals MINTER-WILSON DRILLING CO. Irrigation and Domestic Water Systems Complete Installation

Irrigation and Repairing

## **INCORPORATED**

Phone 620-276-8269 GARDEN CITY, KANSAS 67846

NAME

SIDNEY REYNOLDS

COUNTY

FINNEY

DATE

7-15-11

LOCATION:

NE 1/4 22-26-33 - HWY. 83 & TV ROAD - 2 MILES WEST,

1/2 MILE SOUTH & 1/8TH MILE NORTHWEST

STATIC WATER LEVEL -

## TEST #1

0' TO 25' - BROWN SANDY CLAY

25' TO 48' - FINE TO MEDIUM SAND

48' TO 57' - BROWN SANDY CLAY

57' TO 103' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

103' TO 108' - BROWN SANDY CLAY

108' TO 118' - FINE TO MEDIUM SAND & GRAVEL

118' TO 125' - BROWN CLAY

125' TO 160' - BROWN SANDY CLAY WITH STRIPS OF WHITE ROCK

160' TO 201' - FINE TO MEDIUM SAND & GRAVEL

201' TO 233' - BLUE CLAY WITH STRIPS OF HARD WHITE ROCK

233' TO 267' - MEDIUM TO COARSE SAND & GRAVEL BLACK

WITH STRIPS OF BLUE CLAY - 20%

267' TO 280' - BLUE CLAY WITH STRIPS OF SAND & GRAVEL - 30%

280' TO 308' - BLUE CLAY

308' TO 337' - FINE TO MEDIUM SAND & GRAVEL

337' TO 345' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 15%

345' TO 354' - BROWN SANDY CLAY

354' TO 384' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 20%

384' TO 408' - BROWN SANDY CLAY

408' TO 411' - FINE TO MEDIUM SAND

411' TO 440' - BROWN SANDY CLAY

440' TO 480' - BROWN CLAY

480' TO 488' - FINE TO MEDIUM SAND & GRAVEL WITH SOME BROWN ROCK

488' TO 531' - BROWN CLAY

531' TO 546' - BROWN & YELLOW CLAY WITH 40% BROWN ROCK

546' TO 553' - HARD YELLOW CLAY WITH 10% BROWN ROCK - 300 PULL DOWN

553' TO 555' - LOOSE BROWN ROCK - TOOK WATER

555' TO 560' - GRAY SHALE - 300 PULL DOWN