

WATER WELL RECOI		WWC-5		J3 10		ion of Water		W 11 ID		
Original Record Correct		e in Well Use	;			rces App. No		Well ID	N. 1	
1 LOCATION OF WATER	WELL:	Fraction	1/ 1.	/ 1/	Secti	on Number	Township Numb		ge Number	
County:			1/4 1/4		D	1 A 11	T S	R	□E □W	
					reet or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest town or intersection): If at owner's address, check here:					ineck nere:				
Address:										
City:	State:	ZIP:								
3 LOCATE WELL 4 DI	EPTH OF COM	IPI ETED V	WEI I .		ft	5 Lotitue	le:		(daaimal daamaaa)	
WITH "A" IN	n(s) Groundwater l									
SECTION BOA:	2) ft. 3					Longitude: (decimal degrees) Datum: WGS 84 NAD 83 NAD 27				
	L'S STATIC WA								AD 21	
	elow land surface,						S (unit make/model:)	
NW NE	bove land surface,	measured on	(mo-day	-yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
	test data: Well w									
W E	after hours				m		Online Mapper:			
SW SE		ater was								
, , , ;	after hours ated Yield:		•••••	. gpm	ft. and 6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map					
	Hole Diameter:			ft and						
7 WELL WATER TO BE US										
1. Domestic:	5. Public Wa	ter Supply: v	vell ID			10. □ Oil	Field Water Supply: 1	ease		
☐ Household	6. Dewaterin						ole: well ID			
Lawn & Garden	7. Aquifer Re					☐ Case	ed Uncased	Geotechnical	l	
Livestock	8. Monitoring						rmal: how many bore			
2. Irrigation	9. Environmenta						sed Loop Horizon			
3. ☐ Feedlot	Air Sparge			Extraction						
4. 🗌 Industrial	Recovery	∐ In	jection			13. ∐ Oth	er (specify):			
Was a chemical/bacteriologic		itted to KD	HE? □	Yes \square	No l	If yes, date	sample was submitte	ed:		
Water well disinfected? Yes										
8 TYPE OF CASING USED:									l Threaded	
Casing diameter in. t										
Casing height above land surface.				lbs	./ft.	Wall thickn	ess or gauge No			
TYPE OF SCREEN OR PERF							(a. 10.)			
☐ Steel ☐ Stainless Ste		_	□ PVC	1.7	1 1 1	☐ Othe	r (Specify)	•••••	• • • • • • • • • • • • • • • • • • • •	
☐ Brass ☐ Galvanized S SCREEN OR PERFORATION			☐ None i	used (open	i hole)					
Continuous Slot Mill		auze Wrapped	ı □т	orch Cut	□Dei	llad Holes	☐ Other (Specify)			
Louvered Shutter Key						ne (Open Ho			•••••	
SCREEN-PERFORATED INT	ERVALS: From	ft.	to	ft. Fr	om	ft to	ft From	ft. to	ft.	
GRAVEL PACK INTERVALS: From										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank	Lateral Line		it Privy			ivestock Pen		cide Storage		
☐ Sewer Lines	Cess Pool		ewage La	agoon		uel Storage		oned Water V	Well	
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
☐ Other (Specify)										
10 FROM TO	LITHOLOG		ce from w	FRO			π .ITHO. LOG (cont.) ο		CINTEDVALC	
10 FROM TO	LITHOLOG	JIC LUG		FRU	IVI	10 1	TITO. LOG (cont.) o	PLUGGIN	JINIERVALS	
	-									
	-									
	-									
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was	completed on (m	o-day-year)			and th	is record is	true to the best of m	y knowleds	ge and belief.	
Kansas Water Well Contractor	's License No		This W	ater Well	Reco	rd was com	oleted on (mo-day-y	ear)		
under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner			
Doc ID	1100316		

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	33	BROWN SANDY CLAY
33	119	SAND FINE TO MED COARSE SMALL-MED LARGE GRAVEL
119	197	BROWN SANDY CLAY
197	208	SAND FINE TO MED COARSE
208	220	BROWN SANDY CLAY W/ SAND STRIPS
220	280	SAND FINE TO MED OARSE SMALL GRAVEL
280	292	BROWN SANDY CLAY
292	326	SAND FINE TO MED COARSE SMALL GRAVEL
326	335	BROWN SANDY CLAY
335	347	SAND FINE TO MED COARSE
347	367	BROWN CLAY
367	375	SANd FINE TO MED COARSE
375	397	BROWN SANDY CLAY
397	410	SAND FINE TO MED W/ SOME CLAY
410	419	BROWN SANDY CLAY W/FEW SAND STRIPS
419	425	FIEN SAND
425	455	BROWN CLAY STICKY

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner			
Doc ID	1100316		

Litholgy

From	То	LithologicLog
455		SAND FINE TO MED COARSE W/BROWN ROCK
484	496	BROWN CLAY STICKY
496	515	SOAPSTONE
515	532	SANDSTONE -USED WATER MIX BRAND-
532	540	BLUE SHALE