

W	WATER WELL RECORD Form WWC-5 1114318 Division of Water Resources App. No. Well ID Well ID											
1	- 0	CATION OF WATER WELL: Fraction			Resources App. No. Section Number			Township Number Range Num		ge Number		
-		County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$			1⁄4	Seeth	$\begin{array}{c c} T & S & R & \Box E & \Box W \end{array}$					
2						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
3	LOCAT	E WELL					C					
	WITH "				IPLETED WELL: . Encountered: 1)							
W	SECTION BOX: Depth(s) Groundwater Encountered: 1) N 2)			Dry We ft. .yr) yr) t. gpm t.	Dry Well Datum: WGS 84 NAD 83 NAD 2 ft. Source for Latitude/Longitude:) GPS (unit make/model:) (WAAS enabled? Yes No) Land Survey Topographic Map Om Online Mapper:			AD 27) o)				
		хL	Estimated Y			Spin		6 Elevation:ft. Ground Level TOC				
		s î		Diameter:	in. to					and Survey		
	1 n				in. to	ft.				Other		
1. 2. 3.	Domestic:	ousehold 6. □ Dewatering: how many wells? own & Garden 7. □ Aquifer Recharge: well ID vestock 8. □ Monitoring: well ID igation 9. Environmental Remediation: well ID . edlot □ Air Sparge □ Soil Vapor Ext) 	·····	 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify): 					
					-	V D	NT- 1					
		disinfected			itted to KDHE?	res 🔲	NO I	li yes, dau	e sai	npie was submitted:	•••••	
					$C \square Other$	C	ASING	FIOINTS	3· 🗆	Glued 🗆 Clamped [Welder	□ Threaded
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No. ft. TYPE OF SCREEN OR PERFORATION MATERIAL:												
					n ft. to							
					Cement grout Be							
Grout Intervals: From												
	FROM	TO		ITHOLOG		FROM		ТО	LIT	HO. LOG (cont.) or PI	LUGGIN	GINTERVALS
_												
						_						
						Notes	:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
	under the business name of											
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <u>http://www.kdheks.gov/waterwell/index.html</u> KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1114318

Litholgy

From	То	LithologicLog
0	2	SURFACE
2	20	BROWN CLAY
20	55	SAND FINE (TIGHT)
55	93	SAND FINE TO MED
93	103	BROWN CLAY
103	118	SAND FINE TO SMALL
118	138	BROWN CLAY
138	199	SAND FIEN TO MED COARSE
199	207	WHITE TO BROWN CLAY, LIMEROCK
207	220	BROWN CLAY LIMEROCK
220	326	SAND FINE-MED
326	332	BROWN CLAY
332	342	SAND FINE TO MED
342	361	BROWN & WHITE CLAY
361	375	SAND TO FINE SMALL MED
375	399	BROWN WHITE LIMEROCK
399	420	SAND FINE TO SMALL
420	445	BROWN CLAY (STICKY)
445	460	SANDSILTY CLAY
460	477	SAND FINE TO MED
477	485	BROWN CLAY
485	495	SAND SILTY

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1114318

Litholgy

From	То	LithologicLog
495		BROWN & YELLOW SOAPSTONE
522	530	SOAPSTONE LIMESTONE
530	640	SHALE