

WATER WELL RE		// // C-3	2202		ion of Water		W 11 ID	
		e in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
1 LOCATION OF WATER WELL:		Fraction	1/. 1/.	Secti	on Number	Township Numb		ge Number
County:		1/4 1/4	. D	1 4 1 1 1	T S	R	□ E □ W	
2 WELL OWNER: Last Name: First: Business:				Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:				
Address:			direction	irom ne	arest town or in	ersection): If at owne	er s address, o	eneck nere:
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I		ft	5 Lotitud	··		(daaimal daamaaa)
WITH "A" IN	Depth(s) Groundwater I							
SECTION BOA:		3) ft., or 4)						
N	WELL'S STATIC WA							
	☐ below land surface,				☐ GPS (unit make/model:			
NW NE	☐ above land surface,	measured on (mo-da	y-yr)					
	Pump test data: Well w							
W E		pumping			Online Mapper:			
SW SE		ater was						
1 1 . 1 . 1 1	Estimated Yield:	s pumping	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOO			Level \square TOC	
	Bore Hole Diameter:		ft and					
mile		in. to						
7 WELL WATER TO B								
1. Domestic:		ter Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				e: well ID		
☐ Lawn & Garden		echarge: well ID			☐ Case	d Uncased	Geotechnical	1
☐ Livestock		g: well ID						
2. Irrigation		al Remediation: well		a) Closed Loop Horizontal Vertical				
3. ☐ Feedlot	Air Sparge		r Extraction					
4. 🗌 Industrial	Recovery	☐ Injection			13. ☐ Othe	(specify):		
Was a chemical/bacterio		itted to KDHE? \Box	Yes 🗌	No l	If yes, date sa	ample was submitte	ed:	
Water well disinfected? [
8 TYPE OF CASING U								l Threaded
Casing diameter								
Casing height above land sur			lbs	s./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR P						(9.10.)		
☐ Steel ☐ Stainle			1.6	1 1 1		(Specify)	•••••	
☐ Brass ☐ Galvan	ized Steel		used (oper	i hole)				
			Forch Cut		llad Holas - F	Other (Specify)		
Louvered Shutter					ne (Open Hole			•••••
SCREEN-PERFORATED	INTERVALS: From	ft to	ft Fi	om	ft to	ft. From	ft. to	ft.
	INTERVALS: From							
9 GROUT MATERIAL								
Grout Intervals: From								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines	☐ Cess Pool	☐ Sewage I			uel Storage		oned Water V	Well
☐ Watertight Sewer Lines				☐ Fe	ertilizer Storaş	ge □ Oil We	ell/Gas Well	
☐ Other (Specify)								
10 FROM TO	LITHOLOG		FRO			п ТНО. LOG (cont.) о		CINTEDVALC
10 FROM TO	LITHULUC	SIC LUG	FRU	IVI	10 Li	THO. LOG (cont.) 0	PLUGGIN	JINIERVALS
					+			
			1		+			
			1		+			
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and	was completed on (m	no-day-year)		and th	is record is t	rue to the best of m	y knowleds	ge and belief.
Kansas Water Well Contra	actor's License No	This V	Vater Well	Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Glenn C Voth	
Doc ID	1172262	

Litholgy

From	То	LithologicLog	
0	1	TOP SOIL	
1	3	CLAY & SILT	
3	30	FINE SAND, SILT & CLAY	
30	45	FINE TO MED COARSE SAND	
45	84	MED TO COARSE SAND & GRAVEL	
84	107	TAN SANDY CLAY W/ SAND STREAKS	
107	124	LOOSE FINE TO COARSE SAND & PEA GRAVEL	
124	135	BROWN & TAN CLAY	
135	216	LOOSE FINE TO COARSE SAND & PEA GRAVEL	
216	234	FINE TO MED SAND & SANDY CLAY	
234	264	BLUE STICKY CLAY	
264	270	FINE TO MED BLUE SAND, LOOSE	
270	304	LOOSE FINE TO COARSE SAND & PEA GRAVEL	
304	326	LOOSE MED TO COARSE SAND W/ SANDY CLAY	
326	364	LOOSE MED TO COARSE SAND & PEA GRAVEL	
364	397	LOOSE FINE TO COARSE	
397	403	LOOSE FINE TO COARSE SAND	

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Glenn C Voth		
Doc ID	1172262		

Litholgy

From	То	LithologicLog
403	412	SANDY CLAY STIFF CLAY W/ FINE SAND STREAKS
412	448	SAND STIFF CLAY W/ FINE SAND STREAKS
448	468	LOOSE FINE TO COARSE SAND
468	484	LOOSE MED TO COARSE SAND & PEA GRAVEL
484	492	STIFF SANDY CLAY W/ FINE SAND STREAKS
492	498	FAIRLY TIGHT FINE TO COARSE SAND
498	505	SSTIFF BROWN CLAYSTONE
505	530	HARD WEATHERED GRAY SHALE
530	540	HARD GRAY SHALE