

WATER WELL R		III VV VV C-3		ivision of Water			
		nange in Well Use		sources App. No.		Well ID	
1 LOCATION OF W. County:	Fraction 1/4 1/4				<u> </u>		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
				rection from nearest town or intersection): If at owner's address, check here:			
Address:							
Address:	Statat	7ID.					
City:  3 LOCATE WELL	State:	ZIP:					
WITH "X" IN		OMPLETED WELL		ft. 5 Latitude	e:	(decimal degrees)	
SECTION BOX:		Depth(s) Groundwater Encountered: 1)				(decimal degrees)	
N		. 3) ft., or 4 WATER LEVEL:			□ WGS 84 □ NAD 8	33 □ NAD 27	
		face, measured on (mo-d			or Latitude/Longitude:	,	
NW NE		face, measured on (mo-d			(WAAS enabled? ☐ Y	)	
IVW IVE		ell water was			l Survey  Topograph		
W E		ours pumping				r	
SW XE		ell water was					
		ours pumping	gpm	6 Elevatio	6 Elevation:ft. ☐ Ground Level ☐ TOC		
S	Estimated Yield:	gpm r:in. to	ft and		Source:		
mile	Bore Hole Blamete	in. to			Other		
7 WELL WATER TO	BE USED AS:						
1. Domestic:		Water Supply: well ID		. 10. 🗆 Oil F	ield Water Supply: lease	e	
☐ Household		tering: how many wells?			11. Test Hole: well ID		
Lawn & Garden		er Recharge: well ID			d Uncased Geo		
Livestock		oring: well ID			12. Geothermal: how many bores?		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environn Air St	nental Remediation: well	or Extraction		a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water		
4. ☐ Industrial	☐ Recov				r (specify):		
Was a chemical/bacter							
Water well disinfected?		ionnitied to KDITE:		i jes, date sa	ampie was submitted.		
8 TYPE OF CASING		PVC  Other	CAS	ING IOINTS: I	☐ Glued ☐ Clamped ☐	☐ Welded ☐ Threaded	
Casing diameter							
Casing height above land s					ss or gauge No		
TYPE OF SCREEN OR							
		iberglass PVC			(Specify)		
			e used (open ho	ole)			
SCREEN OR PERFORA  Continuous Slot			Torch Cut	Drillad Holes	Other (Specify)		
	☐ Key Punched [			None (Open Hole		•••••	
SCREEN-PERFORATE						ft. to ft.	
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From		ft., From	ft. to	ft., From	ft. to	ft.	
Nearest source of possible  ☐ Septic Tank		Limas Dit Duire	. г	I Livesto als Dans	□ Incontinid	o Ctomoro	
Sewer Lines	☐ Lateral Lines       ☐ Pit Privy       ☐ Livestock Pens       ☐ Insecticide Storage         ☐ Cess Pool       ☐ Sewage Lagoon       ☐ Fuel Storage       ☐ Abandoned Water Well				0		
☐ Watertight Sewer Lin	<del></del>			☐ Fertilizer Storage	<u>—</u>		
Other (Specify)					,e <u> </u>	345 VV 611	
Direction from well?					ft.		
10 FROM TO	LITHO	LOGIC LOG	FROM	TO LI	THO. LOG (cont.) or PI	LUGGING INTERVALS	
			Notes:				
110005							
11 CONTRACTOR'S	OR LANDOWNE	R'S CERTIFICATION	ON: This wa	ter well was 🗌 o	constructed, $\square$ recons	tructed, or  plugged	
under my jurisdiction an Kansas Water Well Con	d was completed o	n (mo-day-year)	an	d this record is t	rue to the best of my k	knowledge and belief.	
Kansas Water Well Con	tractor's License N	o This	water Well R	ecord was comp	ieted on (mo-day-year	:)	
under the business name of							
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Barbara Standley	
Doc ID	1207605	

## Litholgy

From	То	LithologicLog	
0	2	top soil	
2	22	brown clay	
22	44	brown sandy clay	
44	102	coarse sand, small to med gravel	
102	112	brown clay, coarse sand, small to med gravel streaks	
112	142	med to coarse sand, small gravel	
142	147	brown clay, med to coarse sand streaks	
147	170	med to coarse sand small gravel	
170	187	brown clay med to coarse sand streaks	
187	195	med to coarse sand, small gravel	
195	202	brown clay, few med to coarse sand streaks	
202	210	medium sand	
210	214	brown clay	
214	220	med to coarse sand, small gravel	
220	222	brown clay	
222	225	med to coarse sand, small gravel	
225	227	brown clay	

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Barbara Standley	
Doc ID	1207605	

## Litholgy

From	То	LithologicLog
227	240	med to coarse sand, small gravel
240	250	brown clay
250	295	blue clay
295	320	coarse sand, small to med gravel, white broken rock
320	335	brown clay, few small coarse sand streaks
335	348	brown clay, small gravel, small brown clay streaks
348	366	brown clay, med to coarse sand small gravel streaks
366	385	coarse sand, small to med gravel, some broken rock
385	394	light brown clay, few coarse sand streaks
394	401	fine to med sand
401	451	brown clay, few med to coarse sand streaks
451	461	brown clay, med to coarse sand streaks
461	472	coarse sand, small gravel, few small brown clay streaks
472	490	coarse sand, small gravel, white broken rock
490	502	brown clay
502	521	shale