

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME STEVE STONE
COUNTY FINNEY
DATE 10-11-14

LOCATION: SE 1/4 30-26-33 - FROM CRAFT & STONE ROAD - 3/4 OF A MILE SOUTH &
1/4 OF A MILE WEST
- 300 FT. NORTH OF PIVOT

STATIC WATER LEVEL - APPROX. 285 FT.

TEST # 1

0' TO 18' - BROWN SANDY CLAY
18' TO 48' - BROWN CLAY
48' TO 128' - FINE TO MEDIUM GRAVEL - SOME COARSE
128' TO 165' - FINE SAND & MEDIUM GRAVEL - 5% CLAY
165' TO 176' - BROWN SANDY CLAY
176' TO 198' - FINE TO MEDIUM SAND - SOME COARSE
198' TO 210' - BROWN SANDY CLAY
210' TO 282' - FINE TO MEDIUM GRAVEL
282' TO 295' - FINE TO MEDIUM GRAVEL - 10% CLAY
295' TO 315' - FINE TO MEDIUM GRAVEL
315' TO 330' - FINE TO MEDIUM GRAVEL - 10% CLAY
330' TO 370' - FINE TO MEDIUM GRAVEL
370' TO 383' - BROWN CLAY
383' TO 395' - FINE TO MEDIUM GRAVEL - 20% CLAY
395' TO 468' - BROWN CLAY
468' TO 508' - FINE TO MEDIUM GRAVEL
508' TO 516' - BROWN CLAY
516' TO 528' - BROWN ROCK MIX CLAY - 10%
528' TO 540' - BROWN CLAY MIX YELLOW CLAY
540' TO 555' - SHALE

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

28,033

1 LOCATION OF WATER WELL: County: FINNEY Fraction 1/4 SW 1/4 NE 1/4 SE 1/4 Section Number 30 Township No. T 26 S Range Number R 33 [] E [x] W

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here []. GARDEN CITY-13 M. S. TO CRAFT ROAD, 5 M. W., 1 M. S., 1,630 FT. NORTH & 1,290 FT. WEST

2 WATER WELL OWNER: STEVE STONE & RHONDA STONE RR#, Street Address, Box #: 10925 S. SANDHILL ROAD City, State, ZIP Code : GARDEN CITY, KANSAS 67846

Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: [] WGS 84, [] NAD 83, [] NAD 27 Collection Method: [] GPS unit (Make/Model:) [] Digital Map/Photo, [] Topographic Map, [] Land Survey Est. Accuracy: [] <3 m, [] 3-5 m, [] 5-15 m, [] >15 m

3 LOCATE WELL WITH AN "X" IN SECTION BOX: N W E S [] NW [] NE [] SW [x] SE [] 1 mile

4 DEPTH OF COMPLETED WELL 536 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 290 ft. below land surface measured on mo/day/yr. 12-10-14 Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 30 in. to 536 ft., and in. to ft. WELL WATER TO BE USED AS: [] Public water supply [] Geothermal [] Injection well [] Domestic [] Feedlot [] Oil field water supply [] Dewatering [] Other (Specify below) [x] Irrigation [] Industrial [] Domestic-lawn & garden [] Monitoring well Was a chemical/bacteriological sample submitted to Department? [] Yes [x] No If yes, mo/day/yr sample was submitted Water well disinfected? [] Yes [x] No

5 TYPE OF CASING USED: [x] Steel [] PVC [] Other CASING JOINTS: [] Glued [] Clamped [x] Welded [] Threaded Casing diameter 16 in. to 326 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 42.05 lbs./ft., Wall thickness or gauge No. 250 TYPE OF SCREEN OR PERFORATION MATERIAL: [x] Steel [] Stainless Steel [] PVC [] Brass [] Galvanized Steel [] None used (open hole) [] Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: [] Continuous slot [x] Mill slot [] Gauze wrapped [] Torch cut [] Drilled holes [] None (open hole) [] Louvered shutter [] Key punched [x] Wire wrapped [] Saw cut [] Other (specify) SCREEN-PERFORATED INTERVALS: From 326 ft. to 536 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 20 ft. to 536 ft., From ft. to ft.

6 GROUT MATERIAL: [] Neat cement [x] Cement grout [] Bentonite [] Other Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: [] Septic tank [] Lateral lines [] Pit privy [] Livestock pens [] Insecticide storage [] Other (specify below) [] Sewer lines [] Cesspool [] Sewage lagoon [] Fuel storage [x] Abandoned water well [] Watertight sewer lines [] Seepage pit [] Feedyard [] Fertilizer storage [] Oil well/gas well Direction from well SOUTHWEST Distance from well 290' S. & 30' W.

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Row 1: SEE ATTACHED LOG

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [x] constructed, [] reconstructed, or [] plugged under my jurisdiction and was completed on (mo/day/year) 12-10-14 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 12-10-14 under the business name of MINTER-WILSON DRILLING CO., INC. by (signature) Nora Keller

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html