

WATER WELL RECO		// // C-3	1245	1		on of Water		W 11 ID	
Original Record Cor		e in Well Use				ces App. No		Well ID	NY 1
1 LOCATION OF WATE	R WELL:	Fraction	17		section	on Number	Township Numb		ige Number
County:		1/4 1/4	1/4	1/4	3 1	. A 11	<u>T</u> S	R	□E □W
2 WELL OWNER: Last Name: First: Business:							here well is located		
Address:				direction fro	m nea	irest town or ii	ntersection): If at owne	r s address, c	ineck nere:
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	DEPTH OF COM	IPI ETED WE	т.		ft	5 Lotitue	le:		(daaimal daamaa)
WITH "A" IN	pth(s) Groundwater I				. 1ι.		ıde:		
SECTION BOX:	2) ft. 3								
N WI	ELL'S STATIC WA								
	below land surface,					☐ GPS (unit make/model:			
NW NE	above land surface,	measured on (me	o-day-	yr)					
	mp test data: Well w								
W E	after hours				Online Mapper:				
-Xsw se		vater was							
	after hours imated Yield:			gpm	6 Elevation:ft. ☐ Ground Level ☐ To				Level TOC
	re Hole Diameter:			ft and			☐ Land Survey ☐		
mile							☐ Other		
7 WELL WATER TO BE									
1. Domestic:		ter Supply: well	ID			10. □ Oil i	Field Water Supply: 1	ease	
☐ Household		g: how many we							
☐ Lawn & Garden	7. Aquifer Re	echarge: well ID							
Livestock		g: well ID					rmal: how many bore		
2. Irrigation		al Remediation: v					ed Loop Horizon		
3. ☐ Feedlot	☐ Air Sparge	_		traction b) Open Loop ☐ Surface Discharge ☐ Inj. of W 13. ☐ Other (specify):					
4. ☐ Industrial	Recovery	☐ Injecti							
Was a chemical/bacteriolog		itted to KDHE	:? □ `	Yes \square N	o I	f yes, date	sample was submitte	ed:	
Water well disinfected?									
8 TYPE OF CASING USE									
Casing diameter in									
Casing height above land surfac			• • • • • • •	lbs./t	t.	Wall thickn	ess or gauge No	•••••	
TYPE OF SCREEN OR PER			NIC.				(G :C)		
☐ Steel ☐ Stainless S☐ Galvanize				and (aman b	(داد،	☐ Othe	(Specify)	••••	• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galvanize SCREEN OR PERFORATIO			vone us	sed (open h	ioie)				
			□то	rch Cut	l Dril	led Holes	☐ Other (Specify)		
Louvered Shutter K						ne (Open Ho			
SCREEN-PERFORATED IN	VTERVALS: From	n ft. to .	 	ft., Fror	- n	ft. to .	ft., From	ft. to	ft.
	GRAVEL PACK INTERVALS: From								
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Sewer Lines	Cess Pool	☐ Sewa				iel Storage		oned Water V	Well
☐ Watertight Sewer Lines	☐ Seepage Pit				∐ Fe	ertilizer Stora	ge ☐ Oil We	ell/Gas Well	
☐ Other (Specify) Direction from well? Distance from well? ft.									
10 FROM TO	LITHOLOG		OIII WC	FROM			ITHO. LOG (cont.) o		GINTERVALS
10 11(0)(1	EIIIOEO	310 200		TRON		10 1	illio. Eco (cont.) o	r Le Gon (SHVIERVIES
					1				
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and wa	under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contract	or's License No	Th	ıs Wa	ter Well R	tecor	d was com	pleted on (mo-day-y	ear)	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Barbara Standley	
Doc ID	1245061	

Litholgy

From	То	LithologicLog
0	2	top soil
2	54	brown sandy clay
54	112	coarse sand
112	123	sticky brown clay
123	158	coarse sand, small to large gravel
158	166	sticky brown clay, few med gravel streaks
166	179	coarse sand, small to med gravel
179	180	brown clay
180	182	coarse sand, small to med gravel
182	184	brown clay
184	190	med to coarse sand small gravel
190	198	brown clay, coarse sand small gravel streaks
198	204	coarse sand small gravel
204	212	brown clay, few coarse sand small gravel streaks
212	224	coarse sand small gravel
224	232	brown clay, few coarse sand small gravel streaks
232	282	blue sticky clay
282	290	coarse sand small gravel
290	320	coarse sand small gravel

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Barbara Standley	
Doc ID	1245061	

Litholgy

From	То	LithologicLog
320	329	light brown sandy clay
329	338	med to coarse sand some small gravel
338	344	coarse sand, small gravel
344	362	light sandy brown clay
362	380	med to coarse sand small gravel
380	391	brown sandy clay, fine to med sand
391	452	brown flaky clay, few very small fine to med sand streaks
452	456	med to coarse sand, some small gravel
456	488	coarse sand small gravel, white broken rock
488	518	brown clay
518	522	shale