

WATER WELL RI		W W C-3	2331	DI	vision of Wate			777 II ID	
		e in Well Use			sources App. N		m 1: M 1	Well ID	NY 1
1 LOCATION OF WA	ATER WELL:	Fraction	1/		ection Numbe	r	Township Numb		ige Number
County:		1/4 1/4	1/4	1/4	1 A 11	1	T S	R	□E □W
2 WELL OWNER: Las Business:	st Name:	First:					e well is located		
Address:	direction from nearest town or intersection): If at owner's address, check here:								
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI	Ι.	+	t 5 Letitu	do:			(daaimal daamaa)
WITH "X" IN	Depth(s) Groundwater								
SECTION BOX:	2) ft.						:		
N	WELL'S STATIC WA								
	☐ below land surface.						nit make/model:)
NW NE	above land surface,	measured on (mo	-day-yr)					
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map				•
W E	after hours			om	☐ Online Mapper:				
SW SE		ater was							
	after hours Estimated Yield:		g)111	6 Elevation:				
S	Bore Hole Diameter:			ft. and			Land Survey 🔲		
1 mile							Other		
7 WELL WATER TO									
1. Domestic:		ter Supply: well I	D		10. □ Oi	Fiel	d Water Supply: 16	ease	
☐ Household		g: how many wel							
☐ Lawn & Garden		echarge: well ID					☐ Uncased ☐ 0		
Livestock		g: well ID					l: how many bores		
2. Irrigation		al Remediation: w					Loop Horizont		
	3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction ☐ Becovery ☐ Inj. of Wa 1. ☐ Industrial ☐ Recovery ☐ Injection ☐ Inj. ☐ Other (specify):								
4. Industrial	Recovery	☐ Injection							
Was a chemical/bacteri		itted to KDHE	? □ Ye	es 🗌 No	If yes, date	sam	ple was submitte	ed:	
Water well disinfected?									
8 TYPE OF CASING 1									
Casing diameter									
Casing height above land su				lbs./ft.	Wall thick	ness	or gauge No	• • • • • • • • • • • • • • • • • • • •	
TYPE OF SCREEN OR ☐ Steel ☐ Stain	less Steel		V.C		□ Oth	on (C.	pecify)		
	nized Steel	_		d (open ho		er (S	pecify)		• • • • • • • • • • • • • • • • • • • •
SCREEN OR PERFORA			one use	u (open no	10)				
			□ Torc	h Cut □	Drilled Holes	П	Other (Specify)		
Louvered Shutter	☐ Key Punched ☐ W	ire Wrapped	☐ Saw	Cut	None (Open H	ole)			
SCREEN-PERFORATE	D INTERVALS: From	n ft. to		ft., From	ft. to		ft., From	ft. to	ft.
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From		. ft., From	ft.	to	ft., From		ft. to	ft.	
Nearest source of possible contamination:									
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well									
☐ Sewer Lines ☐ Watertight Sewer Line	☐ Cess Pool es ☐ Seepage Pit								weii
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well									
Direction from well?		Distance from	om well	?			ft.		
10 FROM TO	LITHOLOG			FROM			HO. LOG (cont.) or		G INTERVALS
		- 							
					<u> 1 </u>				
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction ar	UK LANDUWNER'S	S CERTIFICAT	HON:	This wat	er well was L	COI	nstructed, $\ \ \ \ $ reco	onstructed,	or \square plugged
Kansas Water Well Cont	under my jurisdiction and was completed on (mo-day-year)								
under the business name	of	1 111	o wate	1 11 CII INC	was coll		ca on (mo-day-y	····	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	James Beyer	
Doc ID	1253189	

Litholgy

From	То	LithologicLog
0	2	top soil
2	20	brown sandy clay
20	54	fine sand w/ few clay stringers
54	109	sand fine to med coarse small med some large gravel
109	126	brown sandy clay
126	160	sand fine to med coarse small gravel
160	203	sand fine to med coarse w/ few clay stringers
203	239	sand fine to med coarse few small gravel
239	261	brown sandy clay
261	279	fine sand w/ few clay stringers
279	285	blue clay
285	300	fine sand w/ few clay stringers
300	345	sand fine to med coarse few small gravel
345	362	brown sandy clay
362	378	brown sandy clay w/ some sand beds
378	404	brown sandy clay w/ couple sand beds
404	420	fine sand w/ many clay ledges
420	438	fine sand w/ few clay stringers
438	480	brown sandy clay -sticky in places-

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	James Beyer	
Doc ID	1253189	

Litholgy

From	То	LithologicLog
480	488	sand fine few med w/ few clay stringers
488	500	brown sandy clay -sticky-
500	506	fine sand w/ clay stringers
506	525	brown clay -sticky-
525	531	fine sand
531	546	brown clay
546	552	sand fine to med w/ brown rock
552	558	yellow soapstone
558	580	shale