KOLAR Document ID: 1412079

WATER V		ECORD Correction		WWC-5				ion of Wate] Well II	⁻ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				FF			ge Number						
County: 14 14 14					Been	T S R DE W							
•					Street or	reet or Rural Address where well is located (if unknown, distance and							
				direction fr	irection from nearest town or intersection): If at owner's address, check here:								
Address: Address:													
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X"					D WELL:		ft.						
SECTION	BOX:				ed: 1) ft., or 4) [1			e:			
N					n., or 4) [EL:								
					on (mo-day					<u>Latitude/Longitude</u> unit make/model:			,
NW	- NE				on (mo-day		(WAAS enabled? \(\subseteq \text{Yes} \(\subseteq \text{No} \)						
	,	_		ater was ft.			☐ Land			Survey Topogr			,
w /	E	after		s pumpinggpm				☐ Online Mapper:					
SW -	- SE	ofter			1								
		Estimated Y		pumpinggpm				6 Elevation :ft. ☐ Ground Level ☐ TO				Level 🔲 TOC	
S				gmi in. to ft. ar					<u>e</u> : 🗌	☐ Land Survey ☐ GPS ☐ Topographic Map			
1 mil	le				. to					Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:					: well ID					eld Water Supply: 16			
Househo					any wells?						•••		
☐ Lawn &☐ Livestoc				_	vell ID '								
2. ☐ Irrigation													
3. ☐ Feedlot			Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wate					
4. Industria	1		Recovery		Injection					(specify):			
Was a chemi	ical/bacteri	iological san	nple subm	itted to I	KDHE?	Yes □ N	No]	If yes, date	e sar	nple was submitte	d:		
Water well di					_	_		,		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🗌 Othe	er	CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d □ Wel	ded	☐ Threaded
										in. to			
Casing height					ht	lbs.	ft.	Wall thicl	kness	or gauge No			
TYPE OF SC										7 (0)			
☐ Steel ☐ Brass		less Steel anized Steel	☐ Fiber ☐ Conc	C	□ PVC	ised (open	hala)		ner (S	Specify)			
SCREEN OR					☐ None (iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrap	ped □ To	orch Cut [□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open F					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	1	ft. to	ft., Fro	m	ft. t	o	ft., From	ft.	to.	ft.
GRA	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From													
				It., From		It. to	• • • • • •	It., From	••••	It. to	It.		
Nearest source of possible contamination: □ Septic Tank □ Livestock Pens □ Insecticide Storage													
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
	ht Sewer Lin		Seepage Pit		Feedyard	_		ertilizer Sto		☐ Oil We	ll/Gas W	ell	
☐ Other (Specify)													
			ITHOLOG		tance from w					tt. HO. LOG (cont.) or		INIC	SINTEDMALC
10 FROM	TO	<u> </u>	ATHOLOG	JIC LUG		FRON	1	TO	LH	no. Log (cont.) of	PLUGG	ING	INTERVALS
-							_						
						1							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	r Well Cont	tractor's Lice	ense No		This Wa	ater Well	Reco	rd was co	mple	eted on (mo-day-y	ear)		
under the business name of													
KS Departme	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geole	EK and retain	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	и. 57. Teleph	one '	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Glenn C Voth
Doc ID	1412079

Litholgy

From	То	LithologicLog
0	5	top soil
5	24	brown sandy clay w/ fine sand
24	32	fine sand
32	118	loose fine to coarse sand w/ small to big gravel
118	144	tan sticky clay
144	162	fine to coarse sand w/ brown sandy clay
162	170	green sticky clay
170	214	loose fine too coarse sand few gravel
214	225	brown sticky clay
225	268	blue sticky clay w/ lime rock ledges
268	347	loose fine to coarse few gravel
347	370	brown clay
370	397	fine to med sand few clay streaks
397	426	brown clay w/ fine sand ledges
426	438	fine sand w/ brown clay
438	464	brown clay
464	473	fine sand w/ brown clay
473	485	brown clay
485	518	loose fine to med sand w/ brown clay

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Glenn C Voth
Doc ID	1412079

Litholgy

From	То	LithologicLog
518	544	brown clay
544	578	brown sand stone
578	580	brown clay & black shale