

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: 6 Elevation: Source:

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE: SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS:

9 GROUT MATERIAL: Grout Intervals: Nearest source of possible contamination: Direction from well? Distance from well?

Table with 6 columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1584190

Lithology

From	To	LithologicLog
0	3	TOPSOIL
3	23	FINE SAND
23	32	SANDY CLAY W/ CALICHE
32	39	F/M SAND
39	61	FINE SAND W/ CLAY STRINGERS & CALICHE
61	68	F/M/C SAND
68	78	F/M/C SAND W/ FINE GRAVEL
78	99	F/M GRAVEL
99	122	F/M/L GRAVEL
122	159	F/M/C SAND W/ SANDY CLAY LAYERS
159	210	F/M/C SAND
210	214	F/M/C SAND W/ LIMEROCK
214	224	BL CLAY W/ SOME WHT CLAY LAYERS
224	233	BL CLAY W/ BLK SOAPSTONE
233	245	FINE SAND
245	260	M/L GRAVEL W/ BL CLAY
260	277	F/M SAND
277	286	SANDY CLAY
286	303	F/M/C SAND
303	348	F/M/C SAND W/ F/M GRAVEL & CEM SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1584190

Lithology

From	To	LithologicLog
348	357	SANDY CLAY
357	364	F/M/C SAND
364	371	SANDY CLAY W/ FINE SAND
371	379	SANDY CLAY
379	396	F/M/C SAND W/ SANDY CLAY
396	405	F/M/C SAND W/ LIMEROCK
405	419	SANDY CLAY
419	438	FINE SAND
438	474	STICKY CLAY
474	504	F/M SAND W/ SS & LIMEROCK
504	522	F/M/C SAND
522	530	LIMEROCK W/ F/M/C SAND
530	541	SANDY CLAY
541	559	BR ROCK W/ SS
559	570	SANDSTONE
570	590	SHALE