		I DECORD	Form W	WC 5	D:	vision of Wata	m Dagayanaa Amm. Na	16,157	
		L RECORD OF WATER WELL:	Fraction	WC-3		n Number	r Resources App. No. Township No.	Range Number	
	ty: Finn		1/4 NE 1/4 SW	/ 1/. SF 1/.	Section	13	T 26 S	R 34 □E ☑W	
Coun	ty; Filli	ddress of Well Location;			Global				
						Global Positioning System (GPS) information: Latitude: (in decima			
l	from nearest town or intersection: If at owner's address, check here					Longitude:			
	Holcomb -4 Miles S.,1 Mile W.,6 Miles S.,1 3/4 Miles E.,3 1/3 Miles					Elevation:			
S. 1305' N 1465'W						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Wheatland Electric Cooperative					Collection Method:				
	-	Address, Box #: P.O. Bo	x 230	. 67871		GPS unit (Make/Model:)			
City,	State, Z	IP Code : Scott Ci	tv. KS. 67871			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:   <3 m,   3-5 m,   5-15 m,   >15 m									
	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 605 ft.								
SECI	SECTION BOX:  N  Depth(s) Groundwater Encountered (1)								
i — —									
'									
"   →									
Demostic Decodlet Delifield water supply Devetoring Dether (Specify below)									
SW SE   Domestic   Feediot   On field water supply   Dewatering   Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
mile  Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: ✓ Steel □ PVC □ Other									
Casing diameter .16 in. to See Below. ft., Diameter ft., Diameter ft.									
Casing height above land surface. 12 in., Weight 42.05 lbs./ft., Wall thickness or gauge No250									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel   Stainless Steel   PVC   Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot   ☑ Mill slot   ☐ Gauze wrapped   ☐ Torch cut   ☐ Drilled holes   ☐ None (open hole)									
☐ Louvered shutter ☐ Key punched ☑ Wire wrapped ☐ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From								to tt.	
GRAVEL PACK INTERVALS: From . 20 ft. to . 205 ft., From . 265 ft. to . 605 ft.									
From									
6 GROUT MATERIAL: ☐ Neat cement ☑ Cement grout ☐ Bentonite ☐ Other									
Grout In				1 .2.99	п. ю . <del></del> :	×.γ It.,	From	. п. юп.	
What is the nearest source of possible contamination:  □ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage □ Other (specify below)									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)  Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								er (specify below)	
		ht sewer lines		Fertilizer st		Oil well/ga	NI/A		
		n well			-				
FROM	ТО	LITHOLOG		FROM	TO			GGING INTERVALS	
0	280	16" Plain Casing							
280	320	16" Extra Heavy Johns	on Agri Screen						
320	330	16" Johnson Irrigator S							
330	360	16" Plain Casing				See Attach	ned Loa		
360	400	16" Perforated Casing							
400	440	16" Plain Casing				•			
440	480	16" Perforated Casing						,	
480	600	16" Extra Heavy Johns	on Agri Screen						
600	605	16" Perforated Casing							
300	333								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .5-12-10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) .5-14-10									
under the business name of Minter-Wilson Drilling Co. Inc. by (signature) Total Meller									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .									
KSA 82a-1212 Check: W White Copy, Blue Copy, Pink Copy									
02a							, L DIC	ору, 🗀 тик сору	

## The Professionals WINTER-WILSON DRILLING CO. Water Systems Complete Installation Complete Installation Complete Installation

Irrigation and Repairing

**INCORPORATED** 

P.O. Box A • **GARDEN CITY, KANSAS 67846** Phone 620-276-8269

NAME

WHEATLAND ELECTRIC - CIRCLE G109-110

COUNTY

FINNEY

DATE

5-25-09

LOCATION:

SE 1/4 13-26-34 - IVANHOE & TV ROAD - 1/2 MILE WEST,

1/4 MILE NORTH & 1/4 MILE EAST - APPROX. 100 FT. WEST OF PIVOT

STATIC WATER LEVEL -

## TEST #1

0' T 20' - TOP SOIL & SANDY CLAY

20' TO 40' - FINE SAND

40' TO 60' - SAND & GRAVEL

60' TO 113' - SAND & GRAVEL & CLAY STREAKS

113' TO 122' - BROWN CLAY

122' TO 200' - FINE SAND & CLAY STREAKS

200' TO 240' - SAND, MEDIUM TO COARSE & A LITTLE CLAY

240' TO 260' - SAND, MEDIUM TO COARSE & A LITTLE CLAY - TIGHT

260' TO 320' - SAND, MEDIUM TO COARSE - 20% CLAY

320' TO 340' - WHITE SANDY CLAY

340' TO 380' - WHITE & BROWN SANDY CLAY

380' TO 400' - WHITE & BROWN SANDY CLAY & A FEW SAND STREAKS

400' TO 420' - BROWN SANDY CLAY

420' TO 440' - BROWN CLAY, CALICHE & A LITTLE SAND STONE

440' TO 460' - YELLOW & WHITE CLAY & SAND STONE - HARD

460' TO 475' - BROWN & YELLOW CLAY & BROWN ROCK STREAKS

475' TO 480' - GRAY SHALE

480' TO 500' - BROWN, GRAY & YELLOW CLAY & SAND STONE STREAKS

500' TO 600' - GRAY SHALE & 50% WHITE SAND STONE

600 TO 620' - GRAY SHALE & 30% SAND STONE

620' TO 640' - GRAY SHALE & HARD ROCK LEDGES