| WATER WELL RECORD | | Form WWC-5 | | Division of Water Resources App. No. | | | 7 |
|---|------------------|--------------|--|--|---------------------------------------|---|-----------------|
| 1 LOCATION OF WATER WELL: | Fraction | | CENTER | Section Number | Township No. | Range Nu | |
| County: FINNEY Street/Rural Address of Well Location; i | f unknown | distance | ½ SW ½ & direction | 23 Global Positioning | | | □E ØW |
| from nearest town or intersection: If at o | | | | Latitude: | | (in decim | |
| HOLCOMB-4 M S, 1 M W, 6 M S, 3/4 M EAST, 4-1/3RDS M S, | | | | Longitude: (in decimal degrees) Elevation: | | | |
| 1,545 FT. NORTH & 3,960 FT. WEST 2 WATER WELL OWNER: DIJANE KOSTER FARMS | | | | <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 | | | |
| 2 WATER WELL OWNER: DUANE KOSTER FARMS RR#, Street Address, Box #: P O BOX 897 | | | | Collection Method: GPS unit (Make/Model:) | | | |
| City, State, ZIP Code : GARDEN CITY, KS 67846 | | | | ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m | | | |
| 3 LOCATE WELL | | | . 460 | ft. | э m, 🔲 э-э m, 📋 | э-15 m, <u> </u> | ~13 III |
| SECTION BOX: Depth(s) Ground | lwater Ence | ountered | (1) | ft. (2) | ft. (3 | 5) | ft. |
| SECTION BOX: Depth(s) Groundwater Encountered (1) | | | | | | | |
| LEGT VIELD | test data: | Well wate | er was | ft. after ft. after | hours pump | ing | gpm |
| w NW NE EST. HELD Bore Hole Diam | gpiii. eter30 | in. to . | 460 | ft., andin. | tof | шıg t. | gpm |
| | | | | | | | |
| S¥SE ☐ Domestic ☐ Irrigation | ☐ Feedle | | | er supply □ De vn & garden □ Mo | | | |
| | | | | Department? | | | |
| S If yes, mo/day/yr sample was submitted | | | | | | | |
| water wen dishi | | | | | | | |
| 5 TYPE OF CASING USED: Steel | | | | · · · · · · · · · · · · · · · · · · · | | | |
| CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 16 | | | | | | | |
| Casing height above land surface | | | | | | | |
| TYPE OF SCREEN OR PERFORATION : ✓ Steel ☐ Stainless Steel | | L: | _ | Other (Specify) | | | |
| Brass Galvanized Steel | | used (open l | nole) | Other (Specify) | | | |
| SCREEN OR PERFORATION OPENING | | | Torch cut | □ Delled below | DName (acceptate) | | |
| ☐ Continuous slot ☑ Mill slot ☐ Louvered shutter ☐ Key punched | Wire w | rapped | Saw cut | Other (specify) | | • | |
| SCREEN-PERFORATED INTERVALS: | From27 | 5 | ft. to460. | ft., From | ft. to | · | ft. |
| GRAVEL PACK INTERVALS: | From 20 |) | ft. to | ft., From | ft. to | o o 440 | ft. ft |
| | From | | ft. to | ft., From | ft. to | o | ft. |
| 6 GROUT MATERIAL: Neat ceme | nt 🗹 Ce | ment grou | t Benton | nite Other | | | |
| Grout Intervals: From 9 ft. to What is the nearest source of possible conta | mination. | It., Fron | n .200 | ft. to .200 ft., | From | ft. to | tt. |
| ☐ Septic tank ☐ Lateral lin | es 🗌 Pit p | | Livestock 1 | | | r (specify be | elow) |
| ☐ Sewer lines ☐ Cesspool ☐ Watertight sewer lines ☐ Seepage p | ☐ Sewa | | ☐ Fuel storag | | | | |
| Direction from well SOUTH | | | | from well 200.F.T. | | | |
| FROM TO LITHOLOG | IC LOG | | FROM | TO LITHO. LO | OG (cont.) <u>or</u> PLUC | GGING IN | TERVALS |
| | | | | | | | *** |
| | | | | | | | ········· |
| SEE ATTACHED LOG | | | | | | | |
| | | | | | | | |
| | | | | | · · · · · · · · · · · · · · · · · · · | | |
| | | | | | | | |
| | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER | 'S CERTI | FICATIO | N: This water | er well was 🖊 constr | ucted Treconstru | cted or | nlugged |
| under my jurisdiction and was completed or | n (mo/day/y | /ear)9-2: | -11ar | nd this record is true t | o the best of my kn | nowledge a | |
| Kansas Water Well Contractor's License N | | | | | | 9-6-11 | |
| under the business name ofMINTER-WII INSTRUCTIONS: Use typewriter or ball point pen. | | | | | | answers. Ser | nd three conies |
| (white, blue, pink) to Kansas Department of Health | and Environn | nent, Bureau | of Water, Geok | gy Section, 1000 SW Jac | ckson St., Suite 420, Te | opeka, Kansa | s 66612-1367. |
| Telephone 785-296-5522. Send one copy to WATI http://www.kdheks.gov/waterwell/index.html. | EK WELL O | WNEK and | retain one for y | our records. Include fee | or \$5.00 for each con | nstructed wel | u. Visit us at |
| KSA 82a-1212 | | | | Check: 🗹 Wł | nite Copy, 🔲 Blue | е Сору, | Pink Copy |

22,577

The Professionals MINTER-WILSON DRILLING CO. Irrigation and Domestic Water Systems Complete Installation

Irrigation and Repairing

INCORPORATED

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME

WHEATLAND ELECTRIC - CIRCLE # G120

COUNTY

FINNEY

DATE

3-25-11

LOCATION:

SW 1/4 23-26-34 - FROM IVANHOE & TV ROAD - 1-1/2 MILES WEST.

3/4 OF A MILE SOUTH & 1/4 MILE WEST

- 300 FT. NORTH OF EXISTING WELL

STATIC WATER LEVEL -

TEST#3

0' TO 11' - FINE LOOSE SAND

11' TO 46' - BROWN SANDY CLAY

46' TO 93' - FINE TO MEDIUM SAND & GRAVEL - SOME COARSE

93' TO 110' - BROWN SANDY CLAY

110' TO 115' - FINE TO MEDIUM SAND & GRAVEL & BROWN SANDY CLAY MIXED

115' TO 127' - GRAY CLAY WITH STRIPS OF WHITE ROCK

127' TO 165' - BROWN SANDY CLAY WITH STRIPS OF SAND & GRAVEL

165' TO 171' - WHITE CLAY WITH STRIPS OF WHITE ROCK

171' TO 192' - BLUE CLAY

192' TO 206' - BLUE CLAY WITH LAYERS OF GRAVEL

206' TO 218' - FINE TO MEDIUM SAND & GRAVEL

218' TO 241' - BROWN SANDY CLAY WITH STRIPS OF GRAVEL

241' TO 246' - FINE TO MEDIUM SAND & GRAVEL

246' TO 251' - BROWN SANDY CLAY

251' TO 286' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 15%

286' TO 292' - BROWN SANDY CLAY

292' TO 314' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 20%

314' TO 335' - BROWN SANDY CLAY

WITH STRIPS OF SAND & GRAVEL - 30%

335' TO 347' - FINE TO MEDIUM SAND & GRAVEL

WITH STRIPS OF BROWN SANDY CLAY - 20%

347' TO 432' - BROWN SANDY CLAY WITH STRIPS OF WHITE ROCK

432' TO 441' - FINE TO MEDIUM SAND

WITH STRIPS OF BROWN SANDY CLAY - 10%

441' TO 447' - BROWN & YELLOW CLAY WITH 50% BROWN ROCK

447' TO 455' - HARD BROWN, YELLOW & WHITE CLAY WITH 20% BROWN ROCK

455' TO 468' - GRAY SHALE WITH SOME BROWN CLAY

468' TO 485' - SHALE - 250 PULL DOWN