

WATER WELL R		** ** C-3	0770		ion of Water		W 11 ID	
		ge in Well Use	1		rces App. No.		Well ID	N. 1
1 LOCATION OF WA	ATER WELL:	Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number
County:		1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W	
				reet or Rural Address where well is located (if unknown, distance and				
Address:		direction from nearest town or intersection): If at owner's address, check here:					meck nere:	
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WFI I	,	ft	5 Lotitud	e:		(daaimal daamaaa)
WITH "X" IN	Depth(s) Groundwater							
SECTION BOX:		3) ft., or 4)				Longitude:		
N	WELL'S STATIC WA				Source for Latitude/Longitude: GPS (unit make/model:)			
	☐ below land surface.							
NW NE	above land surface,	, measured on (mo-da	y-yr)					
	Pump test data: Well w							
W E		s pumping			☐ Onli	ne Mapper:		
SW SE		vater was						
	Estimated Yield:	s pumping	gpm	6 Elevation:ft. ☐ Ground Level [Level 🗆 TOC	
S	Bore Hole Diameter:		ft. and			☐ Land Survey ☐		
1 mile		in. to				Other		
7 WELL WATER TO					l			
1. Domestic:		ater Supply: well ID			10. □ Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?				le: well ID		
☐ Lawn & Garden	7. 🗌 Aquifer Re	echarge: well ID				d Uncased		
☐ Livestock		g: well ID				mal: how many bore		
2. Irrigation		al Remediation: well				ed Loop Horizon		
3. ☐ Feedlot	☐ Air Sparge		r Extraction	on b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 13. ☐ Other (specify):				
4. Industrial	☐ Recovery							
Was a chemical/bacter		itted to KDHE? \Box	Yes 🔲	No l	If yes, date s	ample was submitte	ed:	
Water well disinfected?								
8 TYPE OF CASING								I ☐ Threaded
Casing diameter								
Casing height above land s			lbs	./ft.	Wall thickne	ss or gauge No		
TYPE OF SCREEN OR						(C :C)		
	less Steel		usad (amam	, hala)	☐ Other	(Specify)	•••••	
☐ Brass ☐ Galva SCREEN OR PERFORA			used (open	i noie)				
			Forch Cut	□ Dri	lled Holes - F	Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole			
SCREEN-PERFORATE	ED INTERVALS: From	n ft. to	ft Fr	om	ft. to	ft From	ft. to	ft.
	CK INTERVALS: From							
9 GROUT MATERIA								
Grout Intervals: From								
☐ Septic Tank	☐ Lateral Line				ivestock Pens		cide Storage	
☐ Sewer Lines	Cess Pool	☐ Sewage I			uel Storage		oned Water V	Well
☐ Watertight Sewer Lin				∐ Fe	ertilizer Storaș	ge ∐ Oil We	ell/Gas Well	
☐ Other (Specify) Direction from well? Distance from well? ft.								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS
10 110011 10	LITHOLOG	SIC LOG	TRO	.,,	10 12	THO. LOG (cont.) o	I Le Gon v	SHVILKVILS
	Notes:							
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATION	N: This v	water v	well was 🔲	constructed, rec	onstructed,	or plugged
under my jurisdiction an	d was completed on (m	no-day-year)	7 , 337 44	and th	is record is t	rue to the best of m	ıy knowledş	ge and belief.
Kansas Water Well Con	tractor's License No	This V	vater Well	Keco	rd was comp	ieted on (mo-day-y	ear)	•••••
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	JACOB NEUFELD
Doc ID	1338776

Litholgy

From	То	LithologicLog
0	20	TOP SOL
20	28	CLAY
28	48	M/C GRAVEL
48	68	C. GRAVEL/ROCKS
68	88	GRAVEL/CLAY
88	108	CLAY/ F. GRAVEL
108	128	FINE GRAVEL
128	148	CLAY/ F. GRAVEL
148	168	F. GRAVEL/SAND & GRAVEL
168	188	SAND & CLAY
188	208	CLAY
208	228	CLAY/F. SAND
228	248	F. GRAVEL
248	268	CEM. SAND & F. GRAVEL
268	288	CLAY/LIME/F. GRAVEL
288	308	SANDY CLAY / GRAVEL
308	328	SANDY CLAY/GRAVEL & M/C SAND
328	348	CLAY/M. SAND/SANDY CLAY W/ MAG & GRAVEL
348	368	SANDY CLAY/MED. SAND & SAND
368	388	SANDY CLAY

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	JACOB NEUFELD
Doc ID	1338776

Litholgy

From	То	LithologicLog
388	408	SANDY CLAY W/ SILTSTONE / FINE SAND & CLAY
408	428	SILTY CLAY / FINE SAND
428	448	SANDY CLAY W/ BROWN ROCK
448	468	SANDY CLAY W/ ROCK & CLAY
468	488	CLAY W/ TR. SOAPSTONE / CLAY
488	508	CLAY/SILTSTONE/SHALE
508	528	CLAY
528	548	CLAY/SAND
548	568	CLAY/IRON PYRITE
568	614	CLAY