KOLAR Document ID: 1579132

WATER V		ECORD Correction		WWC-5	e e			sion of Wate] Well I	D	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					FF			ge Number					
County: 14 14 14				1/4	Beeti	T S R DE W							
o a state y						Street or	Rura	l Address	whe	ere well is located			
Business:						direction f	irection from nearest town or intersection): If at owner's address, check here:					heck here:	
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
WITH "X		4 DEPTH					ft.						
SECTION	BOX:	Depth(s) Gr					11			e:			
N				3) TER LEVEI			11			WGS 84 □ NAI		_l N₄	AD 27
				, measured o						<u>Latitude/Longitude</u> unit make/model:			,
NW -	- NE			measured o						WAAS enabled?			
	i	Pump test da					☐ Land Survey ☐ Topographic M					•	
w X	Е	after		pumping									
SW	- SE	aftar		ater was pumping									
		Estimated Y				6 Elevation :fi			. Gro	und	Level 🔲 TOC		
S		Bore Hole I			0	ft. and		Source: ☐ Land Survey ☐ GPS [GPS] To	pographic Map
1 mi	le			in. t						Other		• • • • •	
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply:						eld Water Supply: 16			
Househo				g: how man									••••
Lawn &				echarge: we						Uncased (
☐ Livestoc 2. ☐ Irrigation				g: well ID						al: how many bores			
3. ☐ Feedlot	1] Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Wat					
4. Industria	ıl		Recovery		njection					(specify):			
Was a chem	ical/bacteri	ological san	nple subm	itted to Kl	DHE? \sqcap	Yes 🗆 1	No	If yes, date	e sar	nple was submitte	d:		
Water well d					_	_		•		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C 🔲 Other		CA	ASIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ Wel	lded	☐ Threaded
										in. to			
Casing height						lbs.	/ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SO			TION MAT	ΓERIAL:						7 (0)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	used (open	hala)		ner (S	Specify)		• • • • •	•••••
SCREEN OF	_		NINGS AI	RF.	☐ None (iseu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	ed \Box To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	ERFORATE	D INTERVA	ALS: From	ı fı	t. to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GR	SCREEN-PERFORATED INTERVALS: From												
	9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft. from ft. to												
				. ft., From	uras of sor	tt. to		ft., From	••••	tt. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft. □ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage													
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
☐ Watertig	ht Sewer Line	es 🗆 S	Seepage Pit		Feedyard			ertilizer Sto					
Other (S	☐ Other (Specify)												
					nce from w							173.16	S DIEDELLI G
10 FROM	TO	L	ITHOLOG	JIC LOG		FROM	/1	TO	LH	HO. LOG (cont.) or	PLUGG	IINC	INTERVALS
				<u> </u>									
						1.							
						Notes	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	r Well Cont	tractor's Lice	ense No		. This W	ater Well	Reco	rd was coi	mple	eted on (mo-day-y	ear)		
under the bus	under the business name of												
KS Departme	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.						785-296-3565						
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212													

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	JANET BATCHELDER HANDS
Doc ID	1579132

Lithology

Littiology		
From	То	LithologicLog
0	2	SURFACE SAND
2	12	SILTY SANDY CLAY
12	26	MED SAND
26	40	SILTY SANDY CLAY W/ SAND
40	61	F/M/C SAND W/ FINE GRAVEL
61	71	SILTY SANDY CLAY
71	193	COARSE SAND W/ F/M/L GRAVEL
193	197	SAND, SANDY CLAY
197	273	M/C SAND, FINE GRAVEL
273	276	SAND, SANDY CLAY
276	297	M/C SAND W/ FINE GRAVEL, TR CEM LENSE
297	303	SANDY CLAY
303	310	M/C SAND
310	341	F/M/C SAND W/ M/L GRAVEL, CEM SAND
341	351	SANDY CLAY
351	357	M/C SAND W/ TR CEM SAND
357	367	SANDY CLAY W/ FINE SAND
367	387	M/C SAND W/ CEM SAND
387	396	SANDY CLAY
396	418	F/M/TR C SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	JANET BATCHELDER HANDS
Doc ID	1579132

Lithology

From	То	LithologicLog
418	431	SANDY CLAY W/ FINE SAND
431	436	SANDSTONE W/ FINE SAND
436	441	SANDY CLAY W/ FINE SAND & LIMEROCK LEDGES
441	448	BR ROCK W/ SS
448	456	CLAY
456	463	CLAY
463	468	SHALE
468	473	FINE SAND, TR SS
473	494	CLAY
494	554	SANDSTONE W/ FINE SAND, TR BR ROCK
554	594	BR ROCK W/ FINE SAND
594	596	SHALE
596	610	SAND, SANDSTONE, TR BR ROCK
610	620	SHALE