				WELL RECORD	Form WWC-	5 KSA 82a	1-1212	
	ON OF WATER	WELL:	Fraction	ME	ATT 7	ction Number	0.0	er Range Number
County:			NE 1/4	74	NW 1/4	2	т 26	S R 33 EM
			or city street addr		•			
	 		and 1 mile	e east of l	Deerfield,	KS		
_	R WELL OWNE		. v .					
	Address, Box #			(70/0			Board of Agricu	ulture, Division of Water Resources
City, State	, ZIP Code		HILL, KS		·		Application Nur	mber:
3 LOCAT	E WELL'S LOCA IN SECTION B							
	N	De	epth(s) Groundwat	ter Encountered	1	ft. 2	2	ft. 3
ī	*	. W						/day/yr 2-3-88
<u> </u>	Nw	. NF						urs pumping gpm
	ï	Es						urs pumping gpm
Wile							and	in. toft.
₹ "	!	. W	ELL WATER TO	BE USED AS:	5 Public wat	er supply	8 Air conditioning	11 Injection well
ī L	sw l	- SE	1 Domestic	3 Feedlot	6 Oil field wa	ater supply	9 Dewatering	12 Other (Specify below)
	1	ī	2 Irrigation	4 Industrial				
l∤ L		Wa	as a chemical/bac	teriological sampl	e submitted to D	-		; if yes, mo/day/yr sample was sub-
_	S	mi	tted			Wa	ter Well Disinfected?	Yes X No
5 TYPE	OF BLANK CAS	ING USED:	5	Wrought iron	8 Conci	ete tile	CASING JOINTS	: Glued Clamped
1 St		3 RMP (SR)		Asbestos-Cemer		(specify below	•	Welded
2 <u>P</u> \	LC	4 ABS	7	Fiberglass				Threaded
Blank casi	ing diameter		to 2.7.8	ft., Dia	in. to		ft., Dia	in. to ft.
Casing he	ight above land	surface12	·in.	, weight \dots 2.	.9	Ibs./	ft. Wall thickness or ga	Threaded
		ERFORATION M	MATERIAL:		.Z.P\		10 Asbesto	
1 St	eel	3 Stainless st	eel 5	Fiberglass	8 RI	MP (SR)	11 Other (s	pecify)
2 Br	ass	4 Galvanized	steel 6	Concrete tile	9 AE	s	12 None us	sed (open hole)
SCREEN	OR PERFORAT	ION OPENINGS	ARE:	5 Ga	uzed wrapped		8 Saw cut	11 None (open hole)
1 Cc	ontinuous slot	3 Mill s	lot	6 Wir	re wrapped		9 Drilled holes	
2 Lo	uvered shutter	4 Key p			rch cut			
SCREEN-	PERFORATED	INTERVALS:	From 208 - 2	2.8 ' ft. to		ft., Fro	m	ft. to
			From 25.8 - 2.	7.8 ' ft. to		ft., Fro	m	ft. to
(GRAVEL PACK	INTERVALS:	From 25	ft. to	27.8.'	ft., Fro	m	ft. to
,			From	ft. to			m	ft. to ft.
	T MATERIAL:	1 Neat cem	nent 2 (Cement grout	3 Bent	onite 4		
Grout Inte	rvals: From	5 ft.	to	. ft., From	ft.	to		ft. to
What is th	e nearest source	e of possible cor	ntamination:			10 Lives	tock pens	14 Abandoned water well
1 Se	eptic tank	4 Lateral li	ines	7 Pit privy		11 Fuel	•	15 Oil well/Gas well
2 Se	ewer lines	5 Cess po	oi	8 Sewage la	_	12 Fertili	izer storage	16 Other (specify below)
3 W	atertight sewer li	ines 6 Seepage	e pit	9 Feedyard		13 Insec	ticide storage	
	from well?					How ma		DBSERVED
FROM	то	···	LITHOLOGIC LO	<u>G</u>	FROM	ТО	LITH	OLOGIC LOG
						 	·	
						 		
		SEE	E ATTACHED	LOG		 		
	ļ					ļ		
						 	····	
							·····	
	ļ					1		
						 		
						<u> </u>		
	ļ							
<u> </u>	ļ							
						L		
7 CONTI	RACTOR'S OR	LANDOWNER'S	CERTIFICATION	: This water well	was (1) constru	icted, (2) reco	enstructed, or (3) plugg	ed under my jurisdiction and was
								my knowledge and belief. Kansas
							on (mo/day/y/j)	
under the	business name	of Henkle I	Orilling &	SUpply Co.	, Inc.	by (signation	ture) Brun	2 the hours
INSTRUC	TIONS: Use type	writer or ball poir	nt pen, PLEASE F	PRESS FIRMLY	and <i>PRINT</i> clear	ly. Please fill in	n blanks, underline or s	rcle the correct answers. Send top
three copie	es to Kansas Dep and retain one fo	partment of Health	h and Environmen	t, Division of Envir	ronment, Enviror	mental Geolog	gy Section, Topeka, KŠ	66620. Send one to WATER WELL
. UTTINEN &	and relatin Une it	n your recolus.						

DRILLERS TEST LOG

CUSTOMER'S NAME:	KOOD TV		DATE: 2-1-8	38
STREET ADDRESS:	Box 9		TEST # 1	E. LOG YES
CITY & STATE:	Bunker Hill, KS	67626	DRILLER She	lden
COUNTY Kearny	QUARTER	NW SECTION 2	TOWNSHIP 26	RANGE 35
LOCATION 10' e	east and 12' north	of NE corner of	staked building	•

7	FOOTAGE From Pay TO			STATIC WATER LEVEL:				
		ray	TO	DESCRIPTION OF STRATA Proposed Well Depth:				
	0		50	Top soil and brown sandy clay				
	50		143	Sand, fine to medium, medium to large gravel and				
				few cobble stones - used alot of water				
	143		153	Brown sandy clay				
60	153	13	186	Sand, fine to medium, ocarse and small gravel				
50	186	40	226	Sand, fine to medium, with few clay stks.				
	226		258	Brown sandy clay with limerock				
50	258	5	263	Sand, fine to medium, coarse and small gravel				
40	263	37	300	Sand, fine to medium coarse with few clay stks.				
				Total Depth: 278 ft.				
	 			5" PVC				
				PLAIN PERF				
÷	 			278-258 20'				
	 							
	 							
				228-208 201				
			ļ	208-1 208'				
	ļ			TOTAL: 238 40'				
				2 - 5" Caps -:				
	1			5 - 50# Sacks Hi-Tek				
				10 - 50# Sacks Hole Plug				
				Airlift for 1 hr.				
				Plug @ 25' to 5'				
	 							
	 							
	+							
	 							
	 		 					
	-		 					
	 							
			1					
	 		 					

GARDEN CITY, KS 67846 3795 West Jones Ave. HENKLE DRILLING & SUPPLY CO., INC.

316-277-2389

IRRIGATION HEADQUARTERS

TEST HOLES * * * * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * * * * * * STOCK WELLS