USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction			Section number	Township number	Range number	
1. Location of well:	Kearny County	1/4	1/4 SE	1/4	5	26	35 R	E/W
2. Distance and direction from nearest town or city: 1 East of Deerfield. Owner of well: Street addressed well location if highly control in the Correction Line, 3 West, City, state, zip code:						Walter Fletcher Lakin, KS 67860		
4. Locate with "X" in section below: 3/4 Southern Best						6. Bore hole dia. 26 in. Completion date 3-28-79 Well depth 340 ft.		
NW	 NE					7 Cable tool Rotary		- 1
W Wile	 					8. Use: Domestic X Irrigation / Lawn (Stock
SW						9. Casing: Materia Stee Threaded WeldedX RMP PVC 16	Surface 1 ft Weight 36.8	•in. 7_ _lbs./ft.
5. Type and color of					From To	Dia 16 in. to 340 ft. de Dia in. to ft. de 10. Screen: Manufacturer's	pth gage No2	19
	Casing Schedule					Type Johnson Gal		
	0 - 160 Plain 160 - 230 Perf 230 - 250 Plain					Slot/gauze	ft. and and	ft.
	250 - 275 Perf. 275 - 295 Screen					Gravel pack? Size r 11. Static water level: 184 ft. below land su		to 5/8 2./day/yr. 13-79
	295 - 315 Perf. 315 - 335 Screen 335 - 340 Perf.					12. Pumping level below land st. 12. Pumping level below land st. 197 ft. after 2 201 ft. after 4	nd surfaces: hrs. pumping 12	00g.p.m.
	333 - 340 1011					Estimated maximum yield 13. Water sample submitted:	1500 m	g.p.m.
						Yes X No 14. Well head completion: Pitless adapter 1	ft. Inches abov	re grade
						15. Well grouted? yes With: Neat cement Depth: From ft. to	Bentonite X	Concrete
						16. Nearest source of possib ft Direction Well disinfected upon comp	N/A Type	No
						17. Pump: Manufacturer's nam Gatt1	Not installed	2" Bow 1"
						Model number Length of drop pipe 220 Type:	ft. capacity 10	,
	(Use a second sl	eet if needed)				Submersible Jet Centrifugal	<u>X</u> Turbi —— Recip Othe	procating
18. Elevation:	19. Remarks:					20. Water well contractor's This well was drilled under is true to the best of my kno	certification: my jurisdiction and th	
Topography: Hill Slope						Minter Wilson Business name Address DOX A, Gar	Drilling Coden City,	o - 208
Upland Valley						Authorized re	presentative	17/79 ×

Phone 276-8269 . P.O. Box A . GARDEN CITY, KANSAS 67846

January 17, 1979

Halter Fletcher Kearny County

Location: S. E. & 5-26-35 Static Water Level 110 Test # Pivot

TERE A LIANC		
	26	Fine Sand
26	33	Brown Clay
33	58	Med. to coarse gravel (loose)
58	185	Fine to med. sand and gravel streaks of coarse gravel (loose)
185	198	Brown Clay
198	219	Fine to med. sand and gravel streaks of coarse gravel (loose)
219	230	Fine to med. sand and gravel streaks of Clay 15% (loose)
230	250	Brown Clay
250	263	Fine to med. sand and gravel 10% Clay (loose)
263	2 7 5	Brown Clay
375	301	Fine to med. sand and gravel (loose) 10% Clay
30	3 2 0	Brown Clay
320	337	Fine to med. sand and gravel 10% Clay (loose)
337	· 350	Brown and Gray Clay (tight)
350	367	Brown Sandy Clay 35% Gravel (loose)
367	384	Brown and gray Clay (tight)
384	395	Brown Gray & Yellow Clay (hard)

RECEIVED

AUG 23 1979

DIVISION OF ENVIRONMENT OF & EG SEC.