

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: Kearny		$\frac{1}{4}$ $\frac{1}{4}$ SE $\frac{1}{4}$	7	T 26 S	R 35 E (W)
Distance and direction from nearest town or city? Lakin 1 South - 2 1/4 East - 6 South - 3/4 East - 2 South - 3/4 East - 1/2 North					
2 WATER WELL OWNER:		Street address of well if located within city?			
Walter Fletcher		Geyer Trust			
RR#, St. Address, Box # : Lakin, KS 67860		Box 363			
City, State, ZIP Code		Lakin, KS 67860			
Board of Agriculture, Division of Water Resources Application Number: 34209					
3 DEPTH OF COMPLETED WELL: 285 ft. Bore Hole Diameter: 26 in. to 285 ft., and _____ in. to _____ ft.					
Well Water to be used as:					
1 Domestic		5 Public water supply	8 Air conditioning	11 Injection well	
3 Feedlot		6 Oil field water supply	9 Dewatering	12 Other (Specify below)	
(2) Irrigation		7 Lawn and garden only	10 Observation well		
4 Industrial					
Well's static water level: 86 ft. below land surface measured on December month 30 day 1981 year					
Pump Test Data: Well water was 139 ft. after 2 hours pumping 1100 gpm					
Est. Yield 1500 gpm: Well water was 169 ft. after 3 hours pumping 1500 gpm					
4 TYPE OF BLANK CASING USED:					
(1) Steel		5 Wrought iron	8 Concrete tile	Casing Joints: Glued _____ Clamped _____	
3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded X	
2 PVC		7 Fiberglass		Threaded _____	
4 ABS					
Blank casing dia. 16 in. to 285 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.					
Casing height above land surface: 12 in., weight 36.4 lbs./ft. Wall thickness or gauge No. 219					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass		(4) Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
Screen or Perforation Openings Are:					
1 Continuous slot		(3) Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
Screen-Perforation Dia. 16 in. to 285 ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.					
Screen-Perforated Intervals: xxx Perf 140-210 ft. to xxx Screen 210-220 ft. to xxx Perf 220-230 ft. to xxx Screen 230-280 ft. to					
xxx Perf 280-285 ft. to _____ ft., From _____ ft. to _____ ft.					
Gravel Pack Intervals: From 10 ft. to 285 ft., From _____ ft. to _____ ft.					
From _____ ft. to _____ ft., From _____ ft. to _____ ft.					
5 GROUT MATERIAL:					
1 Neat cement		(2) Cement grout	3 Bentonite	4 Other	
Grouted Intervals: From 0 ft. to 10 ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
				13 Watertight sewer lines	N/A Center of 1/2 Section
Direction from well _____ How many feet _____ ? Water Well Disinfected? Yes _____ No X					
Was a chemical/bacteriological sample submitted to Department? Yes _____ No X If yes, date sample was submitted _____ month _____ day _____ year					
Pump Installed? Yes X No _____					
If Yes: Pump Manufacturer's name Goulds 5 Stage Model No. 12" HP 125 Volts _____					
Depth of Pump Intake 220' ft. Pumps Capacity rated at 800 gal./min.					
Type of pump: 1 Submersible (2) Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on December month 30 day 1981 year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208					
This Water Well Record was completed on January month 15 day 1982 year under the business name of Minter Wilson Drilling Co., Inc. by (signature) <i>M. Minter Wilson</i>					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG	
		<p style="text-align: center;">Test log attached</p>			
ELEVATION:					
Depth(s) Groundwater Encountered 1. _____ ft. 2. _____ ft. 3. _____ ft. 4. _____ ft. (Use a second sheet if needed)					

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

35

EOD

SEC

7

C

1/4

NE

1/4

SE

1/4

1/4

1/4

1/4

1/4

1/4

The Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Drilling
and Domestic
Water Systems
Pumps, Motors
and Piping

CLYDE BEYMER, JR.
Kearny County
December 17, 1981

(Signature)

Location: SE $\frac{1}{4}$ 7-26-35 285' NE From center on east side of $\frac{1}{4}$
Static Water Level - 100'

Test #		
0	20	Sand
20	83	Medium to Coarse Gravel (Loose)
83	103	Fine to Medium Sand & Gravel (Loose)
103	117	Clay 30% Gravel
117	174	Fine to Medium Sand & Gravel 10% Clay (Loose)
174	192	Fine to Medium Sand & Gravel 30% Clay
192	220	Fine to Medium Sand & Gravel 10% Clay (Loose)
220	230	Fine to Medium Sand & Gravel 25% Clay
230	247	Fine to Medium Sand & Gravel 10% Clay (Loose)
247	253	Brown Clay
253	281	Fine to Medium Sand & Gravel 10% Clay (Loose)
281	292	Brown Clay & White Rock (Tight) (30% Gravel)
292	317	Brown Clay & White Rock (Tight)
317	355	Brown & Gray (Tight)
355	370	Brown Gray & Yellow Clay with Brown Rock (Tight)

This was not a good