


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County KEARNY	Fraction NE 1/4 SW 1/4 NE 1/4	Section number 13	Township number T 26 S	Range number R 35	W
2. Distance and direction from nearest town or city: at Deerfield 1/2 east 12 south 1 3/4 east Street address of well location if in city:				3. Owner of well: Harold White R.R. or street: Lakin, Ks. 67860 City, state, zip code:			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 2-2-97 Well depth 320 ft.			
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary			
5. Type and color of material		From		To		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
						9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 327 ft. depth Wall thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 250	
						10. Screen: Manufacturer's name: Johnson Division Type Galv. Dia. 16" Slot/gauze 100 Length 20' Set between 280 ft. and 300 ft. Perf. 160-280 ft. and 300-320 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4" Down	
						11. Static water level: <input type="checkbox"/> mo./day/yr. 333 ft. below land surface Date 1-17-76	
						12. Pumping level below land surfaces: 1275 54 ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 1275 g.p.m.	
						13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date	
						14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
						15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 70 ft.	
						16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
						17. Pump: Not installed Manufacturer's name Goulds US Pumps Model number 12JHC HP 125 Volts <input type="checkbox"/> Length of drop pipe 160 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Winter Wilson Drilling 208 Business name P.O. Box A Garden City, Mo. Address 8-3-76 Signature [Signature] Date 8-3-76 Authorized representative			

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

and Domestic
Well Systems
Installation
and Repairing

Phone 276-8859

P.O. Box 493

GARDEN CITY, KANSAS 67846

Harold White
Kearny County
10-24-75

Location: NE 13
Circle 3, 270 ft. West of Pivot

0	11	Fine Sand
11	53	Brown Clay
53	91	Fine to Med. Sand & Gravel
91	110	Brown Clay
110	193	Fine to Med. Sand & Gravel
193	201	Brown Clay
201	215	Fine to Med. Sand & Gravel, 10% Clay
215	306	Fine to Med. Sand & Gravel
306	320	Fine to Med. Sand & Gravel, 10% Clay
320	369	Brown Clay
369	380	Brown & Yellow Clay

END OF ROLL