LACATION OF WATER V	VEL 5	17 0 .	Section Num		Range Number
	VELL Fractio	n Near Center	1		
County: Kearny	<u> </u>	1/4 1/4	NE 1/4 14	T 26 S	R 35 E
		?Approx 9½ mil of Lakin, KS	es Street address of w	ell if located within city?	
WATER WELL OWNER:					
RR#, St. Address, Box # :		•		. Board of Agricult	ture, Division of Water Resource
			011.0		
olly, State, ZIP Code	Garde	n City, KS 67	26	4 and	ber: 33,628
					in. to
Well Water to be used as:		c water supply		11 Injection	
1 Domestic 3 Feedlot		eld water supply	-	•	Specify below)
2 Irrigation 4 Industri			10 Observation well		
Well's static water level					day19.80ye
Pump Test Data Est. Yield 2000				hours pumping ,	.6 5.3
4 TYPE OF BLANK CASIN					Glued Clamped
	3 RMP (SR)		ent 9 Other (specify		WeldedX
2 PVC	, ,	7 Fiberglass			Threaded
					in. to
•					uge No 250
• •		•	7 PVC	10 Asbestos	
TYPE OF SCREEN OR PE					
	3 Stainless steel	5 Fiberglass	, ,		ecify)
	4 Galvanized steel	•	9 ABS	12 None use	, ,
Screen or Perforation Openi	•			8 Saw cut	11 None (open hole)
1 Continuous slot			Vire wrapped	9 Drilled holes	
Screen-Perforation Dia					in to
		220 ft to 215	005 4 5	n 305_305 . ft	to.4.1.0-430
Screen-Perforated Intervals:	From2 6.0 -	.5 50	-36.5π., From		120 100
Screen-Perforated Intervals:	From2 6.0 From4 7.7	.59.7 ft. to	—36.5 ft., From	n	. to
	From47.7 -	59.7 ft. to	ft., From	n	. to
	From47.7 -	.5.9.7 ft. to	ft., From	n	. to
Gravel Pack Intervals:	From4 7.7 - From <u>1</u> 0 From	59.7. ft. to 5 ft. to 5	9.7 ft., Fror ft., Fror	n	. to
Screen-Perforated Intervals: Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From.	From	5 9 7 ft. to 5	9.7 ft., From ft., From ft., From 3 Bentonite	n ft. n ft. n ft. 4 Other	. to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From	From	5 9 7 ft. to 5	9.7	n ft. n ft. n ft. 4 Other ft., From	. to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source	From4 7.7 - From 1.0 From 1 Neat cement 0	59.7. ft. to	9.7 ft., From ft., Fro	n	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank	From4 7.7.— From1.0 From 1 Neat cement 0	59.7. ft. to	9.7 ft., From ft., From ft., From ft., From ft., From ft., From ft. ft. to ft.	n	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines	From4 7.7.— From		9.7 ft., From ft., From ft., From ft., From 3 Bentonite ft. to ft. ft. to ft. ft. to ft. to ft. to ft.	n	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines	From4 7.7 – From	ft. to	ft., From 9.7 ft., From 1., From 3 Bentonite 1 ft. to 1 erved 10 lagoon 11 lagoon 11 lagon 12 lak pens 13 lagon 14 lagon 14 lagon 15 l	n ft. 1 Other ft., From ft. Fuel storage Fertilizer storage nsecticide storage Watertight sewer lines	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	From4 7.7 – From	ft. to	ft., From 9.7 ft., From 11., From 3 Bentonite 11. ft. to 12. ft. to 13. ft. to 14. ft. to 14. ft. to 15. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	n ft. 1 Other ft. 4 Other ft., From ft. Fuel storage Fertilizer storage nsecticide storage Watertight sewer lines Vater Well Disinfected? Yes.	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi	From4 7.7 – From	ft. to	ft., From 9.7 ft., From 1., From 3 Bentonite 1 ft. to 1 erved 10 lagoon 11 lagoon 11 lagon 13 k pens 13 k	ft.	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologiwas submitted	From47.7 – From1.0 From 1 Neat cement 0	ft. to	ft., From 9.7 ft., From ft., From ft., From ft., From ft.	n ft. n ft. n ft. 4 Other ft., From Fuel storage Fertilizer storage nsecticide storage Natertight sewer lines Vater Well Disinfected? Yes Stalled? Yes	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's	From. 47.7 – From. 1.0 From 1 Neat cement 0	ft. to	ft., From 9.7 ft., From ft., From ft., From ft., From ft., From ft. ft. to ft. ft. to ft.	n ft. n ft. 4 Other ft., From Fuel storage Fertilizer storage nsecticide storage Natertight sewer lines Nater Well Disinfected? Yes No X stalled? Yes HP	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake	From47.7 – From1.0 From 1 Neat cement 0	ft. to	## 15 st. ## 15	n ft. 4 Other ft., From f	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted	From47.7 – From1.0 From 1 Neat cement 0	ft. to	## 15 st. ## 15	n ft. 4 Other ft., From f	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: GCONTRACTOR'S OR LA	From47.7 – From1.0 From1.0 From1.0 From1.0 From1.0 From1.0 From1.0 In the second of possible contamined 4 Cess pool 5 Seepage pit 6 Pit privy Incal sample submittee	ft. to	ft., From 9.7 ft., From 1., Fr	ft.	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: 6 CONTRACTOR'S OR LA	From47.7 – From1.0 From1.0 From1.0 From1.0 From1.0 From1.0 From1.0 In the second of possible contamined 4 Cess pool 5 Seepage pit 6 Pit privy Incal sample submittee	ft. to	ft., From 9.7 ft., From 1., Fr	ft.	to
Gravel Pack Intervals: 5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	From47.7 – From1.0 From1.0 From1.0 From1.0 From1.0 I Neat cement 0	ft. to	## 15 st. From 19.7 ft. From 15 st.	fin ft. A Other ft., From Fuel storage Fertilizer storage nsecticide storage Natertight sewer lines Nater Well Disinfected? Yes No X stalled? Yes HP dat Centrifugal 5 Recipror reconstructed, or (3) plugger	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: GONTRACTOR'S OR LA completed on	From. 47.7 – From. 1.0 Fro	ft. to	ft., From 9.7 ft., From ft	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: GCONTRACTOR'S OR LAcompleted on	From47.7 – From1.0 From1.0 From1.0 From1.0 From1.0 From1.0 In Neat cement of the tool of possible contamined to the c	ft. to ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet do to Department? Yes day TIFICATION: This water w month edge and belief. Kansas Wa	ft., From 9.7 ft., From ft	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe and this record is true to the This Water Well Record was name of Henkle Dr	From47.7 — From1.0 From1	ft. to	ft., From 9.7 ft., From ft., From ft., From ft., From 3 Bentonite ft. to ft.	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dr	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted Type of pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT BOX:	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted Type of pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT BOX:	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologi was submitted	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed onDe. and this record is true to the This Water Well Record was name of Henkle Dro TOCATE WELL'S LOCA WITH AN "X" IN SECT BOX:	From 47.7 — From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: GONTRACTOR'S OR LA completed onDe and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT BOX:	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologi was submitted	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: GONTRACTOR'S OR LA completed on	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to
Gravel Pack Intervals: GROUT MATERIAL: Grouted Intervals: From. What is the nearest source 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriologi was submitted If Yes: Pump Manufacturer's Depth of Pump Intake Type of pump: CONTRACTOR'S OR LA completed on De and this record is true to the This Water Well Record was name of Henkle Dr LOCATE WELL'S LOCA WITH AN "X" IN SECT BOX:	From 47.7 – From 1.0 From 1.0 From 1.0 From 1.0 In Neat cement 0	ft. to 2 Cement grout 10 ft. From nation: None Obs 7 Sewage 8 Feed ya 9 Livestoc How many feet d to Department? Yes day ft. 2 Turbine TIFICATION: This water w month edge and belief. Kansas Water of the comber TO LITHO	ft., From 9.7 ft., From 1., From 3 Bentonite ft. to enved 10 lagoon 11 lagoon 11 lagoon 12 lagoon 13 lagoon 14 lagoon 15 lagoon 15 lagoon 16 lagoon 16 lagoon 16 lagoon 17 lagoon 17 lagoon 18 lagoon 18 lagoon 19 lagoo	fin	to

DRILLERS TEST LOG

CHETCHERS NAME	Hitch Family Farms	DATE	5/22/8	0	
STREET ADDRESS CITY & STATE CONSTY Kearny	Box 1054	TEST	<u>1</u> E	. LOG-	Yes
CITY & STATE	Garden City, Ks.	DRILLI	ER Tim	Mai	
COUNTY Kearny	QUARTER NE SECTION 14 TOWNSHI	P 26	RANGE	35	

LOCATION 30' NE of Pivot

4.4	DRILLED	B 10 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	FOOTAGE	DESCRIPTION OF STRATA STATIC WATER LEVEL	
	FROM	PAY		PROPOSED WELL DEPTH	
4.0	n	100	20	SURFACE SAND	
	20		28	BROWN CLAY	
*********	28		55	FINE SAND & BROWN CLAY STKS.	
	755	4.7	98	SAND-FINE TO MED COURSE SMALL TO LARGE GRAVEL	
A SECTION AND ADDRESS OF THE PARTY OF THE PA				(COBBLESTONE 85-98)	
i.	. 98		112	GREY & WHITE CLAY FEW CEMENTED LEDGES & CALICHE STKS.	
	112		160	SAND-FINE EO MED COURSE SMALL TO MED GRAVEL SMALL BROWN	
	5 10 -			& GREY CLAY STKS. FEW LARGE ROCK LEDGES	
-50	160	6	186	SAND-FINE TO MED COURSE SMALL & FEW MED GRAVEL FEW	
				SMALL CLAY STKS.	
	186	100 M	194	GREY & BROWN CLAY, CEMENTED LEDGES	
54	194	6	200		
Street Land and Land Co.	200	Strate St	204	GREY CLAY & LARGE ROCK LEDGE	
	202	10	214	SAND-FINE TO MED COURSE SMALL GRAVEL	
	214		221	BROWN CLAY & SAND STK.	
PROPERTY AND ADDRESS OF THE PARTY.	221	16	237	SAND-FINE TO MED COURSE FEW SMALL GRAVEL, FEW CLAY STRING	
7	12.70				
	237	14	251	VERY FEW CEMENTED LEDGES & HARD GREY CLAY STKS.	
ra Olive	251	1.3	255	BROWN CLAX	
S. L. State Section 1	* 255	5	260	SAND-FINE TO MED COURSE SMALL GRAVEL	
	260	13	273		
	280000 CO		413	SAND-FINE TO MED COURSE SMALL TO LARGE GRAVEL FEW HARD	
	273	Transaction of	281	CLAY STKS. USES WATER	
		31	312	BROWN CLAY, FEW ROCK LEDGES & SAND STKS.	
7.00	AGA.	 .	312	SAND-FINE TO MED COURSE SMALL TO LARGE GRAVEL USES WATER	
	312	15	327	FEW CLAY STKS.	
		-42	34/	SAND-FINE TO MED COURSE SMALL & FEW MED GRAVEL, VERY FIRM	
A1 7 8	327		341	FEW SMALL CLAY STKS. BROWN & WHITE CLAY & LIMEROCK-STICKY	
200	341	23	- Alleria - Alle		
	St. S.C.May 1		364	SAND-FINE , FEW MED & COURSE, BROWN CLAY STKS. LIMEROCK LEDGES	
	364	100 A	386	BROWN & WHITE CLAY FEW FINE SAND STKS LIMEROCK	
	386	8	392	SAND-FINE, BROWN SANDSTONE STK. BROWN & TAN ROCK	
	393	Approximately 1	district the second second	BROWN, GREY & YELLOW SOAPSTONE-STICKY	
4	414	19.2	414		
1000000		12	426	BROWN SANDSTONE, & RED ROCK LEDGE USES LITTLE WATER	
	426		443	GREY CLAY	
427 1917 1919	443		445	RED ROCK	
	445		480	GREY CLAY	
cod	480	112	592	BROWN, WHITE, & YELLOW SANDSTONE FIRM-USES LITTLE WATER	
	592		600	HARD BROWN CLAY & SHALE 5 SACKS QUIK-GEL 1/2 SACK LIME	
1. 11	17.5		Alexander		
F		30	9.69C - 10.00	SET UP SOUTH	
				PITS WEST	

HENKLE DRILLING & SUPPLY CO., INC.

GARDEN CITY, KANSAS Phone 276-3278

SUBLETTE, KANSAS
Phone 675-4311
IRRIGATION & INDUSTRIAL WELLS

DOMESTIC WELLS

STOCK WELLS