WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction			Section		Townshi	ip number	Range number		
	Kearny County	1/4	1/4 SW	1/4	19	<u> </u>	т	26 s	R 35	E/W	
2. Distance and direction from nearest town or city: 12 South of Lakin Street and direction from nearest town or city: 12 South of Lakin R.R. or street and direction is in city: 25 North City, state						I		Fletcher KS 67860			
4. Locate with "X"		Sketch map:			-			nole dia. <u>26</u> in. depth <u>357</u> ft.	Completion date	. <u>3-28</u> -7	79
NW	NE						7 C	able tool Rotary ollow rod Jetted			
w	E E							Domestic Pu X	r conditioning	Stock	
S X	SE I						9. Casing	g: Material Stee	Height: Above	or below ft. in.	
S 1 M							RMP 16	PVC in. to 357ft. dept	Weight 30 • 1	O/ lbs./ft.	
5. Type and color of material						То	Dia	in. to ft , dept	h gage No.	.219	
	Casing Schedul	_					Type .10	ohnson Galv	z-n:-100-16	11	
	0 - 130 Plai						Slot/gauz	re	_ Length		
	130 - 200 Perf						Set betwe	eenft. a	ft, and nd	ft.	
	200 - 260 Plai						Gravel p	ack? Yes Size ran	nge of material <u>*</u>	to 5/8	
	260 - 275 Perf 275 - 295 Scre						11. Static	c water level: ft. below land suri		mo./day/yr.	
	295 - 335 Perf						12. Pump	ing level below land	surfaces:		
	335 - 355 Scre				<u> </u>		118	ft. after h	rs. pumping 12	00 g.p.m.	
	355 - 357 Perf	•					122	ft. after <u>4</u> h I maximum yield ——	rs. pumping <u>13</u> 1,500	g.p.m.	
								r sample submitted:		mo./day/yr.	
							Ye:	s <u>X</u> No [Date		
							1	head completion:	ft. Inches abo	ava grada	
								grouted? Yes	Inches abo	ove grade	
							With:	_ Neat cement	Bentonite	X Concrete	اً ا
	·							om ft. to _			4
								est source of possible Direction			- '
							I .	nfected upon comple		No	l.
							17. Pump	: turer's name Gou	Not install	ed 12" Bov	~ (₩1
							Model nu	mber	_ HF _ 125	Volts	7(
							-	drop pipe 200	_ ft. capacity10	000 _{g.p.m} .	8
							Туре: Sı	ubmersible	X Tur	bine	
				***					***************************************	ciprocating	ر اي
18. Elevation:	(Use a second s	neet it needed)			L			entrifugal	Oth	ner	" -
io. Elevation:	17. Rendiks;						1	er well contractor's c was drilled under my		this report	'
Topography:							1	the best of my know	•		ا ح
X Hill							Mint Business r	er Wilson		208 Licegue Noc 17	4
Slope							Address	Box A, Gar	den City,	KS 6/3	\$4
Upland Valley						1	Signet	Authorized repr	espetitive	ate 479	<u> </u>
	e and pink copies to the Department									¹ wwc-5	^

Manuary 31, 1979

Walter Fletcher Rearny County

Location: S. W. & 19-26-35

Static Water Level

Test # Pivot

6							
من المن	35	Fine Sand					
35	46	Brown Clay					
46	80	Med. to coarse gravel (loose)					
80	93	Med. to coarse gravel 30% Clay (loose)					
93	161	Med. to coarse gravel (loose)					
161	185	Brown Clay					
185	200	Brown Clay 30% Gravel					
200	218	Brown Clay					
218	230	Blue Clay					
230	260	Brown Clay					
260	294	Fine to mod. sand and gravel 10% Clay					
		(loose) Small hard streaks					
294	305	Brown Sandy Clay 30% Gravel (loose)					
305	335	Brown Sandy Clay					
335	354	Fine to med. sand and gravel 10% Clay					
		(loose)					
35	381	Brown Sandy Clay					
381	395	Brown Gray & Yellow Clay with Brown Rock (hard)					

RECEIVED

AUG 23 1979

DIVISION OF ENVIRONMENT OF & EG SEC.