		WAT	TER WELL RECORD F	orm WWC-5	KSA 82a-	1212				
LOCATION OF WAT		Fraction	<u> </u>	Sectio	n Number	Township, Nu	mber	Range N		
County: Kear			1/4 1/4 SE	74	20	т 26	S	R 35	_, E/M	
Distance and direction		, , , ,	address of well if located	, ,	, ,	2				
9 South	3 2002		South 14 e	st of	Lan	in ta	su r			
WATER WELL OW	NER: Wal	ter FJ	letcher							
RR#, St. Address, Bo	• •					Board of A	griculture, l	Division of Wat	er Resourc	
City, State, ZIP Code	: La.	Kin K	- 67860			Application	Number:			
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WELL. 3.	ú.9	ft. ELEVAT	TION:				
AN "X" IN SECTION	N BOX:	Depth(s) Grou	ndwater Encountered 1	· · · · · · · · · · · · · · · · · · ·	ft. 2	<i></i>	ft. 3		<u>.</u> f <u>t</u> .	
			IC WATER LEVEL 1.2							
			mp test data: Well water							
NW	NE		gpm: Well water							
, }			meter 2.6 in. to	<i>a</i> _				. •		
W	E			Public water s		8 Air conditioning		Injection well		
	\i_	1 Domest		Oil field water		9 Dewatering		Other (Specify	helow)	
SW	<i>9</i> #	Prrigation				0 Observation we			•	
1 ! !	/ !		al/bacteriological sample su	Ū	•					
<u> </u>	<u> </u>	mitted	arbacteriological sample su	bilitted to Depa		er Well Disinfected	•	, mo/day/yr san No	ipie was su	
TYPE OF BLANK (CACING LICED.	mitted	5 Wrought iron	8 Concrete				1 Clam		
Steel	3 RMP (SI	D)	•				Weld	A	peu	
2 PVC	4 ABS	Π)	6 Asbestos-Cement	9 Other (sp	•	•				
	1 /	17	7 Fiberglass					aded		
			<i>O</i> ft., Dia							
			in., weight		Ibs./f					
YPE OF SCREEN O				7 PVC	··		estos-ceme			
(CSteel	3 Stainless		5 Fiberglass	, ,			11 Other (specify)			
2 Brass	4 Galvaniz		6 Concrete tile	9 ABS			e used (op	en hole)		
CREEN OR PERFO	4		A	wrapped		8 Saw cut		11 None (ope	en hole)	
1 Continuous slo	F)	lill slot	6 Wire w	apped		9 Drilled holes				
2 Louvered shut	ter 4 Ke	ey punched	7 Torch of ft. to	5,9		10 Other (specify)			
CREEN-PERFORATI	ED INTERVALS:	From	<i>lV</i> ft. to	3. <i>Q. J.</i>	ft., From	1	ft. t	0		
			ft. to		•					
GRAVEL PA	CK INTERVALS:	From	ft. to		ft., Fron	1	ft. t	0		
		From	ft. to		ft., From	1	ft. t	0 0 0 1	f	
GROUT MATERIAL			2 cement grout	3 Bentonit		Other L.K.	5 <i></i>	Much	Ч и	
rout Intervals: From	کہ	.ft. to 6	ft., From	ft. to.		ft., From 💋	• • • • • • • •	ft. to		
hat is the nearest so	ource of possible	contamination:			10 Livesto	ock pens	14 A	bandoned wate	er well	
1 Septic tank 4 Lateral lines			7 Pit privy	11 Fuel storage 15 Oil well/Gas well						
2 Sewer lines 5 Cess pool			8 Sewage lagoo	12 Fertilizer storage 16 Other (specify below)						
3 Watertight sew	er lines 6 Seep	age pit	9 Feedyard		13 Insecti	icide storage				
irection from well?					How man	y feet?				
FROM TO		LITHOLOGI		FROM	то		LITHOLOG	IC LOG		
	3		(log & Dut			II. BERTHAM				
	,	1	Coment							
	6	1	\							
			(lay)							
			1 no + 11					_		
	120		perconda							
	17									
	Grovel									
	Pack									
		1 1								
		1 1							-	
	/	1		 	-					
	309	1 -1				4.44		V		
				LL_						
		T'S CERTIFICA	TION: This water well was							
empleted on (mo/day/		·				d is true to the bes			elief. Kansa	
ater Well Contractor	s License No			Record was	-	n (mo/day/yr)	1.2	28 -63		
der the business na			In Polling	or. Say.	by (signati		me C	1 Kich	mas	
ICTDLICTIONS, Use	typewriter or ball i	point pen, PLEA	ASE PRESS FIRMLY and	PRINT clearly.	Please fill in				ers. Send to	
			nment, Division of Environm		–					

 ∞