


| | | | | | | | | | | |
|---|--|---|----------------|-----------------|-----------------|----|----------------|---|-----|--------------------------------|
| 1 LOCATION OF WATER WELL | | Fraction | Section Number | Township Number | Range Number | | | | | |
| County: Kearny | | $\frac{1}{4}$ $\frac{1}{4}$ SE $\frac{1}{4}$ | 36 | T 26 S | R 35 E/W | | | | | |
| Distance and direction from nearest town or city? Lakin south on paved road to Grant Co. Line - 14 3/4 East - 1/2 North - 300' North of Pivot | | | | | | | | | | |
| 2 WATER WELL OWNER: Jack & Jim Moyer | | | | | | | | | | |
| RR#, St. Address, Box #: RFD 1 | | | | | | | | | | |
| City, State, ZIP Code: Ulysses | | | | | | | | | | |
| Board of Agriculture, Division of Water Resources | | | | | | | | | | |
| Application Number: | | | | | | | | | | |
| 3 DEPTH OF COMPLETED WELL: 485 ft. Bore Hole Diameter: 26 in. to 485 ft. and in. to ft. | | | | | | | | | | |
| Well Water to be used as: | | | | | | | | | | |
| 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well | | | | | | | | | | |
| 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) | | | | | | | | | | |
| 7 Lawn and garden only 10 Observation well | | | | | | | | | | |
| Well's static water level ft. below land surface measured on Pump setter done test pumping day year | | | | | | | | | | |
| Pump Test Data: Well water was ft. after hours pumping gpm | | | | | | | | | | |
| Est. Yield gpm: Well water was ft. after hours pumping gpm | | | | | | | | | | |
| 4 TYPE OF BLANK CASING USED: | | | | | | | | | | |
| 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped | | | | | | | | | | |
| 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X | | | | | | | | | | |
| 7 Fiberglass Threaded | | | | | | | | | | |
| Blank casing dia 16 in. to 485 ft. Dia in. to ft. Dia in. to ft. | | | | | | | | | | |
| Casing height above land surface 12 in., weight 36.4 lbs./ft. Wall thickness or gauge No. 219 | | | | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | | | | | | |
| 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement | | | | | | | | | | |
| 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) | | | | | | | | | | |
| 12 None used (open hole) | | | | | | | | | | |
| Screen or Perforation Openings Are: | | | | | | | | | | |
| 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) | | | | | | | | | | |
| 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes | | | | | | | | | | |
| 7 Torch cut 10 Other (specify) | | | | | | | | | | |
| Screen-Perforation Dia. 16 in. to 485 ft. Dia in. to ft. Dia in. to ft. | | | | | | | | | | |
| Screen-Perforated Intervals: From Screen 250-275 ft. xx Perf. 275-300 ft. From Screen 300-330 ft. xx Perf. 330-340 ft. | | | | | | | | | | |
| From Screen 340-365 ft. xx Perf. 365-372 ft. From Screen 372-382 ft. xx Perf. 382-470 ft. | | | | | | | | | | |
| Gravel Pack Intervals: From 10 ft. to 485 ft. From Screen 470-480 ft. xx Perf. 480-485 ft. | | | | | | | | | | |
| 5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other | | | | | | | | | | |
| Grouted Intervals: From 0 ft. to 10 ft. From ft. to ft. From ft. to ft. | | | | | | | | | | |
| What is the nearest source of possible contamination: | | | | | | | | | | |
| 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well | | | | | | | | | | |
| 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well | | | | | | | | | | |
| 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) | | | | | | | | | | |
| 13 Watertight sewer lines Center of 1/2 Section N/A. | | | | | | | | | | |
| Direction from well How many feet ? Water Well Disinfected? Yes No X | | | | | | | | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample | | | | | | | | | | |
| was submitted month day year Pump Installed? Yes No X | | | | | | | | | | |
| If Yes: Pump Manufacturer's name Model No. HP Volts | | | | | | | | | | |
| Depth of Pump Intake ft. Pumps Capacity rated at gal./min. | | | | | | | | | | |
| Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other | | | | | | | | | | |
| 6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was | | | | | | | | | | |
| completed on April month 7 day 1981 year | | | | | | | | | | |
| and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 | | | | | | | | | | |
| This Water Well Record was completed on May month 15 day 1981 year under the business | | | | | | | | | | |
| name of Minter Wilson Drilling Co., Inc. by (signature) <i>M. Minter</i> | | | | | | | | | | |
| 7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | | FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG | | | |
|  | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| ELEVATION: | | | | | | | | | | |
| Depth(s) Groundwater Encountered | | 1 | ft. | 2 | ft. | 3 | ft. | 4 | ft. | (Use a second sheet if needed) |
| INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records. | | | | | | | | | | |

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Drilling
and Geologic
Work
Complete Test Log
and Reporting

Phone 276-8268

P.O. Box A

GARDEN CITY, KANSAS 67846

JACK & JIM MOYER

LARRY SMITH - TENANT

KEARNY COUNTY

2/24/81

Location: SE 36-26-35 - 300' north of pivot

Static Water Level - 190'

Test #

| | | |
|-----|-----|---|
| 0 | 29 | Fine Sand |
| 29 | 50 | Clay & Sand |
| 50 | 87 | Brown Clay |
| 87 | 140 | Med. to Coarse Gravel (Loose) |
| 140 | 154 | Fine to Med. Sand & Gravel (Loose) |
| 154 | 172 | Blue Clay |
| 172 | 200 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 200 | 215 | Fine to Med. Sand & Fine Gravel 10% Clay (Loose) |
| 215 | 240 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 240 | 251 | Brown Clay |
| 251 | 275 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 275 | 299 | Brown Sandy Clay |
| 299 | 305 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 305 | 326 | Fine to Med. Sand & Gravel (Loose) (Small Hard Streaks) |
| 326 | 339 | Brown Clay |
| 339 | 345 | Fine to Med. Sand & Gravel (Loose) |
| 345 | 350 | Brown Clay |
| 350 | 365 | Fine to Med. Sand & Gravel (Loose) |
| 365 | 372 | Brown Clay |
| 372 | 380 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 380 | 469 | Brown Clay (Tight) |
| 469 | 481 | Fine to Med. Sand & Gravel 10% Clay (Loose) |
| 481 | 490 | Brown Gray & Yellow Clay with Brown Rock (Hard) |