

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Kearny		SE 1/4 NE 1/4 SW 1/4		4		T 26 S		R 36 E (W)	
Distance and direction from nearest town or city street address of well if located within city? 7 3/4 miles South of Lakin, Ks.									
2 WATER WELL OWNER: Masonic Home 8-1 Murfin Drilling RR#, St. Address, Box # : Box 661 City, State, ZIP Code : Colby, Ks. 67701 Board of Agriculture, Division of Water Resources Application Number: T87-132									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 220 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 115 ft. 2. 105 ft. 3. 4-13-87 ft. WELL'S STATIC WATER LEVEL 115 ft. below land surface measured on mo/day/yr Pump test data: Well water was 125 ft. after 2 hours pumping 55 gpm Est. Yield 65 gpm: Well water was 125 ft. after 2 hours pumping 55 gpm Bore Hole Diameter 9 in. to 220 ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No							
		5 TYPE OF BLANK CASING USED:							
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter 5 in. to 140 ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface 14 in., weight 200 lbs./ft. Wall thickness or gauge No. 0.265							
		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 115 ft. to 220 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 105 ft. to 220 ft., From ft. to ft. FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG 0 115 Overburden 115 160 Coarse sand and clay 160 180 Medium sand and blue clay 180 200 Medium sand and blue clay 200 220 Medium sand and clay streaks									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? East How many feet? 200									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-13-87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 142 This Water Well Record was completed on (mo/day/yr) 4-15-87 under the business name of T & W Water Well Service by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.									