

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Kearny	SW ¼ SW ¼ SW ¼	13	T 26 S	R 36 E W

Distance and direction from nearest town or city street address of well if located within city?
9 3/4 South 2 1/4 East of Lakin, KS

2	WATER WELL OWNER:	#3-I	H-30 Drilling	
	RR#, St. Address, Box # :		251 N. Water Ste 10	Board of Agriculture, Division of Water Resources
	City, State, ZIP Code :		Wichita, KS 67202	Application Number: T89-048

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N	
NW	NE
E	
SW	SE
S	

W

1 Mile

4 DEPTH OF COMPLETED WELL..... 220 ft. ELEVATION:

Depth(s) Groundwater Encountered 1..... 150 ft. 2..... ft. 3..... ft.

WELL'S STATIC WATER LEVEL 70 ft. below land surface measured on mo/day/yr 2-6-89.....

Pump test data: Well water was 110 ft. after 2 hours pumping 60 gpm

Est. Yield 65 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter..... 9 in. to 220 ft., and..... in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	<u>6 Oil field water supply</u>
2 Irrigation	4 Industrial	9 Dewatering
	7 Lawn and garden only	12 Other (Specify below)
	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes..... NX; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:		3 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> ... Clamped ...	
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded	
2 PVC	4 ABS	7 Fiberglass		Threaded	
Blank casing diameter 5 in. to 0-120 ft., Dia	 in. to ft., Dia	 in. to ft.	
Casing height above land surface 14 in., weight 200 lbs./ft.		Wall thickness or gauge No. 0.265			
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:			8 Saw cut	11 None (open hole)	
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	9 Drilled holes		
2 Louvered shutter	4 Key punched	6 Wire wrapped	10 Other (specify)		
SCREEN-PERFORATED INTERVALS:		7 Torch cut			
From 120 ft. to 220 ft., From ft. to ft.					
GRAVEL PACK INTERVALS:					
From 65 ft. to 220 ft., From ft. to ft.					

6 GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:		From 0 ft. to 20 ft.	From	ft. to	ft.
What is the nearest source of possible contamination:				10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage		
Direction from well? Southwest		How many feet? 200			

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-6-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 142 This Water Well Record was completed on (mo/day/yr) 2-10-89 under the business name of T & W Water Well Service, Inc. by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. **PLEASE PRESS FIRMLY** and **PRINT** clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to **WATER WELL OWNER** and retain one for your records.