


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County Kearny County	Fraction 1/4 1/4 NW 1/4	Section number 23	Township number T 26 S	Range number R 36 E/W
2. Distance and direction from nearest town or city: 11 South of Lakin on Hiway 25, 7 1/2 East, 1/2 South Street address of well location if in city:		3. Owner of well: R.R. or street: Walter Fletcher City, state, zip code: Lakin, KS 67860			
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: 		6. Bore hole dia: 26 in. Completion date 3-28-79 Well depth 320 ft.	
5. Type and color of material		From	To	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
Casing Schedule 0 - 125 Plain 125 - 175 Perf. 175 - 215 Screen 215 - 320 Perf.				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
				9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1 ft. in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 320 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219	
				10. Screen: Manufacturer's name Johnson Type Johnson Galva dia 100-16" Slot/gauze <input type="checkbox"/> Length <input type="checkbox"/> Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 1/4 to 5/8	
				11. Static water level: <input type="checkbox"/> mo./day/yr. 84 ft. below land surface Date 2-23-79	
				12. Pumping level below land surfaces: 91 ft. after 2 hrs. pumping 1200 g.p.m. 93 ft. after 4 hrs. pumping 1500 g.p.m. Estimated maximum yield 1500 g.p.m.	
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>	
				14. Well head completion: <input type="checkbox"/> Pitless adapter 1 ft. inches above grade	
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: ft. <input type="checkbox"/> Direction N/A Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Could 5 stg. 12" Bowl Model number <input type="checkbox"/> HP 125 Volts <input type="checkbox"/> Length of drop pipe 180 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
		(Use a second sheet if needed)			
18. Elevation: Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling Co. 208 Business name License No. <input type="checkbox"/> Address Box A, Garden City, KS 67846 Signature <i>[Signature]</i> Date 8/17/79 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

WALTER WILSON DRILLING CO. INCORPORATED
Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

January 12, 1979

Walter Fletcher
Kearny County

Location: N. W. $\frac{1}{4}$ 23-26-36
Static Water Level 100
Test #3

0	18	Top Soil Fine Sand
18	41	Brown Clay
41	50	Fine to med. sand and gravel
50	80	Med. Coarse Gravel
80	175	Coarse Gravel
175	195	Fine to med. sand and gravel streak of coarse gravel
195	200	Fine to med. sand and gravel streak of coarse gravel 10% Clay
200	222	Fine to med. sand and gravel 10% Clay
222	233	Brown Sandy Clay hard
233	244	Fine to med. sand
244	261	Brown Sandy Clay
261	310	Fine to med. sand tight
310	320	Fine Sand mixed with Brown Rock
320	344	Brown Rock mixed with Yellow Clay hard
344	350	Shale (hard)

RECEIVED

AUG 23 1979

DIVISION OF ENVIRONMENT
OF & EG SEC.

Pay Last Amount In This Column