


1. Location of well:		County KEARNY	Fraction SW 1/4 NE 1/4 SW 1/4	Section number 26	Township number T 26 S	Range number R 36 W
2. Distance and direction from nearest town or city: south of Lakin to county line 7 1/2 east 1 1/2 north				3. Owner of well: Brad Tate R.R. or street: Lakin KS 67860 City, state, zip code:		
4. Locate with "X" in section below: <div style="text-align: center;">  </div> Sketch map:				6. Bore hole dia. 26 in. Completion date 5-31-76 Well depth 380 ft.		
5. Type and color of material				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
				8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 86.87 lbs./ft.		
				Dia. 16 in. to 381 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gauge No. 219 msc		
				10. Screen: Manufacturer's name Johnson Division Type Galv. Dia. 16" Slot/gauze 100 Length 20' Set between 330 ft. and 350 ft. Perf. 120-330 ft. and 350-380 ft. Gravel pack? yes Size range of material 1/2 Down		
				11. Static water level: <input type="checkbox"/> mo./day/yr. 162 ft. below land surface Date 4-29-76		
				12. Pumping level below land surfaces: 166 ft. after 2 hrs. pumping 650 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 650 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade		
				15. Well grouted? yes With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: N/A ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Goulds US Pumps Model number 12JHC HP 125 Volts <input type="checkbox"/> Length of drop pipe 200 ft. capacity 1000 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling 208 Business name License No. Address P.O. Box 1 Garden City, KS Signed Barbara DeGuzman Date 9-1-76 Authorized representative		
				18. Elevation:		
				19. Remarks:		