

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: Kearny		NW 1/4 SW 1/4 SE 1/4		26		T 26 S		R 36 EW			
Distance and direction from nearest town or city street address of well if located within city?											
North of Ulysses to Grant County line 7 East 1 North 1/2 East											
2 WATER WELL OWNER: #9-1 Tate Murfin Drilling											
RR#, St. Address, Box #: Box 661 Board of Agriculture, Division of Water Resources											
City, State, ZIP Code: Colby, KS 67701 Application Number: T89-508											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 300 ft. ELEVATION:							
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
				WELL'S STATIC WATER LEVEL 180 ft. below land surface measured on mo/day/yr 11-15-89							
				Pump test data: Well water was ft. after hours pumping gpm							
				Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter in. to ft., and in. to ft.				WELL WATER TO BE USED AS:							
1 Domestic				3 Feedlot		6 Oil field water supply		9 Dewatering			
2 Irrigation				4 Industrial		7 Lawn and garden only		10 Monitoring well			
5 Public water supply				8 Air conditioning		11 Injection well					
12 Other (Specify below)											
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes No											
5 TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded											
7 Fiberglass Threaded											
Blank casing diameter 5 in. to 200 ft., Dia in. to ft., Dia in. to ft.											
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)											
12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 200 ft. to 300 ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 3 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 25 ft. to 3 ft., From 170 ft. to 150 ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? West How many feet? 275											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
						300		170		Sand	
						170		150		Cement & hole plug	
						150		23		Sand	
						23		3		Cement & hole plug	
						3		0		Topsoil	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-10-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 142 This Water Well Record was completed on (mo/day/yr) 11-21-89 under the business name of T & W Water Well Service, Inc. by (signature) <i>C. D. Wagoner</i>											