


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Kearny County	Fraction 1/4 1/4 SW 1/4	Section number 32	Township number T 26 S R 36 E/W	Range number
2. Distance and direction from nearest town or city: 14 South of Lakin on Hwy 25, 4 1/2 East, 1/2 North Street address of well location if in city:				3. Owner of well: Tate - Lyle (KI) R.R. or street: 7 Brad Tate City, state, zip code: Lakin, KS 67860		
4. Locate with "X" in section below:		Sketch map:		Bore hole dia. 26 in. Completion date 12-26-77 Well depth 376 ft.		
				7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1 ft. in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 376 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gage No. 219		
				10. Screen: Manufacturer's name Johnson Type Johnson Galv. D. 100-16" Slot/gauze 0-200 Plain 200-330 Perf. Set between 330-350 Screen 350-376 Perf. ft. and <input type="checkbox"/> ft. Gravel pack? yes Size range of material 3/8 to 5/8		
				Static water level: <input checked="" type="checkbox"/> Below land surface Date 12-23-76 Pumping level below land surfaces: ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield <input type="checkbox"/> g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
				14. Well head completion: Pitless adapter 1 ft. inches above grade		
				15. Well grouted? yes With: Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				Nearest source of possible contamination: ft. <input type="checkbox"/> Direction N/A Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter-Wilson Drilling Co. 208 Business name License No. Box A, Garden City, KS 67846 Address Signed John E. L. 6-10-77 Date Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

The
Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8268

P.O. Box A

GARDEN CITY, KANSAS 67840

December 23, 1976

Tate - Lyle
Kearny County

Location: SW $\frac{1}{4}$ 32-26-36
Static Water Level - 160
Test # Pivot

0	18	Fine Sand
18	67	Brown Clay
67	143	Med. to coarse gravel (loose)
143	180	Brown Clay
180	185	Fine to med. sand and fine gravel (loose)
185	200	Fine to med. sand and gravel (loose)
200	213	Fine to med. sand and fine gravel 10% Clay (loose)
213	230	Fine to med. sand and gravel (loose)
230	248	Fine to med. sand and gravel (loose) 10% Clay
248	260	Brown Clay
260	353	Fine to med. sand and gravel (loose)
353	376	Brown & Yellow Clay with Brown Rock (fairly loose)
376	380	Shale (Hard)

T. D. 376