KOLAR Document ID: 1569883

WATER		ECORD Correction		WWC-5 e in Well Use	2			ion of Wate rces App. N] Well I	_ [
				Fraction Fraction				ion Numbe		Township Numb			ge Number
1 LOCATION OF WATER WELL: Fraction County: 1/4 1/4 1/4					1 1 5				□E □W				
						Rura	Rural Address where well is located (if unknown, distance and						
Business:						direction fi	om ne	arest town o	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:	Address:												
City:			State:	ZIP:									
3 LOCATE	WELL												
WITH "X				IPLETED '			ft.						
SECTION	N BOX:			Encountered:			11			e:			
N				8) f TER LEVEL			II			WGS 84 □ NAI] N.	AD 27
				, measured or						<u>Latitude/Longitude</u> unit make/model:			,
NW	NF			measured or						WAAS enabled?			
	i l	Pump test da	ata: Well w	ater wasft.				☐ Land Survey ☐ Topographic Map			-/		
w H	E	after			oumpinggpm			Online Mapper:					
SW	-X _{SE}	- 6		ater was									
	ī l	Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
S				gpm in. to		ft. and				Land Survey			
1 mi		2010 11010 2		in. to						Other			
7 WELL W	VATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: v						eld Water Supply: 16			
Househo				g: how many						: well ID			
☐ Lawn &				echarge: wel						☐ Uncased ☐ (
☐ Livestoo 2. ☐ Irrigatio				g: well ID						al: how many bores			
3. ☐ Feedlot			Air Sparge	l Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industria			Recovery		jection					(specify):			
Was a chem	nical/bacteri	iological san	nple subm	itted to KE	HE?	Yes \square N	No.			mple was submitte			
Water well o					Ш			,,					
8 TYPE OI	F CASING	USED: □ S	teel PV	C Other .		CA	SIN	G JOINTS	S: 🗆	Glued Clamped	d We	lded	Threaded
										in. to			
Casing height						lbs.	/ft.	Wall thick	kness	s or gauge No		•••	
TYPE OF S			TION MAT							g			
☐ Steel ☐ Brass	_	less Steel anized Steel			☐ PVC	used (open	hala)		ner (S	Specify)		• • • • •	•••••
SCREEN O			NINGS AI		☐ None (useu (open	noie)						
☐ Continu		☐ Mill Slot		auze Wrappe	d □To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louver		☐ Key Punch						ne (Open H					
SCREEN-PI	ERFORATE	D INTERVA	ALS: From	ı ft	. to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GR	AVEL PAC	K INTERV	ALS: From	1 ft	. to	ft., Fro	om	ft. t	o	ft., From	ft	. to	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well													
□ Watertig	ght Sewer Lin	es 🗆 S	Seepage Pit	□ I	Feedyard			ertilizer Sto					
Other (S	specify)												
					ce from w					ft.		173.76	S DIEEDII I G
10 FROM	TO	L	ITHOLOG	ilC LOG		FRON	/1	TO	LH	HO. LOG (cont.) or	: PLUGG	iINC	INTERVALS
						<u> </u>							
						Notes:	:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Wate	er Well Con	tractor's Lice	ense No		This W	ater Well	Reco	rd was con	mple	eted on (mo-day-y	ear)		
under the bu	siness name	of		ELL OWNER	4	C		1- F CC		or each constructed we	-11	<u></u>	
KS Departme	S ent of Health ar	ena one copy to nd Environment	WAIEK W Bureau of W	ELL OWNER Vater, Geology	Section 1	one for your 000 SW Jack	son S	us. Fee of \$5 t., Suite 420	1 UU.c Tone	or each <u>constructed</u> we eka, Kansas 66612-13 <i>6</i>	л. 57. Telenl	none	785-296-3565.
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1569883

Lithology

From	То	LithologicLog
0	2	TOPSOIL
2	20	SANDY CLAY W/ F/M/C GRAVEL W/ LIMEROCK
20	50	C SAND, M/C GRAVEL
50	105	M/C GRAVEL
105	109	SAND, SANDY CLAY
109	141	C. SAND, M/C GRAVEL
141	152	SANDY CLAY W/ MED SAND
152	168	M/C/VC SAND, FINE/MED GRAVEL
168	175	CLAY, SANDY CLAY
175	193	MED/VC SAND, F/M GRAVEL
193	197	SANDY CLAY W/ F/M SAND
197	214	F/M/TR C GRAVEL
214	220	SANDY CLAY, F/M SAND
220	246	C. SAND, FINE/MED TR C. GRAVEL
246	251	FINE SAND, SANDY CLAY
251	255	FINE SAND
255	261	CLAY, SANDY CLAY W/ F. SAND
261	285	F/TR MED SAND, TR SANDY CLAY
285	308	CLAY, SANDY CLAY, FINE SAND LENSES

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1569883

Lithology

From	То	LithologicLog
308	353	BR. ROCK, SS, FINE SAND
353	388	SHALE, CLAY
388	399	SANDSTONE, BR ROCK, FINE SAND
399	416	SHALE, CLAY
416	427	F/M SAND, BR. ROCK, SS
427	432	SHALE, CLAY
432	460	BR. ROCK, SS, FINE SAND
460	468	SHALE
468	544	BR. ROCK, SS, FINE SAND
544	555	SHALE