KOLAR Document ID: 1572106

	WELL R	ECORD Correction		WWC-5 e in Well Use				sion of Wate irces App. N			Well I	D	
	TION OF WA			Fraction				ion Numbe		Township Numb			ge Number
County		TIER WE			1/4 1/2	4 1/4	БССП	ion i vanio		T S	R		□ E □ W
						Rura	Rural Address where well is located (if unknown, distance and						
Business:						direction f	rom ne	earest town or	r inte	rsection): If at owner	r's addre	ss, c	heck here:
Address: Address:													
City:			State:	ZIP:									
3 LOCAT	E WELL												
WITH "				IPLETED V			ft.						
SECTIO	N BOX:			Encountered:			11			e:			
N	1			3) ft TER LEVEL:			11			WGS 84 □ NAI	· ·] N	AD 27
				measured on						<u>Latitude/Longitude</u> unit make/model:			,
NW	NF			measured on						WAAS enabled?			
	i l	Pump test d	ata: Well w	ater was	er was ft.			☐ Land Survey ☐ Topographic Map					
w	E	after			umpinggpm			Online Mapper:					
SW	SE	-6		ater was									
	ī	Estimated Y		pumping		. gpm		6 Eleva	tion	ı:ft	. \square Gro	und	Level ☐ TOC
	S			gpm		ft. and				Land Survey			
1 n				in. to						Other			
7 WELL V	WATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: w						eld Water Supply: 16			
Housel				g: how many						: well ID			
☐ Lawn &				echarge: well						☐ Uncased ☐ (
Livesto 2. Irrigati				g: well ID						al: how many bores			
3. ☐ Feedlo] Air Sparge		Remediation: well ID			a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water					
4. ☐ Industr			Recovery		ection					(specify):			
Was a chei	nical/bacter	iological san	nple subm	itted to KD	HE ? □	Yes 🗆	Vo			nple was submitte			
	disinfected?					140 🗀	. 10	11) 00, 000		iipie was saeiiiiee			
				C □ Other		CA	ASIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ We	lded	☐ Threaded
										in. to			
	t above land s					lbs.	/ft.	Wall thick	kness	s or gauge No		• • •	
	SCREEN OR		ΓΙΟΝ MA										
Steel	_	less Steel		-	⊒ PVC	1.6	1 1 \		ner (S	Specify)		• • • • •	
☐ Brass	Gaiva NR PERFOR∆	anized Steel	MINGS AI		None t	used (open	noie)						
		☐ Mill Slot		auze Wrapped	Пто	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
		☐ Key Puncl						ne (Open H					
SCREEN-P					to					ft., From	ft	. to .	ft.
Gl	RAVEL PAC	K INTERV	ALS: Fron	1 ft.	to	ft., Fr	om	ft. t	o	ft., From	ft	. to .	ft.
)	. ft., From		. ft. to		ft., From	••••	ft. to	ft.		
Nearest sour	rce of possible		on: No Lateral Line	potential sou	rce of cor it Privy	ntaminatioi		nn 200 ft. Livestock Pe		☐ Insection	aida Star	0.00	
☐ Septic			Cess Pool			agoon		Tuel Storage		☐ Abande			Vell
	ght Sewer Lin			□F		.goon		ertilizer Sto					, 611
Other (Specify)												
Direction from well? ft.													
10 FROM	TO	I	LITHOLOG	GIC LOG		FROM	Л	TO	LIT	HO. LOG (cont.) or	· PLUGG	iINC	INTERVALS
							+						
						Notes	:						
11 CONTDACTODE OD I ANDOWNEDE CEDTIFICATION. This mater well was a second of the secon													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)													
Kansas Wa	ter Well Con	tractor's Lice	ense No		This W	ater Well	Reco	ord was con	nole	eted on (mo-day-y	ear)	g	
under the b	usiness name	of	<u></u>	<u></u>			<u></u> .	<u></u>	<u>.</u>	for each constructed we	······································	<u></u> .	
No.D	Soont of II- 141	Send one copy to	o WATER W	ELL OWNER	and retain	one for you	recor	ds. Fee of \$5	5.00 f	or each constructed we)ll.		795 207 2575
_	nent of Health ar ttp://www.kdhek			valer, Geology	section, 10	ooo sw jac.	KSOH S	i., suite 420,	rope	eka, Kansas 66612-136			/85-296-3565. A 82a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1572106

Lithology

From	То	LithologicLog
0	2	top soil, blow sand
2	5	fine sand
5	10	brown clay, fine to coarse sand
10	120	med coarse sand, small to large gravel
120	160	fine to coarse sand, small to large gravel
160	183	fine to med sand, small gravel
183	200	fine to coarse sand, small to large gravel
200	241	med to coarse sand, small to large gravel some fine sand
241	251	brown sandy clay, coarse sand mix
251	262	fine to med coarse sand, small to large gravel, brown sandy clay
262	270	fine to coarse sand
270	280	fine to coarse sand, clay mix
280	291	brown sandy clay, fine sand mix
291	300	brown sandy clay, some fine sand
300	330	brown sandy clay, fine sand mix
330	350	brown sandy clay, some fine sand

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	
Doc ID	1572106

Lithology

From	То	LithologicLog
350		sand stone, brown rock some soapstone
543	560	shale