

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Kearny		$\frac{1}{4}$ $\frac{1}{4}$ SE $\frac{1}{4}$	1	T 26 S	R 37 E 40
Distance and direction from nearest town or city street address of well if located within city? Lakin 7 1/2 miles South on Hiway 25, 1.4 miles Southeast					
2 WATER WELL OWNER: Earl Berlier					
RR#, St. Address, Box #: Box 302					
City, State, ZIP Code: Lakin, KS 67860					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 304 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL X 145 ft. below land surface measured on mo/day/yr			
		None - Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 10 5/8 in. to 304 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		<input checked="" type="checkbox"/> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <input type="checkbox"/> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
<input checked="" type="radio"/> 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <input type="radio"/> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X <input type="radio"/> 2 PVC 4 ABS 7 Fiberglass Threaded.....					
Blank casing diameter 6 5/8 in. to 265 ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface 12 in., weight 12.8 lbs./ft. Wall thickness or gauge No. 188					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
<input checked="" type="radio"/> 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement <input type="radio"/> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) <input type="radio"/> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
<input type="radio"/> 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) <input type="radio"/> 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes <input checked="" type="radio"/> 7 Torch cut 10 Other (specify)					
500000 PERFORATED INTERVALS: From 265 ft. to 305 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 10 ft. to 304 ft., From ft. to ft.					
6 GROUT MATERIAL: <input checked="" type="radio"/> 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
<input type="radio"/> 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well <input type="radio"/> 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well <input type="radio"/> 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) N/A. Pasture <input type="radio"/> 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage N/A.					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
Test Log Attached					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-17-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/yr) 8-24-82 under the business name of Minter Wilson Drilling Co., Inc. by (signature) <i>M. James DeKasper</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

*The
Professionals*

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

EARL BERLIER
Kearny County
May 14, 1982

Location: Well #1

Static Water Level -

Test #

0	21	Sand
21	103	Sandy & Clay
(103	110	Fine to Medium Sand & Gravel (Loose)
110	175	Brown Sandy Clay
175	190	Fine to Medium Sand & Gravel (Loose)
190	238	Medium to Coarse Gravel (Loose)
238	245	Brown Clay
245	280	Brown Clay 30% Gravel
280	305	Fine to Medium Sand & Gravel 10% Clay (Loose)

Drilled 10 5/8 Hole 305'
Set 6 5/8 Pipe 305'
30' Perf