	WATER WELL RECORD	Form WWC-5	KSA 82a-	1212	
1 LOCATION OF WATER WELL:	Fraction		ion Number	Township Num	
County: Kerney			24	7.36 2	Øs   R \$38 37En <b>⊘</b>
Distance and direction from nearest town of	•	within city?			
105 20 E of	Suracuse				
2 WATER WELL OWNER: Nelson	Rider				
RR#, St. Address, Box # : RFD 3				Board of Agri	culture, Division of Water Resources
City, State, ZIP Code : いくらん	s, Kansas 67880			Application N	umber:
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF COMPLETED WELL				
	opth(s) Groundwater Encountered 1.				~ ~ ~ ~ ~ /
1	ELL'S STATIC WATER LEVEL/2				• •
NW NE					nours pumping gpm
	t. Yield gpm: Well water	was	ft. aft	erh	nours pumping gpm
	re Hole Diameter . 7				
		5 Public water		3 Air conditioning	11 Injection well
SW SE	•	6 Oil field water			12 Other (Specify below)
		_	•	Observation well	•
<u> </u>	as a chemical/bacteriological sample si	ubmitted to De			
	tted			er Well Disinfected?	
5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concret			S: Glued . I Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (s	specify below)	•	Welded
②PVC 4 ABS	7 Fiberglass				Threaded
Blank casing diameter5in.					
Casing height above land surface!				. Wall thickness or (	gauge No
TYPE OF SCREEN OR PERFORATION M	IATERIAL:	7 PVC			tos-cement
1 Steel 3 Stainless ste	eel 5 Fiberglass	8 RMF		11 Other	(specify) .T.i.t.an
2 Brass 4 Galvanized	steel 6 Concrete tile	9 ABS	;	12 None	used (open hole)
SCREEN OR PERFORATION OPENINGS	ARE: 5 Gauze	d wrapped		8 Saw cut	11 None (open hole)
Continuous slot 3 Mill sl	lot 6 Wire w	rapped		9 Drilled holes	
`2 Louvered shutter 4 Key p				10 Other (specify) .	
	From 1.4.5				
	From ft. to				
GRAVEL PACK INTERVALS:	From ft. to		ft., From		ft. to
	From ft. to		ft., From		ft. to ft.
6 GROUT MATERIAL: 1 Neat cem		<b>B</b> enton	ite 4 C	Other	
	to ft., From	ft. to	o <i></i>	ft., From	ft. to
What is the nearest source of possible con			10 Livesto	ock pens	14 Abandoned water well
1 Septic tank 4 Lateral lin			11 Fuel st	•	15 Oil well/Gas well
2 Sewer lines 5 Cess poor	ol 8 Sewage lago	on	12 Fertiliz	er storage	16 Other (specify below)
3 Watertight sewer lines 6 Seepage	pit 9 Feedyard		13 Insection	cide storage	
Direction from well?			How many		
	LITHOLOGIC LOG	FROM	то	LIT	THOLOGIC LOG
0 80 SANDY (	Llay	<b>_</b>	ļ		
80 83 Sand		<del>                                     </del>			
83 95 Sandy	Clay	1			•
	nd Small Pea Gra	<b>1</b>			
117 146 Sandy	Clay				
	Grand		····		
160 165 Sandy		<del>                                     </del>			
165 182 Dakot	a Shadstone				
182 185 Shale	A company of the comp				
		<b> </b>	ļ		
		1			
		<b>.</b>			
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: This water well wa	s (1) construct	ted, (2) recon	structed, or (3) plug	ged under my jurisdiction and was
completed on (mo/day/year) . 8-20	\$1.				
Water Well Contractor's License No. 30	<u>оф</u>	<b>8</b>	and this record	I is true to the best o	of my knowledge and belief. Kansas I
	DO This Water We				of my knowledge and belief. Kansas
under the business name of Fulton	O This Water We			n (mo/day/yr) . 🕃 .	of my knowledge and belief. Kansas

to WATER WELL OWNER and retain one for your records.

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

. Location of well: Kervey	1/4 # 1/4 UE 1/4	Section	number	Township number 26 Range Number 37
2. Distance and direction from nearest townfor city: 105 Syrbcus Street address of well location if in city:	R.R.	wner of wel or street: state, zip	RFL	150N Ridor 1455es No -21,67880
4. Locate with "X" in section below: Sketch ma		sidie, zip	code: Z	6. Bore hole dia
NW NE				Well depth ft
W				8. Use: Domestic Public supply Industry Irrigation Air conditioning 🔀 Stock Lawn Oil field water Other
S S S				9. Casing: Material Height: Above or below  Threaded Welded Surface in.  RMP PVC Weight lbs./ft.
. Type and color of material		From	То	Diain. toft. depth Wall Thickness; inches or Diain. toft. depth gage No
50.000				10. Screen: Manufacturer's name Titan
String (149		0	92	Type Start Dia. Sylval Slot/gauze 1032 Length 40
And Al.		02	0,-	Set betweenft. andft.
Sandy Clay	9 1	83	75	Gravel pack? Size range of material 4/11. Static water level: mo./day/yr.
SAVEL 3 SmallpeAG	mau e l	73	111	122_ft. below land surface Date 9-20-86
Strely ( My		111	176	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.
YEA GIAVE!	· · · · · · · · · · · · · · · · · · ·	176	160	ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.
Party Chang	- 01	160	163	13. Water sample submitted: mo./day/yr.  Yes No Date
RI CHAROTES	ANDSTONE	100	182	14. Well head completion: Pitless adapter Inches above grade
Blue SMILE		/82	783	15. Well grouted?  With: Neat cement Bentonite Concrete  Depth: From ft . to ft .
				16. Nearest source of possible contamination: ft Direction Type
				Well disinfected upon completion? YesNo
				17. Pump: Not installed Nanufacturer's name Nodel number HP Volts
				Length of drop pipe ft. capacityg.p.m.
				Type: Submersible Turbine
(Use a second sheet if ne	eded)			Jet Reciprocating Other
. Elevation: 19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
pography:				is true to the best of my knowledge and belief.
Hill Slope				Business noge Address Address Address
Upland Valley	•			Signed Si
ward the white, blue and pink copies to the Department of Health	and Environment			Form WWC-5