1 1 2 2			WATE	R WELL RECORD	Form WWC-5	KSA 82a	-1212		
∐ LOCATK	N OF WAT	ER WELL:	Fraction		Sec	tion Number	Township Nu		Range Number
County:	Kearnv		NC 1/4	NW 1/4	NW 1/4	9	т 26	<u>(S)</u>	R 37 E
Distance a	nd direction	from nearest to	wn or city street a	ddress of well if loca	ated within city?	•			
From I	Ilvsses.	KS: Go N	to Kearny (Co. Line. the	en 3N, 2½W,	. 1N, 1½E	E, 4N/E thru	Cattle	e Guard then 3/4
2 WATER									location
_	Address, Box	DOLU	exco, Inc.	inl Combon			•		Division of Water Resources
City, State,		310	4th Financ:						T86-416
		W1Cr	ita, Kss.	6/202	200				
I LOCATE	NELL'S LO	BOX:							
ļ	• !	!							.122-86
	- NW	NE	Pumi	p test data: Well wa	ater was95	D ft. a	fter	hours pu	mping 120 gpm
11 F	- '\''	///	Est. Yield 12	20 gpm: Wellwa	ater was	ft. a	fter	hours pu	mping gpm
	i I	i 1.	Bore Hole Diame	eterin.	to 200 .		and	in.	. to
🖁 w	1	E	1	TO BE USED AS:			8 Air conditioning		Injection well
-	1	i	1 Domestic						Other (Specify below)
-	- SW	SE	2 Irrigation	4 Industrial	•		10 Observation well		
	! !	! 1							mo/day/yr sample was sub-
∮ ∟	'			bacteriological sampl	e submitted to Di				
- -			mitted				ter Well Disinfected		X No
		ASING USED:		5 Wrought iron	8 Concre				dXClamped
1 Ste		3 RMP (S	R)	6 Asbestos-Cemer	nt 9 Other	(specify below	v)		ed
Ø ₽V		4 ABS		7 Fiberglass					aded
Blank casir	ng diameter	🕭	.in. to 200	ft., Dia	in. to		ft., Dia		in. to ft.
Casing hei	ght above la	nd surface	24	.in., weight		Ibs./	ft. Wall thickness o	r gauge N	o • 320
	-	R PERFORATIO		. •	(7) PV			stos-ceme	
1 Ste		3 Stainles		5 Fiberglass		IP (SR)	11 Othe	r (specify)	
2 Bra		4 Galvania		6 Concrete tile	9 AB			used (op	
		ATION OPENIN				-	Saw cut	` '	11 None (open hole)
1					uzed wrapped				(open note)
	ntinuous slo		Mill slot		re wrapped		9 Drilled holes		
	uvered shutt		ey punched		rch cut				
SCREEN-F	PERFORATE	D INTERVALS:							o
			Erom	£4 4-					_ 4
I .									o
G	RAVEL PA	CK INTERVALS:							ο
G	RAVEL PA	CK INTERVALS:		.20 ft. to	200	ft., Fro	m	ft. t	
			From	.20 ft. to ft. to	200	ft., Fro	m	ft. t	o
6 GROUT	MATERIAL	: Neat	From From cement	.20 ft. to ft. to 2 Cement grout		ft., From	m m Other dirt	ft. t	o
6 GROUT	MATERIAL	: ①Neat	From From cement .ft. to15	.20 ft. to ft. to 2 Cement grout		ft., From the ft	m Other dirt ft., From	ft. t	o
6 GROUT Grout Inter What is the	MATERIAL vals: From	: 1Neat n0 urce of possible	From From cement .ft. to 15 contamination:	. 20 ft. to ft. to 2 Cement grout ft., From	3 Bento ft.	ft., From the ft	m Other dirt tock pens	ft. t	o
6 GROUT Grout Inter What is the	MATERIAL vals: From e nearest so ptic tank	: 1Neat n 0 urce of possible 4 Late	real lines	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Bento	to	m Other dirt tt, From tock pens storage	ft. t	o
6 GROUT Grout Inter What is the 1 Se 2 Se	MATERIAL vals: From e nearest so ptic tank wer lines	: 1 Neat n0 urce of possible 4 Later 5 Cess	From From cement ft. to 15 contamination: ral lines s pool		3 Bento ft.	to	m Otherdirt. ft., From tock pens storage izer storage	14 A	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew	: 1 Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep	From From cement .ft. to 15 contamination: ral lines s pool page pit	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy	3 Bento ft.	to	m	14 A	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat n0 urce of possible 4 Later 5 Cess	From From cement ft. to 15 contamination: ral lines s pool page pit	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe	From From cement .ft. to 15 contamination: ral lines s pool page pit	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat n 0	From From cement .ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well?	: 1 Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe	From From cement .ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Se 2 Se 3 Wa Direction fr FROM	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65	: 1 Neat n 0	From From cement .ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	. 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Sec 2 Sec 3 War Direction for FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement .ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Ser 2 Ser 3 War Direction fr FROM 0 65	MATERIAL vals: Fror e nearest so ptic tank wer lines atertight sew rom well? TO 65 115	: Neat n0 urce of possible 4 Late 5 Cess er lines 6 Seep Southe Sand Blue Clay	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC	.20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Ia 9 Feedyard	3 Bento ft.	to	other dirt tt, From tock pens storage izer storage ticide storage ny feet? 80	14 A 15 O	o
6 GROUT Grout Inter What is the 1 Sec 2 Sec 3 Wa Direction for FROM 0 65 115 185	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200	: 1 Neat n0 urce of possible 4 Later 5 Cess er lines 6 Seep Southe Sand Blue Clay Sand Green and	From From cement ft. to 15 contamination: ral lines s pool page pit east LITHOLOGIC The Blue Clay		3 Bento ft.	toft., From tt., From	m Other dirt totk pens storage izer storage ticide storage ny feet? 80	14 A 15 O 16 O	o
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200	: Neat n0 urce of possible 4 Later 5 Cess er lines 6 Seep Southe Sand Blue Clay Sand Green and	From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC Blue Clay		3 Bento ft. agoon FROM I was (1) constru	to	m	14 A 15 O 16 O	o
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200 RACTOR'S Con (mo/day/	DR LANDOWNE	From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC The Blue Clay R'S CERTIFICAT 2-86		3 Bento ft. agoon FROM I was (1) constru	to	m Other dirt of the form of th	14 A 15 O 16 O ITHOLOG	der my jurisdiction and was owledge and belief. Kansas
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200 RACTOR'S (on (mo/day/	DR LANDOWNE year) . 12-02s License No	From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC Blue Clay R'S CERTIFICAT 2-86. KWWCL-430		3 Bento ft. agoon FROM I was (1) constru	to	onstructed, or (3) plord is true to the beson (mo/day/yr)	ITHOLOG	der my jurisdiction and was owledge and belief. Kansas 86.
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew mom well? TO 65 115 185 200 RACTOR'S (on (mo/day/l Contractor) ousiness na	DR LANDOWNE year) . 12-02s License No	From From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC A Blue Clay R'S CERTIFICAT 2-86. KWWCL-430 rd Drilling	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Is 9 Feedyard LOG	3 Bento ft. agoon FROM was (1) construction of the construction	to	onstructed, or (3) plord is true to the beson (mo/day/yr)ture)	ugged unce to find the first the fir	der my jurisdiction and was owledge and belief. Kansas 86
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185 7 CONTF completed Water Well under the	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200 RACTOR'S (on (mo/day/) Contractor' business na	DR LANDOWNE year)	From From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC A Blue Clay R'S CERTIFICAT 2-86. KWWCL-430 rd Drilling point pen, PLEAS	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Is 9 Feedyard LOG HON: This water well This Water I Co. Beaver SE PRESS FIRMLY	3 Bento ft. agoon FROM Was (1) construction of the construction	to	onstructed, or (3) plord is true to the beson (mo/day/yr)ture)	ugged unce to find the first the fir	der my jurisdiction and was owledge and belief. Kansas 86
6 GROUT Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 65 115 185 7 CONTF completed Water Well under the INSTRUC three copie	MATERIAL vals: From e nearest so ptic tank wer lines atertight sew rom well? TO 65 115 185 200 RACTOR'S (on (mo/day/l Contractor) ousiness naterions: Use es to Kansas	DR LANDOWNE year)	From From cement ft. to 15 contamination: ral lines s pool bage pit east LITHOLOGIC ABlue Clay R'S CERTIFICAT 2-86. KWWCL-430 point pen, PLEAS ealth and Environr	20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage Is 9 Feedyard LOG HON: This water well This Water I Co. Beaver SE PRESS FIRMLY	3 Bento ft. agoon FROM Was (1) construction of the construction	to	onstructed, or (3) plord is true to the beson (mo/day/yr)ture)	ugged uncert of my kn 12-02-	der my jurisdiction and was owledge and belief. Kansas 86