


1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: KEARNY		SE 1/4 SW 1/4 NW 1/4		30		T 26 S		R 37 E/W			
Distance and direction from nearest town or city street address of well if located within city? 18 MILES SOUTHWEST OF LAKIN CITY											
2 WATER WELL OWNER: WALTER WAECHTER											
RR#, St. Address, Box # : RFD 3 BOX 83					Board of Agriculture, Division of Water Resources						
City, State, ZIP Code : ULYSSES, KANSAS 67880					Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL 160 ft. ELEVATION:								
<div style="text-align: center;">N 1 Mile W E S</div> 			Depth(s) Groundwater Encountered 1. DRY ft. 2. ft. 3. ft.								
			WELL'S STATIC WATER LEVEL 160 ft. below land surface measured on mo/day/yr								
			Pump test data: Well water was ft. after hours pumping gpm								
			Est. Yield gpm: Well water was ft. after hours pumping gpm								
			Bore Hole Diameter 9 in. to ft., and in. to ft.								
WELL WATER TO BE USED AS:			5 Public water supply 8 Air conditioning 11 Injection well								
1 Domestic			3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation			4 Industrial 7 Lawn and garden only 10 Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes X No											
5 TYPE OF BLANK CASING USED:											
1 Steel			3 RMP (SR)		5 Wrought iron		8 Concrete tile		CASING JOINTS: Glued X Clamped		
2 PVC			4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded		
					7 Fiberglass		ALUMINUM		Threaded		
Blank casing diameter 6 in. to ft., Dia in. to ft., Dia in. to ft.											
Casing height above land surface 12 in., weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel			3 Stainless steel		5 Fiberglass		7 PVC		10 Asbestos-cement		
2 Brass			4 Galvanized steel		6 Concrete tile		8 RMP (SR)		11 Other (specify) NA		
							9 ABS		12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot			3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)		
2 Louvered shutter			4 Key punched		6 Wire wrapped		9 Drilled holes				
					7 Torch cut		10 Other (specify) NA				
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
6 GROUT MATERIAL:											
1 Neat cement			2 Cement grout		3 Bentonite		4 Other				
Grout Intervals: From 6 ft. to 3 ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank			4 Lateral lines		7 Pit privy		10 Livestock pens		14 Abandoned water well		
2 Sewer lines			5 Cess pool		8 Sewage lagoon		11 Fuel storage		15 Oil well/Gas well		
3 Watertight sewer lines			6 Seepage pit		9 Feedyard		12 Fertilizer storage		16 Other (specify below)		
							13 Insecticide storage				
Direction from well? EAST							How many feet? 50 YARDS				
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
160'		159'		SAND							
159'		6'		DIRT/CLAY							
6'		3'		BENTONITE							
3'		0'		FILL DIRT							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-1-1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 9-13-1993 under the business name of by (signature) Walter Waechter											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.											

OFFICE USE ONLY

T

R

E/W

SEC.

1/4

1/4

1/4