CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location changed to:
28-265-38 W
SW SW NE
<u> </u>
riptions, county maps, hotos on KGS website. initials: DRL date: 8/3//2007

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		RECORD		n WWC-5				irces; App.					
1 LOCA' County:	TION OF V	WATER WELL: Grant	Fraction SW 1/4	SW 1/4	NE ¼	ction Nur 28	mber	Township T 2	Number 6 S	Rang R	ge Number 38 EW		
County: Grant SW ½ SW ½ NE ½ 28 T 26 S R 38 EW Distance and direction from nearest town or city street address of well if located within city?6 West, 10.5 North of Ulysses County: Grant SW ½ SW ½ NE ½ 28 T 26 S R 38 EW Global Positioning System (decimal degrees, min. of 4 digits) Latitude:													
located wit	inin city?6	west, 10.5 North of	Olysses			atitude: ongitude:							
2 WATER WELL OWNER: Duane Dickey						evation:							
RR#, St. Address, Box # : RFD City, State, ZIP Code : Ulysses, KS 67880						atum:		.1 1					
City, St	tate, ZIP Co	de : Ulysse	S, KS 67880) TEN WELL	370	ata Collec	ction M	ethod:					
LOCA'	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 370 ft. LOCATON												
	AN "X" IN	N Depth(s) Groun	ndwater En	countered 1	160)	ft. 2		ft. 3		ft.		
	ON BOX:												
N Pump test data: Well water was ft. after hours pumping g Est. Yield gpm: Well water was ft. after hours pumping g WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											gpm		
											gpm		
											n well		
W SE E E Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well West above the wind of the condition of the condition with the condition w													
	S	Sample was su	bmitted			W	ater W	ell Disinfe	cted? Yes	X	No		
5 TYPE	OF CASIN	IG USED: 5	Wrought I	ron 8	Concrete	tile	CASI	NG JOIN	ΓS: Glued	(Clamped		
1 Ste	TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Eagle-Loc Threaded Blank casing diameter 5 in. to 370 ft., Dia in. to ft., Dia in. to Casing height above land surface 18 in., Weight Ibs./ft. Wall thickness or gauge No. SDR21												
2 <u>PV</u>	<u>C</u> 4	ABS 7	Fiberglass			Eagle	e-Loc		Threa	ded			
Blank casi	ng diameter	5 in. to	370	ft., Dia	in.	to	ft.,	Dia	in.	to	ft.		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)													
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)													
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 178 ft. to 218 ft. From 238 ft. to 258 ft. From 318 ft. to 358 ft. From ft. to ft. GRAVEL PACK INTERVALS: From 25 ft. to 370 ft. From ft. to ft.													
			From	318	ft. to	358	ft. Fro	om	ft. t		ft.		
GRAVEL PACK INTERVALS: From 25 ft. to 370 ft. From ft. to From ft. to ft. From ft. to									ft.				
			rioiii		11.10	* 4	n. rr)III 			1t.		
6 GROU	JT MATER	RIAL: 1 Neat cer	ment 2 Co	ement grout	3 Benton	<u>ite</u> 4	Other	Enom		Α	Δ		
What is th	rvais ri	om 5 ft. to	ntamination	ı. From	1t. U		It.	rioiii		11. 10	ш.		
1	tic tank	4 Lateral li			0 Livestoc	k pens	13 Inse	cticide Sto	orage	16 O	ther (specify		
2 Sew	er lines	5 Cess poo	ol 8 Sew	age lagoon 1	1 Fuel stor	age :	14 Aba	indoned w	ater well		elow)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well													
Direction from well? How many feet? None observed													
FROM	TO		LOGIC LC)G	FROM	TO		PLUGO	GING INT	ERVA	LS		
60	60 120	Top soil & sandy Sand & gravel	clay		1								
120	225	Sandy clay & a lit	tle sand						1.1.11				
225	255	Yellow & white cl											
255		Grey clay	o otwoolso										
303	378	Sandstone & shal	e streaks		<u> </u>								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged													
under my jurisdiction and was completed on (mo/day/year) 7/31/07 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No. 473 . This Water Well Record was completed on (moday(year) 843/07													
1		e of Tyler Water			by (signatu								
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for											au of Water, nd retain one for		
your records	s. Fee of \$5.00) for each constructed w	ell. Visit us at	t http://www.kdh	eks.gov/water	well.							