WATER WELL RECORD			Form W	WC-5	Div	vision of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL:		Fraction			on Number		Range Number		
County: Reno			SE 1/4 SE 1/4 SE	7 T 26 S R 04 DE W Global Positioning System (GPS) information:					
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							g System (GPS) ir 953	iformation:	
	22715 Willison Road, Haven, Kansas					Latitude: .37.79253 (in decimal degrees) Longitude: 97.79128 (in decimal degrees)			
Northwest corner of E. SilverLake Rd & Willison Rd					Elevation: 1465.61				
2 WATER WELL OWNER: KDHE - BER					Datum	1: WGS 8	4, 🗹 NAD 83, 🗆	NAD 27	
RR#, Street Address, Box #: 1000 SW Jackson St. Suite 420					Collection Method: GPS unit (Make/Model:)				
C't- Ct-t- ZID C- 1-			KS 66612-1367		☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
Est. Accuracy:								5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .15									
	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL. 6.96ft. below land surface measured on mo/day/yr. 8/3/15								
Pump test data: Well water was									
WNW NE E ST. YIELDgpm. Well water wasft. after									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation Industrial Domestic-lawn & garden ♥ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes V No S If yes, mo/day/yr sample was submitted									
Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .15 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface0.49 in., Weight									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 15. ft., From ft. to ft.									
			From	ft. to		ft., From	ft.	to ft.	
	GRAV	EL PACK INTERVALS:	From3	ft. to 15		ft., From	ft.	to ft.	
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From .1									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Watertight sewer lines Seepage pit Feedyard Fertilizer storage						Abandone		ST Site	
		n well Seepage p				☐ Oil well/ga			
FROM	ТО	LITHOLOG		FROM	TO	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
0	1	crushed rock							
1	10	clay with silt, / CH							
10	15	shale		-		1007			
						MW7-R KDHE ID#	0051639		
						KUNE IU#	0031036		
T COVER A CTOR OF A AND OVER THE CONTROL OF THE COVER TH									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .8/3/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (po/day/year) .8/25/2015									
		ss name of Coranco Gr						,	
	CTIONS:	Use typewriter or ball point per	. PLEASE PRESS FIRMLY	and PRINT cl	arly. Ple	ase fill in blanks	s and check the correct		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									