WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number	
County: Reno	SE 1/4 SE 1/4 SE 1/4 SE 1/4	7 T 26 S R 04 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here $\square$ .		Latitude: 37.79265 (in decimal degrees) Longitude: 97.79121 (in decimal degrees)	
22715 Willison Road, Haven, Kansas		Elevation: 1465.22 (in decimal degrees)	
Northwest corner of E. SilverLake Rd & Willison Rd		Datum: WGS 84, W NAD 83, NAD 27	
2 WATER WELL OWNER: KDHE - BER		Collection Method:	
RR#, Street Address, Box #: 1000 SW Jackson St. Suite 420		GPS unit (Make/Model:)	
City, State, ZIP Code : Topeka	ı, KS 66612-1367	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
A LOCATE WELL		Est. Accuracy:	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL .15	ft	
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 6.29		
	Pump test data: Well water wasft. after hours pumping		
	POT VIELD WILLIAM O. O		
	Bore Hole Diameter <b>8.25</b> in. to .15		
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well		
	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well			
Was a chemical/bacteriological sample submitted to Department?  Yes V No			
S If yes, mo/day/yr sample was submitted			
Water well disir	nfected? ☐ Yes ☑ No		
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded Threaded			
Casing diameter .2 in. to .15			
Casing height above land surface. 9.30. in., Weight			
TYPE OF SCREEN OR PERFORATION	MATERIAI		
Steel Stainless Steel	V PVC □	Other (Specify)	
	None used (open hole)	outer (openity)	
SCREEN OR PERFORATION OPENINGS ARE:			
☐ Continuous slot			
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)			
SCREEN-PERFORATED INTERVALS: From			
From			
GRAVEL PACK INTERVALS: From. 3. ft. to15. ft., From ft. to ft.			
From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other			
Grout Intervals: From .1			
What is the nearest source of possible contamination:			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well LUST Site			
Direction from well		rom well	
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 1 topsoil			
1 9 Sand and Gravel / SW	-GW	19494	
9 13 Clayey Sand/CL		7.1 White is a second	
13 15 Weathered Shale		MW3-R	
	1 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .1.1/4/2015 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 2/9/16			
under the business name ofCoranco Great Plains, Inc			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to			
Kansas Department of Health and Environ	Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		

http://www.kdheks.gov/waterwell/index.html