


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Hamilton	Fraction SW 1/4 SE 1/4 SE 1/4	Section number 36	Township number T 26 S	Range number R 40 E W	
2. Distance and direction from nearest town or city: 11 miles north of Johnson Hwy. Jct. 270 & 27; 3/4 mile east			3. Owner of well: Melvin Combs R.R. or street: Johnson, Ks. 67855 City, state, zip code:				
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: 		6. Bore hole dia. <u>9 1/4</u> in. Completion date <u>7/22/77</u> Well depth <u>108</u> ft.			
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			
Surface		0	2	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other			
Very fine to medium sand w/clay breakers		2	27	9. Casing: Material <u>styrene</u> Height: <u>24</u> in. Threaded <u>galv</u> Surface <u>24</u> in. RMP <u>5</u> PVC <u>68</u> Weight <u>320</u> lbs./ft. Dia. <u>5</u> in. to <u>68</u> ft. depth Wall Thickness: inches or Dia. <u>5</u> in. to <u>68</u> ft. depth Gauge No. <u>320</u>			
Yellow chalk, gray clay, sandrock & Dakota		27	63	10. Screen: Manufacturer's name <u>Sunflower</u> Type <u>styrene</u> Dia. <u>5"</u> Slot/gauze <u>1/16"</u> Length <u>40'</u> Set between <u>68</u> ft. and <u>108</u> ft. <u>68</u> ft. and <u>108</u> ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material <u>1/4"</u>			
Gray clay, yellow chalk and Dakota		63	96	11. Static water level: <u>46</u> ft. below land surface Date <u>7/18/77</u>			
Dakota		96	108	12. Pumping level below land surfaces: <u>63</u> ft. after <u>6</u> hrs. pumping <u>8</u> g.p.m. <u> </u> ft. after <u> </u> hrs. pumping <u> </u> g.p.m. Estimated maximum yield <u>12</u> g.p.m.			
				13. Water sample submitted: <u> </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u> </u>			
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <u>24</u> Inches above grade			
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.			
				16. Nearest source of possible contamination: ft. <u>100</u> Direction <u>south</u> type <u>septic tank</u> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <u> </u> Model number <u> </u> HP <u> </u> Volts <u> </u> Length of drop pipe <u> </u> ft. capacity <u> </u> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other			
		(Use a second sheet if needed)					
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Houck Bros. Drilling</u> 164 Business name License No. Address <u>Box 487, Ulysses, Ks.</u> Signed <u>M. Beard</u> 7/22/77 Authorized representative Date			
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley							