			VVA	TER WELL RECORD	Form WWC-5	KSA 82	a-1212	
	ON OF WAT		Fraction		Sec	ction Number	Township Number	Range Number
	Hamilto		NE	1/4 NE 1/4 N		25	T 26 S	R 41 E(W)
			=	t address of well if located	•			O ,
App	roximate	ly 14½ mi]	les South	of Syracuse, Ks	•			
2 WATE	R WELL OW	NER: John	Lewis					
, RR#, St	Address, Box	(# : HCO1	, Box 54				Board of Agricultur	e, Division of Water Resources
	, ZIP Code	,	cuse, Ks.	67878			-	
					495	# ELEV		
AN "X"	IN SECTION	Y DOX:	Dopth(s) Grou	undwater Engagetered 1		II. ELEV/	ATION	. 3
- r	ı x	<u> </u>						
1	i ^							/yr .1.).?@#?.*(
-	NW	NE						pumping gpm
	1]	1						pumping gpm
W W		E						.in. to
₹ "	!!!	! !	WELL WATE		5 Public wate		· ·	11 Injection well
ī .	_ sw l	&	1 Domes					2 Other (Specify below)
ŀĺ	1	1	2 Irrigatio		_	-	=	
	i	ı	Was a chemic	al/bacteriological sample s	ubmitted to De	epartment? Y	es, If y	es, mo/day/yr sample was sub-
	S		mitted			W	ater Well Disinfected? Yes	X No
5 TYPE	OF BLANK C	ASING USED:	•	5 Wrought iron	8 Concre	ete tile	CASING JOINTS: G	uedX Clamped
1 St	eel	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify belo	w) W	elded
2 P\	/C	4 ABS	,	7 Fiberglass			•	readed
		5	in to 49!					. in. to ft.
								No 291 W
		R PERFORATIO		, worght	7 PV		10 Asbestos-ce	
1 St		3 Stainles		5 Fiberglass		IP (SR)		i
2 Br		4 Galvaniz		6 Concrete tile	9 AB		, ,	ify)
						3	12 None used	' ' '
		RATION OPENIN			ed wrapped		8 Saw cut	11 None (open hole)
	ontinuous slo		fill slot	6 Wire v	• •		9 Drilled holes	
	uvered shutt		ey punched	7 Torch				
SCREEN-	PERFORATI							
OOMELIT		ED INTERVALS:					om	
			From	ft. to		ft., Fro	ı m , . , . , . ,	t. to
		CK INTERVALS:	From	ft. to ft. to	495	ft., Fro	om	t. toft. t. toft.
		CK INTERVALS:	From From From	ft. to ft. to		ft., Fro	om	t. to
(GRAVEL PAG	CK INTERVALS:	From From Cement		495 3 Bento	tt., Fro tt., Fro ft., Fro	om for the order of the order o	t. to
(GRAVEL PAG	CK INTERVALS:	From From Cement		495 3 Bento	tt., Fro tt., Fro ft., Fro	om for the order of the order o	t. toft. t. toft. t. toft.
6 GROU	GRAVEL PAGE MATERIAL rvals: From	CK INTERVALS:	From From cement .ft. to 20	20 ft. to 2 Cement grout ft., From	495 3 Bento	ft., Fro ft., Fro ft., Fro onite 4	om	t. to
6 GROU Grout Inte What is th	GRAVEL PAGE MATERIAL rvals: From	: 1 Neat of possible	From From cement .ft. to 20	20 ft. to 2 Cement grout ft., From	495 3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	om	t. to
6 GROU Grout Inte	GRAVEL PAGE MATERIAL rvals: From the nearest so	: 1 Neat of possible	From From cement .ft. to 20 contamination ral lines		495 <u>3 Bento</u> ft.	ft., Fro ft., Fro onite 4 to 10 Lives	om	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se	GRAVEL PAGE T MATERIAL rvals: From the nearest so the price tank the sewer lines	.: 1 Neat on	From From cement .ft. to 20 contamination ral lines	20 ft. to 20 ft. to 10 ft. to 2 Cement grout 11 ft., From	495 <u>3 Bento</u> ft.	ft., Fro ft., Fro ft., Fro nite 4 to	om	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew	.: 1 Neat of no	From From cement .ft. to 20 contamination ral lines	ft. to 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago	495 <u>3 Bento</u> ft.	ft., Fro ft., Fro ft., Fro onite 4 to 10 Live: 11 Fuel 12 Ferti 13 Inse	om	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew	.: 1 Neat on	From From cement .ft. to 20 contamination ral lines	ft. to 20 ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 <u>3 Bento</u> ft.	ft., Fro ft., Fro ft., Fro onite 4 to 10 Live: 11 Fuel 12 Ferti 13 Inse	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement .ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
6 GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction	GRAVEL PAGE MATERIAL rvals: From the nearest so eptic tank the owner lines atertight sew from well?	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Control of possible 4 Late 5 Cess 2 Certaines 6 Seep West	From From cement ft. to 20 contamination ral lines s pool page pit	ft. to 20 ft. to 1 to 2 Cement grout 1 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	495 3 Bento ft.	ft., Fro ft., Fro ft., Fro onite 4 to	om from from from from from from from fr	t. to
GROUT Grout Inte What is the 1 Se 2 Se 3 W Direction of FROM	GRAVEL PAGE F MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well? TO	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Nurce of possible 4 Late 5 Cess 2 See 10	From From cement .ft. to 20 contamination ral lines s pool page pit LITHOLOG og attache	ft. to 20 ft. to 11 ft. to 2 Cement grout 12 ft. from 7 Pit privy 8 Sewage lago 9 Feedyard 11 IC LOG 2 ced 12 cement grout 13 centre ft. ft. from 14 centre ft. ft. ft. from 15 centre ft.	3 Bento ft.	ft., Fro. ft., F	om fine fine fine fine fine fine fine fine	t. to
GROUT Grout Inter What is the 1 Sec. 3 W Direction of FROM	GRAVEL PAGE FROM THE PAGE OF T	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Nurce of possible 4 Late 5 Cess 2 See 10 2 See 10 2 DR LANDOWNE	From From cement .ft. to 20 contamination ral lines s pool page pit LITHOLOG og attache	ft. to 20 ft. to 11 ft. to 2 Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG ed. ATION: This water well wa	3 Bento ft.	ft., From tt., F	om fine fine fine fine fine fine fine fine	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction of FROM	GRAVEL PAGE FROM THE PAGE OF T	1 Neat m	From From cement .ft. to 2.0 contamination ral lines s pool page pit LITHOLOG og attache R'S CERTIFIC 0/23/89	ft. to 20 ft. to 11 ft. to 2 Cement grout 12 ft., From 7 Pit privy 8 Sewage lago 9 Feedyard 13 IC LOG 2 d. ATION: This water well was	3 Bento ft.	ft., From tt., F	om fin	t. to
GROUT Grout Inte What is th 1 Se 2 Se 3 W Direction of FROM	GRAVEL PAGE T MATERIAL rvals: From the nearest so eptic tank ewer lines atertight sew from well? TO RACTOR'S C on (mo/day/	CK INTERVALS: 1 Neat 1 Neat 1 Neat 1 Neat 2 Near 3 Late 5 Cess 3 See 10 CR LANDOWNE (year) 1 Sec 10 5 License No.	From From cement .ft. to 2.0 contamination: ral lines s pool page pit LITHOLOG og attache R'S CERTIFIC 0/23/89 145	ft. to 20 ft. to 11 ft. to 2 Cement grout 7 Pit privy 8 Sewage lago 9 Feedyard IC LOG ed. ATION: This water well wa	3 Bento ft. Son FROM as (1) constru	to	om fin	t. to

DRILLERS TEST LOG

CUSTOMER'S NAME: John Lewis	DATE: August 8, 1989
STREET ADDRESS: HCO 1, Box 54	TEST # 1 E. LOG Yes
CITY & STATE: Syracuse, Kansas COUNTY Hamilton QUARTER NW SECTION	DRILLER Rector and Livingston
	25 TOWNSHIP 26 RANGE 41
LOCATION 200' east of old well	-

	ፔ ረረረጥ	ACE		House well		
7.	FOOTAGE From Pay TO			DESCRIPTION OF STRATA Proposed Well Depth.		
	0		14	DESCRIPTION OF STRATA Proposed Well Depth: Sandy clay		
	14		16	Lime rock		
	16		60	Clay and fine sand		
	60		75	Clay and lime rock streaks and fine sand		
	75		120	Cand fine medium commercial and time sand		
			120	Sand fine medium coarse and medium small gravel Blue and yellow clay (firm)		
	120	· · · · · · · · · · · · · · · · · · ·	140	Brown and red sandstone with some clay, hard in places		
	140		165	Blue shale, streaks of yellow clay and sand stone		
	165		193	Brown sand stone and very little clay took water		
	193		315	Blue shale (hard)		
	315		325	Soap stone and blue shale		
	325		330	Red shale lime rock and soap stone, very hard		
	330		340	Soap stone and limestone very hard used pull down		
ood	340	38	378	Brown sand stone, some lime stone used water		
	377		380	Red shale		
r to	380	115	495	Brown		
	495		516	Lime stone and soap stone (hard)		
	516		540	Red bed, very hard		
				Total depth=497'		
		153'		Total pay		
				5" PVC		
				Pert-plain		
				495-395-100'		
				395-0 395		
				TOTAL 100' - 395 - 495'		
				10-20 gravel pack		
				8 50# H. Tck		
				6 50# hole plug		
				2-5" caps		
						
		 }				
 						
						
						
 						

3795 West Jones Ave.

GARDEN CITY, KS 67846 HENKLE DRILLING & SUPPLY CO., INC. 316-277-2389

IRRIGATION HEADQUARTERS

TEST HOLES * * * * * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * * * * * * * STOCK WELLS