LOCATION OF WATER WELL: Fractic		Section		Township T 26			ſ
Distance and direction from nearest to APPROX. 15.75 MILES SOUTH AND 1.25 MIL	own or city stree ES WEST OF SYRAC	et address of well i	if located wi	thin city?			
WATER WELL OWNER: GOLDEN SPRIRR\$, St. Address, Box \$: P.O. BOX 10 City, State, ZIP code : JOHNSON, KS			Board of Age Application			Water Resource	: :S
		PLETED WELL 618 undwater Encountered			2. 0 f	t. 3.	0 f
\	Pump						
		d 400 gpm: Well wa	ater was	Oft. after	0 hour	s pumping	0 (
₩ E	: Bore Hole Diame	eter 24 i	n. to 618 f	t., and	in. to	0 ft.	
SW SE	WELL WATER TO E	BE USED AS: 02 IRRIC	GATION				1
		/bacteriological sam /yr sample was subm		ed to depart		ll disinfected	?
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE:	? in., weight: -: 01 STEEL		all thickness	or gauge N			
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE:	? in., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 1 From 152 ft. 1 From 20 ft. 1	to 152 ft., From to 230 ft., From to 618 ft., From	230 ft. to 0 ft. to	290 ft. 0 ft.			
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 1 From 152 ft. 1 From 20 ft. 1 From 0 ft. 1 20 ft., From 1 Contamination:	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250 0 ft.	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well? NORTH FROM : TO : Literal	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 1 From 152 ft. 1 From 20 ft. 1 From 0 ft. 1 20 ft., From 1 contamination:	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250		
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to Nhat is the nearest source of possible Direction from well? NORTH FROM : TO : LIT 0 : 2 : 01 CLAY 31 CALICHE	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 1 From 152 ft. 1 From 20 ft. 1 From 0 ft. 1 20 ft., From 1 contamination:	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well? NORTH FROM : TO : Lit 0 : 2 : 01 CLAY 2 : 58 : 01 CLAY 31 CALICHE 58 : 72 : 05 SAND 13 FINE GI 72 : 94 : 01 CLAY 05 SAND	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 16 From 152 ft. 17 From 20 ft. 17 From 0 ft. 17 20 ft., From 19 Contamination: THOLOGIC LOG E 05 SAND RAVEL	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to that is the nearest source of possible Direction from well? NORTH FROM TO LIT 0 2 01 CLAY 2 58 01 CLAY 31 CALICHE 58 72 05 SAND 13 FINE GI 72 94 01 CLAY 05 SAND 94 105 04 SANDY CLAY 08 I	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 16 From 152 ft. 17 From 20 ft. 17 From 0 ft. 17 20 ft., From 19 Contamination: THOLOGIC LOG E 05 SAND RAVEL	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well? NORTH FROM ! TO ! LIT 0 ! 2 ! 01 CLAY 2 ! 58 ! 01 CLAY 31 CALICHE 58 ! 72 ! 05 SAND 13 FINE GI 72 ! 94 ! 01 CLAY 05 SAND 94 ! 105 ! 04 SANDY CLAY 08 I 105 ! 136 ! 05 SAND	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 16 From 152 ft. 17 From 20 ft. 17 From 0 ft. 17 20 ft., From 19 Contamination: THOLOGIC LOG E 05 SAND RAVEL	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to Nhat is the nearest source of possible Direction from well? North FROM : TO : Li 0 : 2 : 01 CLAY 2 : 58 : 01 CLAY 31 CALICHE 58 : 72 : 05 SAND 13 FINE GI 72 : 94 : 01 CLAY 05 SAND 94 : 105 : 04 SANDY CLAY 08 I 105 : 136 : 05 SAND 136 : 142 : 04 SANDY CLAY 142 : 152 : 05 SAND 13 FINE GI	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 16 From 152 ft. 17 From 20 ft. 17 From 0 ft. 17 20 ft., From 19 Contamination: IHOLOGIC LOG E 05 SAND NAVEL	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: GRAVEL PACK INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well? North FROM : TO : Lit 0 : 2 : 01 CLAY 2 : 58 : 01 CLAY 31 CALICHE 58 : 72 : 05 SAND 13 FINE GE 72 : 94 : 01 CLAY 05 SAND 94 : 105 : 04 SANDY CLAY 08 I 105 : 136 : 05 SAND 136 : 142 : 04 SANDY CLAY 142 : 152 : 05 SAND 13 FINE GE 152 : 162 : 19 SHALE 23 SANDS	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 16 From 152 ft. 17 From 20 ft. 17 From 0 ft. 17 20 ft., From 19 Contamination: IHOLOGIC LOG E 05 SAND NAVEL	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 0 ft. to 0 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to ft., From	290 ft. 350 ft. 0 ft. 0 ft.	o250	low many feet?	
Casing height above land surface 1: TYPE OF SCREEN OR PERFORATION MATERIAL SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 03 BENTONITE Grout Intervals: From 0 ft. to What is the nearest source of possible Direction from well? North FROM : TO : Li 0 : 2 : 01 CLAY 2 : 58 : 01 CLAY 2 : 58 : 01 CLAY 3 : 105 SAND 13 FINE GI 72 : 94 : 01 CLAY 05 SAND 94 : 105 : 04 SANDY CLAY 08 I 105 : 136 : 05 SAND 136 : 142 : 04 SANDY CLAY 142 : 152 : 05 SAND 13 FINE GI	Pin., weight: 01 STEEL 01 CONT. SLOT From 142 ft. 15 From 152 ft. 15 From 20 ft. 15 From 0 ft. 15 20 ft., From 15 Contamination: CHOLOGIC LOG E 05 SAND RAVEL IEDIUM SAND	to 152 ft., From to 230 ft., From to 618 ft., From to 0 ft., From 14 ABAND. WELL	230 ft. to 290 ft. to 0 ft. to 0 ft. to 1 ft., From 2 ft., From 3 ft., From 4 ft., From 5 ft., From 6 ft., From 7 ft., From	290 ft. 350 ft. 0 ft. 0 ft.	O250 Oft. PLUGGING	low many feet?	

12 WATER WELL OWNER: GOLDEN SPREAD INC. 1 RR#, St. Address, Box #: P.O. BOX 101 RR#, St. Address, Box #: P.O. BOX 101 Board of Agriculture, Division of Water Resources : City, State, ZIP code: JOHNSON, KS 67855- Application Number: 23,124 SCREEN PERFORATED INTERVALS: From 350 ft. to 370 ft., From 450 ft. to 610 ft. From 370 ft. to 450 ft., From 0 ft. to 0 ft. FROM : TO : LITHOLOGIC LOG 186 : 211 : 19 SHALE 28 ROCK 23 SANDSTONE 211 | 238 | 19 SHALE 23 SANDSTONE 238 | 259 | 19 SHALE 23 SANDSTONE 259 : 280 : 19 SHALE 23 SANDSTONE 280 | 348 | 19 SHALE 348 : 374 : 19 SHALE 23 SANDSTONE 374 : 392 : 19 SHALE 23 SANDSTONE 392 | 416 | 23 SANDSTONE 19 SHALE 416 : 450 : 23 SANDSTONE 19 SHALE 450 : 486 : 23 SANDSTONE 19 SHALE 486 : 520 : 19 SHALE 23 SANDSTONE 520 | 580 | 23 SANDSTONE 19 SHALE 580 | 615 | 19 SHALE 20 LIMESTONE 23 SANDSTONE 615 | 622 | 19 SHALE

17 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 06/18/92 and this record is true to the best of my knowledge and belief. Kansas:

Water Well Contractor's License No. 145

This Water Well Record was completed on (mo/day/yr) 11/14/92 by (signature) Brunf Record was completed on (mo/day/yr) 11/14/92