•	WATI	ER WELL RECORD	Form WWC-5	KSA 82	a-1212	
LOCATION OF WATER WELL:	Fraction		Sec	tion Numbe	Township Number	Range Number
County: Hamilton	SW ½	4 NW 1/4 N	W 1/4	_10	т 26 s	R 42 E/W
Distance and direction from nearest tow	vn or city street	address of well if local	ted within city?	From S	Southwest Corner of	of Syracuse -
10 Miles South, 6-7/8t	hs Miles V	Vest, 2¼ Miles	South, 4	540 Ft.	North & 5210 Ft.	West
2 WATER WELL OWNER: Char	rles W. Hol	ldren				
RR#, St. Address, Box # : 417	N. Johnson	n St.			Board of Agriculture	e, Division of Water Resources
	acuse, Kans				Application Number	
LOCATE WELL'S LOCATION WITH			470	4 FIFY	Application Number	. 32
AN "X" IN SECTION BOX:						
N	Depth(s) Ground	owater Encountered	1	π.	2	. 3
†	WELL'S STATE	C WATER LEVEL +	ပိုသည်။ ft. b	elow land su	urface measured on mo/day/	yr 10-16-92
X NE	Purr	np test data: Well wa	ter was	ft.	after hours	pumping gpm
X						pumping gpm
. W 1 1 E	Bore Hole Diam	eter $30\ldots$ in. to	• 4 70		and	in. to
ž " ! " '	WELL WATER	TO BE USED AS:	5 Public wate	r supply	8 Air conditioning 1	1 Injection well
	1 Domestic	3 Feedlot	6 Oil field war	ter supply	9 Dewatering 1	2 Other (Specify below)
SW SE	2)rrigation	4 Industrial			10 Monitoring well	
			-	•	-	es, mo/day/yr sample was sub-
1	mitted	- Juliano io giodai odimpio	oublimited to be		ater Well Disinfected? Yes	
TYPE OF BLANK CASING USED:	писо	5 Wrought iron	9 Conore			No X
Steel 3 RMP (SF	D)	5 Wrought iron 6 Asbestos-Cement	8 Concre			ued Clamped
	יר			(specify belo		elded X
		7 Fiberglass			Th	readed
Blank casing diameter 16	.in. to 230) ft., Dia	in. to		ft., Dia	in. to ft.
Casing height above land surface	. 12	in., weight 42	.05	Ibs	./ft. Wall thickness or gauge	No 250
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		7 PV	C	10 Asbestos-cei	ment
1 Steel 3 Stainless steel		5 Fiberglass 8 RMP (SF		P (SR)	11 Other (specify)	
2 Brass 4 Galvanized steel		6 Concrete tile 9 ABS		S	12 None used (open hole)	
SCREEN OR PERFORATION OPENING	GS ARE:	5 Gau	5 Gauzed wrapped		8 Saw cut 11 None (open hole)	
1 Continuous slot (3)Mi	6 Wire wrapped		9 Drilled holes	,		
2 Louvered shutter 4 Ke	ey punched	7 Toro	h cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		. 230 _{ft. to} .	470	ft Fro	om ft	. toft.
	From	ft. to .		ft Fro	om ft	. toft.
GRAVEL PACK INTERVALS:	From	20 ft to	470	ft Fr	am #	. toft.
	From	ft. to		ft., Fro		
6 GROUT MATERIAL: 1 Neat of		2)Cement grout	2 Ponto			. to ft.
Grout Intervals: From0		0 # From		1111 0 4	4 F	**
What is the nearest source of possible		O 10., 110				
		 - ·				Abandoned water well
		7 Pit privy		11 Fuel storage		Oil well/Gas well
2 Sewer lines 5 Cess		8 Sewage la	goon	12 Ferti	lizer storage 16	Other (specify below)
3 Watertight sewer lines 6 Seep	age pit	9 Feedyard		13 Inse	cticide storage	
Direction from well? South				How ma	any feet? 160	
FROM TO	LITHOLOGIC	LOG	FROM	то	PLUGGING	INTERVALS
	See atta	ched log				
						•
-						
T CONTRACTORIO CO					7-1-1	
CONTRACTOR'S OR LANDOWNER	IS CERTIFICAT	ION: This water well water	was (1) construc	cted, (2) rec	onstructed, or (3) plugged u	nder my jurisdiction and was
completed on (mo/day/year)				and this reco	ord is true to the best of my l	knowledge and belief. Kansas
Water Well Contractor's License No	208	This Water \	Well Record was	s completed	on (mo/day/yr)1	0–27–92
under the business name of Minter	r-Wilson D	rilling Co., 1	inc.	by (signa	ature) MOSA , KORD .)
					le the correct answers. Send top three	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.