

WATER WELL R ☐ Original Record ☐		W W C-5	1000			ion of Water	1		Well ID	
1 LOCATION OF W.	<u> </u>	e in Well Use Fraction				rces App. No on Number		unchin Numb		aga Numbar
County:	AIEK WELL:	1/4 1/4	1/4	1/4	secu	on Number		vnship Numb T S	R R	nge Number □ E □ W
	N				Duro	1 Addrage v		_ ~		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:										
Address:	direction from nearest to will of intersection). If at owner is address, effect from						check here.			
Address:										
City:	State:	ZIP:				1				
3 LOCATE WELL	4 DEPTH OF COV	IPLETED WI	ELL:		ft	5 Latitu	de.			(decimal degrees)
WITH "X" IN		4 DEPTH OF COMPLETED WELL:								
SECTION BOX:		2)								
11	WELL'S STATIC WA	TER LEVEL:		ft.		Source for Latitude/Longitude:				
	☐ below land surface,					☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)				
NW NE	above land surface,				• • • • •					
	Pump test data: Well w					☐ Land Survey ☐ Topographic Map				
W E	after hours	s pumping				☐ Online Mapper:				
SW SE	after hours									
	Estimated Yield:		8	-Pili		6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:			. ft. and		Source:				opographic Map
mile		in. to		ft.			☐ Othe	er		
7 WELL WATER TO	BE USED AS:									
1. Domestic:	Public Wa					10. 🔲 Oil	Field W	ater Supply: 16	ease	
☐ Household	6. Dewaterin							1 ID		
Lawn & Garden	7. Aquifer Re							Uncased \square		
Livestock	8. Monitoring							ow many bores		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta ☐ Air Sparge			xtraction	••••			p ☐ Horizont ☐ Surface Di		
4. ☐ Industrial	☐ Recovery		_	Attaction						1 IIIJ. 01 Water
				, D	т Т					
Was a chemical/bacter Water well disinfected?		uttea to KDH	ш.: □ :	res 🔲 r	NO I	ii yes, date	sample	was submitte	:a:	
8 TYPE OF CASING		C D Othor		CA	CINIC	2 IOINTS.	Clus	d Clampa	J □ Walda	d 🗆 Throadad
Casing diameter										
Casing height above land s										
TYPE OF SCREEN OR				105./	10.	wan uneki	1000 01 50	auge 110		
	nless Steel		PVC			☐ Othe	er (Speci	fy)		
	anized Steel	_		sed (open	hole)	_	` 1	3,		
SCREEN OR PERFOR	ATION OPENINGS A	RE:								
		auze Wrapped						r (Specify)		
	☐ Key Punched ☐ W					ne (Open Ho				
SCREEN-PERFORATE										
GRAVEL PACK INTERVALS: From ft., From ft., From ft., From ft., From ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
		π., From	I	τ. το		π., From .		II. to	II.	
Nearest source of possible contamination: □ Septic Tank □ Livestock Pens □ Insecticide Storage							•			
Sewer Lines	☐ Cess Pool	□ Sew		oon		uel Storage	1.5		oned Water	
☐ Watertight Sewer Lin						ertilizer Stor	age		ll/Gas Well	
☐ Other (Specify)										
Direction from well?			rom we							
10 FROM TO	LITHOLOG	GIC LOG		FROM	1	TO 1	LITHO.	LOG (cont.) or	PLUGGIN	G INTERVALS
				Madaga						
Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year)										
Kansas Water Well Con	tractor's License No	T	his Wa	ter Well	Reco	rd was com	pleted of	on (mo-day-y	ear)	
under the business name	e of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1096210	

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	39	BROWN SANDY CLAY
39	45	SAND FINE TO MED
45	68	BROWN SANDY CLAY
68	92	SAND FINE TO MED COARSE
92	99	BROWN SANDY CLAY
99	109	SAND FINE TO MED COARSE
109	114	BROWN SANDY CLAY
114	139	SAND FINE TO MED COARSE
139	200	BROWN SANDY CLAY
200	220	SOAPSTONE W/ COUIPLE
220	240	SANDSTONE & SOAPSTONE -USED WATER-
240	265	SOAPSTONE
265	280	SANDSTONE & SOAPSTONE
280	365	SANDSTONE -USED WATER- MIX MUD
365	460	SHALE- VERY HARD, FROM 400' TO 440' & FEW HARD LEDGES
460	535	SANDSTONE- DRILLED TIGHT USED LITTLE WATER-

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1096210	

Litholgy

From	То	LithologicLog
535		SANDSTONE- USED SOME WATER DRILLED OLOOSE IN PLACES
600	700	SAND STONE W/ COUPLE RED CLAY STRINGERS - USED WATER DRILLED LOOSE IN PLACES-
700	720	RED BED