

WATER WELL RE		W W C-3	00100		ion of Water		W 11 ID	
		e in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
1 LOCATION OF WATER WELL:		Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number
County:		1/4 1/4	. D	1 4 1 1	T S	R	□E □W	
				reet or Rural Address where well is located (if unknown, distance and				
Address:	direction from nearest town or intersection): If at owner's address, check here:							
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	IPI ETED WELL		ft	5 Lotitud	e:		(daaimal daamaaa)
WITH "A" IN								
SECTION BOX:	$(1 2) \text{ff} 3) \text{ff} \text{or} (1) \mid 1 \mid$							
N	WELL'S STATIC WA							
	☐ below land surface,				·· GPS (unit make/model:)
NW NE	☐ above land surface,			(WAAS enabled? \(\subseteq \text{ Yes} \subseteq \text{No} \)				
	Pump test data: Well w			☐ Land Survey ☐ Topographic Map				
W E		pumpingvater was			Online Mapper:			
SW SE		pumping						
	Estimated Yield:		gpm	6 Elevation :ft. ☐ Ground Level ☐ TOC				
	Bore Hole Diameter:		ft. and		Source:	☐ Land Survey ☐	GPS To	pographic Map
mile		in. to				Other	• • • • • • • • • • • • • • • • • • • •	
7 WELL WATER TO H	BE USED AS:				•			
1. Domestic:	5. 🗌 Public Wa	ter Supply: well ID.			10. 🔲 Oil F	ield Water Supply: 1	ease	
☐ Household		g: how many wells?						
Lawn & Garden		echarge: well ID				d Uncased		
Livestock		g: well ID				mal: how many bore		
2. ☐ Irrigation 3. ☐ Feedlot	9. Environmenta	al Remediation: well						
4. ☐ Industrial								
Was a chemical/bacterio		-	¬ Vos. □	No. 1		ample was submitte		
Water well disinfected?		itted to KDIIE:		NO I	ii yes, date s	imple was submitte	zu	•••••
8 TYPE OF CASING U		C D Other	С	Λ SINI	G IOINTS: I	Clued Clampa	d 🗆 Waldad	I D Throaded
Casing diameter								ı 🔲 Tilleaded
Casing height above land sur						ss or gauge No		
TYPE OF SCREEN OR F				,,, 201	,, 411 4114	os or gauge roo		
	ss Steel				☐ Other	(Specify)		
☐ Brass ☐ Galvan	ized Steel	rete tile None	e used (oper	n hole)				
SCREEN OR PERFORA								
						Other (Specify)		
Louvered Shutter	」Key Punched □ W	ire Wrapped	Saw Cut	∐ No	ne (Open Hole	e)	C	C.
SCREEN-PERFORATED								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Septic Tank	Lateral Line	s 🔲 Pit Privy		ПL	ivestock Pens	□ Insecti	cide Storage	
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)								
								C DITTED I A I C
10 FROM TO	LITHOLOG	FIC LOG	FRO	M	TO L	THO. LOG (cont.) o	r PLUGGIN	GINTERVALS
 								
 								
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and	was completed on (m	o-day-year)		and th	is record is t	rue to the best of m	y knowleds	ge and belief.
Kansas Water Well Contr	Kansas Water Well Contractor's License No							
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1255135

Litholgy

From	То	LithologicLog
0	2	top soil
2	32	brown sandy clay w/ couple sand beds
32	60	brown clay w/ couple small beds
60	86	brown sandy clay
86	94	sand fine to med coarse
94	115	brown clay
115	168	sand fine to med coarse small gravel
168	176	brown sandy clay w/ couple sand beds
176	190	light blue & brown clay
190	210	sand fine to med coarse
210	235	brown sandy clay w/ some sand beds
235	266	sand fine to med coarse w/ few clay ledges
266	277	brown clay
277	290	soapstone
290	340	sandstone
340	360	sandstone w/ few soapstone stringers
360	389	sandstone
389	460	shale
460	479	shale w/ few sandstone strips

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1255135

Litholgy

From	То	LithologicLog
479	733	sandstone
733	740	red bed