## KOLAR Document ID: 1475846

	WELL R			WWC-5				ion of Wate				
		Correction		e in Well Use		]		rces App. N			Well ID	
		ATER WEL	L:	Fraction	17	1/	Section	on Numbe	er	Township Numb		ige Number
County				1/4 1/4	1⁄4		D -	1 4 1 1	1	T S	R	
						reet or Rural Address where well is located (if unknown, distance and						
Address: direc					direction in	ection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:				1				
3 LOCATI		4 DEPTH	OF COM	<b>IPLETED WEI</b>	1.		ft	5 Latit	nqe.			(decimal degrees)
WITH "				Encountered: 1).								
	SECTION BOX: N $ \begin{array}{c} \text{Depun(s) Groundwater Encountered. 1)nt.} \\ 2) ft. 3) ft., or 4) \Box Dry Well $ $ \begin{array}{c} Longitude:$											
WELL'S STATIC WATER LEVEL: ft. Source for Latitude/Longitude:												
				, measured on (mo								
NW	NE			measured on (mo-day-yr) ater was ft.				(WAAS enabled?  Yes No)				
w X	Е			s pumping gpm				□ Land Survey □ Topographic Map □ Online Mapper:				
				vater was								
SW	SE			s pumping		gpm						
		Estimated Y		gpm						1:ft.		
S  1 m	-	Bore Hole D		in. to ft. and				Sourc		Land Survey		
		BE USED A		in. to	•••••	It.						
1. Domestic:				ter Supply: well I	D				il Fie	eld Water Supply: 16	ease	
				ig: how many well						: well ID		
				echarge: well ID				$\Box$ Cased $\Box$ Uncased $\Box$ Geotechnical				
Livesto				g: well ID						al: how many bores		
2. 🗌 Irrigatio				al Remediation: w						Loop 🔲 Horizont		
3.  Feedlot			Air Sparge		-					Loop 🗌 Surface Di		
4. 🗌 Industr			Recovery	0						(specify):		
				nitted to KDHE	? 🗆	Yes 🔲 🛛	No I	If yes, dat	e sar	nple was submitte	d:	
		Yes					ODI					
										Glued Clamped		
										or gauge No.		
		PERFORAT			•••••	105.	/10.	wan une	Rifeba	, of guuge 110		
		less Steel		P	VC			🗌 Otl	her (S	Specify)		
Brass	Galv	anized Steel		□ N	one u	ised (open	hole)					
		ATION OPE										
	uous Slot	☐ Mill Slot						lled Holes		Other (Specify)	•••••	
		Key Punch						ne (Open H			<b>6</b> (	C.
										ft., From		
										ft., From		
										ft. to		•••••
		e contaminati	on: No	potential source of	of con	tamination	n withi	in 200 ft.			11.	
Septic 7			Lateral Line					ivestock Pe	ens	Insection	cide Storage	
Sewer I			Cess Pool	🗌 Sewag		goon		uel Storage			oned Water	
	ght Sewer Lin		Seepage Pit				🗆 Fe	ertilizer Sto	orage	☐ Oil We	ell/Gas Well	
				Distance fr						ft.		
10 FROM	TO TO		ITHOLO		JIII W	FRON		ТО		It. HO. LOG (cont.) or		GINTERVALS
	10	L					••	10			. 20000	
Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged												
under my in	ACIUK'S	OK LAND	eted on (m	5 CEKIIFICA 10-day-year)	IUN	N: 1 M1S W	vater V and th	wen was L	_ CC	ie to the best of m	v knowled	or plugged
Kansas Wat	ter Well Con	tractor's Lice	ense No	Thi	is Wa	ater Well	Reco	rd was con	mple	ted on (mo-day-ye	ear)	
	usiness name	of										
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.												
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1475846

## Lithology

From	То	LithologicLog
0	2	top soil
2	13	fine sand
13	61	brown sandy clay
61	66	sand fine to med
66	88	brown clay
88	90	sand fine to med
90	143	brown clay
143	153	sand fine to med
153	169	brown clay
169	180	sand fine to med coarse
180	193	brown sandy clay
193	200	sand fine to med coarse
200	237	brown clay
237	256	sand fine to med coarse
256	258	soapstone
258	318	sand stone
318	333	sandstone
333	385	sandstone
385	400	black shale & soapstone
400	458	black shale
458	474	sandstone w/ few shale strips
474	620	sandstone
620	741	sandstone w/ few soapstone ledges

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	
Doc ID	1475846

Lithology

From	То	LithologicLog
741	760	red bed