KOLAR Document ID: 1405992

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App.]			Well ID		
		ATER WEI	.L:	Fraction		ction Numb	er	Township Numb		ge Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S							$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
Z WELL Business:	UWNER: L	ast Name:		First:		ection from nearest town or intersection): If at owner's address, check here:					
Address:											
Address:											
City:		1	State:	ZIP:							
3 LOCAT		4 DEPTH	OF COM	APLETED WELL: .	f	t. 5 Latit	nde.			(decimal degrees)	
	WITH "X" IN SECTION BOX:										
	N 2) ft. 3) ft., or 4)							WGS 84 🗌 NAI		AD 27	
		WELL'S ST					Latitude/Longitude				
				yr) yr)			unit make/model:				
NW	NB	Pump test d					WAAS enabled?		O)		
w	E	-	hours			□ Land Survey □ Topographic Map □ Online Mapper:					
			Well v	t.							
SW	SE	after hours pumping			gpm	6 Elevation:ft. Ground Level TOC					
		Estimated Yield:gpm			C 1	Source: Land Survey GPS Topographic Map					
-	S pilel	Bore Hole L	Bore Hole Diameter: in. to in. to								
1 mile											
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease											
☐ Household 6. ☐ Dewatering: how many							11. Test Hole: well ID				
🗌 Lawn &	7. 🗆	7. Aquifer Recharge: well ID				Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores			
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop				
3. Even Feedlot Air Sparge 4. Industrial Recovery											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination:											
			Lateral Line			Livestock P			ide Storage		
Sewer I			Cess Pool	Sewage La		Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well?											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or		G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No											
under the b	usiness name	e of	WATED	/ELL OW/NER and retain (one for your rea	ords Ees of ¢	5 00 f	or each constructed	<u></u> 11	<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										