		RECORD		WWC-5		Division of W				AS-5		
		☐ Correction		e in Well Use		Resources App			Well ID			
		WATER WEL	L:	Fraction		Section Num	ıber	Township Numb		ge Number		
County: Reno				SW 1/4 NW 1/4 SW 1/								
	s: 204 E B	vood Grain, Ind	First:	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:								
City:	Pretty P	State: KS	ZIP: 67570									
	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						45 ft. 5 Latitude: 37.779592 (decimal degrees)					
		Depth(s) Gro	oundwater l	Encountered: 1)3	<u>1.5 ft.</u>	Lor	Longitude: -98.018697 (decimal degrees)					
				3) ft., or 4)				Datum: WGS 8				
WELL'S STATIC WAT						Sou	rce for	Latitude/Longitude	:			
□ below land surface,						🗆	GPS (unit make/model:	Geomax Z	enith 25)		
above land surface,						ľ		WAAS enabled?		ю)		
Pump test data: Well wa				pumping		☐ Land Survey ☐ Topographic Map ☐ Online Mapper:						
Well w					ater was			e Mapper:	• • • • • • • • • • • • • • • • • • • •	•••••		
			oumpinggpm				1570.52					
			eld:	gnm	6 Ele	6 Elevation: 1570.53ft. ☐ Ground Level ☐ TOC						
S Bore Hole Diameter:			8 in. to45	Sou	Source: Land Survey GPS Topographic Map							
1 mile												
7 WELL WATER TO BE USED AS:												
	Domestic: 5. Public Water Supply: well ID											
Hous		g: how many wells? charge: well ID		11. Test Hole: well ID								
						☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?						
. —								losed Loop Horizontal Vertical				
3. ☐ Feedlot								Loop Surface Discharge Inj. of Water				
4. ☐ Industrial ☐ Recovery				☐ Injection								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other												
Casing diameter 2 in to 43 ft. Diameter in to ft Diameter in to ft												
Casing diameter 2 in to 43 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Casing height above land surface -0.68 in Weight lbs/ft. Wall thickness or gauge No. Sch. 40												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From .43												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From												
Grout Intervals: From												
☐ Septic			 teral Lines	☐ Pit Privy		☐ Livestock P	ens	☐ Insectici	ide Storage			
☐ Sewer			ss Pool	☐ Sewage Lag		☐ Fuel Storag			ned Water W	/ell		
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well												
Other (Specify) .Contaminated site												
Direction from well? Distance from w										to remove a constitution		
10 FROM	TO				FROM	ТО	LITE	IO. LOG (cont.) or	PLUGGING	INTERVALS		
0	1.5			avel, Dark Brown	-		ļ					
1.5		Clay, v. sandy			 	-	<u> </u>					
3			and, vf-m, clayey, Red Brown			-	<u> </u>					
7			and, vf-m, sl. clayey, Yellow Brown				ļ					
14	20		and, vf-m w/tr. c, Yellow Brown			<u> </u>						
20			and, vf-m w/occ. c, Lt. Brown				l					
26		Sand, vf-c, Lt.		Notes:					:			
32 39 Sand, vf-c, Brown												
39 45 Sand, vf-c, Brown to Lt. Brown 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ■ constructed, ☐ reconstructed, or ☐ plugged												
under my	RACIUK'	nd was complete	ed on (mo	-day-year) .5/.19/20	. inis wa 17 - 22	icr well was d this record	is true	istructed, [_] recon	knowledge	r ∐ plugged		
Kansas Wa	ter Well Co	ntractor's Licen	se No. 52	7 This Wat	er Well R	ecord was co	nnlAt	ed on (mo-davaves	3r) 6/6/20°	, and benen. 17		
under the b	usiness nam	e of GeoCore	Inc.	XAAD TYG		Signature	1/2	in Reliable				
under the business name of GeoCore Inc. Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,												
1000	SW Jackson S	t., Suite 420, Topek	a, Kansas 66	612-1367. Mail one to W	ater Well O	wner and retain o			ne 785-296-55	524.		
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/20									/10/2015			









Collingwood Grain, Inc. T&M 204 E. Booth, Pretty Prairie, Kansas KDHE Project Code: U2-078-11131

GPS Coordinates:

AS-1: 37.779542, -98.018756*

AS-6: 37.779531, -98.018717

AS-2: 37.779608, -98.018761

AS-3: 37.779569, -98.018831

AS-4: 37.779497, -98.018833

AS-5: 37.779592, -98.018697

VEW-1: 37.779456, -98.018578*

VEW-2: 37.779456, -98.018578*

^{*}Wells were previously installed but surveyed along with others at this site.