\mathbf{W}	ATER WI	ELL PLU	JGGING R	RECORD	Form WV	C-5P	KSA 82	2a-1212	ID NO.			
1	LOCATION	OF WATI	ER WELL:	Fraction		Section	Number	Township	Number	Range Ni		
	County: Re				1/4 SE 1/4 SW		8	T 26			□E 🗗 W	
	Street/Rural Address of Well Location; if unknown, distance & Global Positioning Systems (GPS) information: Latitude: 37.778963 (in decimal degrees)											
İ	direction from nearest town or intersection: If at owner's address, check here approximately 165 ft. northwest of the											
	check here	_ ~ ~ ~ ~ .				Elevation	Elevation:					
	intersection of W. Collins St. and S. Collingwood St., Pretty Prairie						Horizontal Datum: WGS84, NAD83, NAD27 Collection Method:					
_			-	· · · · · · · · · · · · · · · · · · ·	f Darth - Darie	 		ce/Model: Gá	armin GPS	Smap 60C	Sx	
2	WATER WELL OWNER: Calvary Chapel of Pretty Prairie RR#, St. Address, Box #: PO Box 352 GPS unit (Make/Model: Garmin GPSmap 60 Digital Map/Photo, Topographic Map, Topographic M											
	City, State			/ Prairie, KS	67570				_		_	
				acy: ☐ <	3 m, ∠ 3.	-5 m, LJ :	5-15 m, ∟	_ > 15 m				
3	MARK WELL'S LOCATION 4 DEPTH OF WELL unknown ft.											
WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL								11.7 n				
		N										
	WELL WAS USED AS:											
	NE Domestic Public Water Supply Dewatering										J	
W	Irrigation Oil Field Water Supply Monitoring E Domestic (Lawn & Garden) Injection Well											
	Industrial Air Conditioning Other											
	- 3W - SE - SE -											
	Was a chemical/bacteriological sample submitted to Department? Yes No											
5 TYPE OF BLANK CASING USED:												
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Concrete Tile galvanized steel (tin)											
8	☐ PVC ☐ ABS ☐ Asbestos-Cement ☐ Concrete Tile ☐ galvanized steel (tin) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐											
Blank casing diameter 5 in. Was casing pulled? Yes No \(\overline{\mathcal{L}} \) If yes, how much												
Casing height above or below land surface below 117 in.												
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Plug Intervals: From 21.7 ft. to 9.8 ft., From ft. to ft., From ft. to ft.												
Ground ring rinervals. From II. to II., From II. to II., From II. to II.												
What is the nearest source of possible contamination:												
	Septic			eepage pit		torage	\mathbf{V}	Other (specif	fy below)			
		lines ight sewer		t privy ewage lagoon		zer storage icide storage		abandoned	well			
	Lateral			eedyard		oned water		rection from	well? wes	st		
	Cess p	ool		vestock pens	Oil we	ll/Gas well		w many feet			? ft.	
	FROM unknown	TO		GING MATI		FROM	ТО	Abandone				
		9.8	Bentonite c	sand (casing	(collapsed)						ncrete	
	_	0	Topsoil	inps				walled val			ed down to	
	0.0		TOPSOIL					3 ft. below				
								in with sar				
ĺ								Well plugg			plugged.	
										•	4/15/2020	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was												
completed on (mo/day/year) 4/15/2020 and this record is true to the best of my knowledge and belief. Kansas Water												
	ll Contractor			Thi	is Water Well I	Record was	completed of	on (mo/day/y	vear) 4/22/	2020	under the	
bus	iness name o	t Calvary	/ Chape/	of Pretty	Prairie I	<u>о с</u> by (si	gnature)	Merlin	Cable	- Bod,	d Mamber	
Se	nd one white	copy to K	ansas Denartn	nent of Health	n & Environme	nt. Geology	Section 16	000 SW Jack	cson Street	Ste. 420	Topeka, KS	
	RECO		512-1367. Se	nd one copy t	o WATER WE	ELL OWNE	R and retain	n one for you	ur records.	, 5.0. 120,	- openu, IXO	
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.												
MAY 0.4 3079 KSA82a-1212 Revised 1/20/2015											1/20/2015	