

USE TYPEWRITER OR BALL  
POINT PEN-PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment-Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:		County <b>RENO</b>	Fraction <b>X 1/4 SW 1/4 NE 1/4 SE 3</b>	Section number <b>3</b>	Township number <b>T 26 S</b>	Range number <b>R 7 W</b>
2. Distance and direction from nearest town or city: Street address of well location if in city:		3. Owner of well: R.R. or street: City, state, zip code:		<b>Lewis Larson</b> <b>R.R. 2</b> <b>Pretty Prairie, Kansas 67570</b>		
X Locate with "X" in section below: Sketch map:		X Bore hole dia. <b>8 1/2</b> in. Completion date <b>12/8/77</b> Well depth <b>61</b> ft.		7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		X Casing: Material <b>Transite</b> Above or below Threading <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>8</b> in. RMP <b>16</b> PVC Weight <b>30</b> lbs./ft. Dia. <b>16</b> in. to <b>35</b> ft. depth Wall Thickness: inches or Dia. <b>16</b> in. to <b>35</b> ft. depth gage No. <b>314</b>		10. Screen: Manufacturer's name <b>Johnson</b> Type <b>faucet</b> Dia. <b>16</b> Slot/gauze <b>3/16</b> Length <b>26</b> Set between <b>35</b> ft. and <b>61</b> ft. Gravel pack? <b>L</b> Size range of material <b>18-44</b>		
5. Type and color of material		From	To	11. Static water level: <b>12</b> ft. below land surface Date <b>12/8/77</b>		
Top soil		0	5	12. Pumping level below land surfaces: <b>33</b> ft. after <b>1</b> hrs. pumping <b>1000</b> g.p.m. <b>30</b> ft. after <b>1 1/2</b> hrs. pumping <b>800</b> g.p.m. Estimated maximum yield <b>1300</b> g.p.m.		
Sandy clay		5	10	13. Water sample submitted: <b>X</b> Yes <b>X</b> No Date <b>12/8/77</b>		
Fine sand w/clay		10	15	14. Well head completion: <b>10</b> inches above grade		
Med. to fine sand		15	35	15. Well grouted? <b>L</b> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>10</b> ft.		
Med. to coarse sand		35	45	16. Nearest source of possible contamination: ft. <b>L</b> Direction <b>none</b> Type <b>none</b> Well disinfected upon completion? <b>X</b> Yes <b>X</b> No		
Med. to fine sand		45	55	17. Pump: <input type="checkbox"/> Not installed Manufacturer's name <b>Western Land Roller</b> Model number <b>5512 CAA</b> HP <b>12</b> Volts <b>240</b> Length of drop pipe <b>800</b> ft. capacity <b>800</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
Med. to fine sand w/little clay		55	60	18. Elevation: <b>1505</b>		
Med. to fine sand		60	62	19. Remarks: <b>2550</b>		
Red shale		62		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Darling Drilling Co. 189</b> Business name <b>201 W. 4th Hutchinson, Ks.</b> License No. <b>520</b> Signed <b>Donald Darling</b> Authorized representative		
(Use a second sheet if needed)				21. Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5