KOLAR Document ID: 1509383

	WELL R	ECORD Correction		WWC-5 e in Well Use				ion of Waterces App. N			   Well I	_ [		
				Fraction		Section Number			Township Numb		Range Number			
County:				4 1/2					1			□E □W		
·							treet or Rural Address where well is located (if unknown, distance and							
							irection from nearest town or intersection): If at owner's address, check here:							
Address: Address:														
City: State: ZIP:														
3 LOCATI	E WELL													
	WITH "X", IN 4 DEPTH OF COM			PLETED WELL:			. ft.							
SECTIO	Depth(s) Groundwater Encountered: 1)					20181000 (decimal degrees								
N	2) ft. 3) ft., or 4) \( \begin{align*} WELL'S STATIC WATER LEVEL:												AD 27	
		below land surface, measured on (mo-day-yr)							<u>Latitude/Longitude</u> unit make/model:			,		
NW	NE	above land surface, measured on (mo-day-yr								WAAS enabled?				
	i l	Pump test data: Well water was ft.					☐ Land Survey ☐ Topographic Map					• ,		
w	E	after hours pumpinggp					Online Mapper:							
SW	SE	Well water was ft. after hours pumping gp												
	1	Estimated Yield:gpm					6 Elevation:ft.				. 🔲 Gro	und	Level   TOC	
S	<u> </u>	Bore Hole Diameter: in. to					G 🗖 T 10				☐ GPS ☐ Topographic Map			
1 m	nile		in. to											
7 WELL V	VATER TO	BE USED A	AS:											
1. Domestic: 5. Public Water Supply: well ID														
☐ Household 6. ☐ Dewatering										ole: well ID				
_	☐ Lawn & Garden 7. ☐ Aquifer R									Uncased (				
2. ☐ Irrigation	☐ Livestock 8. ☐ Monitoring: well 1 2. ☐ Irrigation 9. Environmental Remed							12. Geothermal: how many bores?						
3. ☐ Feedlot						Soil Vapor Extraction				b) Open Loop  Surface Discharge  Inj. of '				
4. ☐ Industrial ☐ Recovery ☐ In							13.  Other (specify):							
Was a cher	nical/bacter	iological san	nple subm	itted to KDI	HE? $\square$	Yes □ N	lo I	If yes, date	e sar	nple was submitte	:d:			
	disinfected?				_	_		,		ı				
8 TYPE O	F CASING	USED: □ S	teel PV	C Other		CA	SINC	G JOINTS	:	Glued Clamped	d □ We	lded	☐ Threaded	
										in. to				
	t above land s					lbs./	ft.	Wall thick	kness	or gauge No		•••		
	CREEN OR		TION MA							7 (0)				
☐ Steel ☐ Brass	_	less Steel anized Steel		_	] PVC	ised (open l	(داده	☐ Oth	ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••	
_			NINGS AI		_ None (	iseu (open i	1016)							
☐ Contin		☐ Mill Slot		auze Wrapped	Пто	orch Cut	7 Dri	lled Holes	П	Other (Specify)				
_		☐ Key Puncl						ne (Open H						
SCREEN-P	ERFORATE	D INTERV	ALS: From	1 ft.	to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.	
GI	RAVEL PAC	K INTERV	ALS: Fron	n ft.	to	ft., Fro	m	ft. to	o	ft., From	ft	. to	ft.	
				. ft., From potential sour	on of oor	tt. to	ithi	ft., From	••••	ft. to	ft.			
Septic 7	rce of possible		on: No Lateral Line		t Privy	itammation		in 200 it. ivestock Pe	ne	☐ Insection	ride Stor	age		
☐ Sewer I			Cess Pool			igoon		uel Storage		☐ Abando			Vell	
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well														
☐ Other (Specify)														
							1111	S DIEEDII I G						
10 FROM	TO	1	ITHOLOG	FIC LOG		FROM	<u> </u>	TO	LH	HO. LOG (cont.) or	PLUGC	iINC	INTERVALS	
													-	
											-			
						Notes:								
						$\dashv$								
11 CONTI	RACTOR'S	OR LANDO	)WNER'S	CERTIFIC	CATIO	V: This w	ater v	well was F	700	onstructed, $\square$ reco	nstruct	ed c	r nlugged	
under my ju	risdiction an	d was compl	leted on (m	no-day-year)		a	nd th	is record i	is tru	ie to the best of m	y know	ledg	e and belief.	
Kansas Wat	ter Well Con	tractor's Lice	ense No		This Wa	ater Well l	Reco	rd was cor	nple	eted on (mo-day-y	ear)			
under the bu	usiness name	of	****	TI I C						or each <u>constructed</u> we		<u></u>		
KS Departm	Snent of Health ar	end one copy to d Environment	o WATER W . Bureau of V	ELL OWNER a Vater, Geology S	ind retain Section 10	one for your 000 SW Jack	record	<ol> <li>1s. Fee of \$5</li> <li>t Suite 420</li> </ol>	0.00 f Tope	or each <u>constructed</u> we eka, Kansas 66612-136	eil. 57. Telenl	none	785-296-3565	
-	tp://www.kdhek			,				,20,	- P	, 25512 150	- 5.00		A 82a-1212	