


1 LOCATION OF WATER WELL: County: <u>Sedgwick</u>		Fraction: <u>SW 1/4 NE 1/4 NE 1/4</u>	Section Number: <u>29</u>	Township Number: <u>27</u>	Range Number: <u>1</u>																																																
Distance and direction from nearest town or city street address of well if located within city? <u>See Below</u>																																																					
2 WATER WELL OWNER: <u>Chad & Pamela Reed</u> RR#, St. Address, Box #: <u>326 cherry</u> City, State, ZIP Code: <u>Wichita, KS 67209</u>			Board of Agriculture, Division of Water Resources Application Number: <u>80</u>																																																		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <u>80</u> ft. ELEVATION: Depth(s) Groundwater Encountered: <u>1</u> ft. 2. <u>28</u> ft. 3. <u>5/25/95</u> ft. WELL'S STATIC WATER LEVEL: <u>28</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>28</u> ft. after <u>1 1/2</u> hours pumping <u>36</u> gpm Est. Yield: <u>30</u> gpm; Well water was <u>28</u> ft. after <u>1 1/2</u> hours pumping <u>36</u> gpm Bore Hole Diameter: <u>11</u> in. to <u>80</u> ft., and <u>80</u> in. to <u>80</u> ft. WELL WATER TO BE USED AS: <u>1 Domestic</u> 3 Feedlot 6 Oil field water supply <u>2 Irrigation</u> 4 Industrial 7 Lawn and garden only 5 Public water supply 8 Air conditioning 11 Injection well 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>X</u> No <u>X</u>																																																			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) <u>2 PVC</u> 4 ABS 5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter: <u>5</u> in. to <u>12</u> ft., Dia. <u>2.62</u> in. to <u>160 PSI</u> ft. Casing height above land surface: <u>12</u> in., weight <u>2.62</u> lbs./ft. Wall thickness or gauge No. <u>160 PSI</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>3 Mill slot</u> 2 Louvered shutter 4 Key punched 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <u>71</u> ft. to <u>80</u> ft., From <u>71</u> ft. to <u>80</u> ft., From <u>71</u> ft. to <u>80</u> ft. GRAVEL PACK INTERVALS: From <u>69</u> ft. to <u>80</u> ft., From <u>69</u> ft. to <u>80</u> ft., From <u>69</u> ft. to <u>80</u> ft.																																																					
6 GROUT MATERIAL: 1 Neat cement <u>2 Cement grout</u> 3 Bentonite 4 Other Grout Intervals: From <u>0</u> ft. to <u>10</u> ft., From <u>10</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>80</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy <u>2 Sewer lines</u> 5 Cess pool 8 Sewage lagoon <u>3 Watertight sewer lines</u> 6 Seepage pit 9 Feedyard 10 Livestock pens 14 Abandoned water well 11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>East</u> How many feet? <u>80</u>																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td>top soil</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>18</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>18</td> <td>33</td> <td>fine sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>33</td> <td>36</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>36</td> <td>58</td> <td>fine sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>58</td> <td>62</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>62</td> <td>80</td> <td>fine to med. sand</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2	top soil				2	18	clay				18	33	fine sand				33	36	clay				36	58	fine sand				58	62	clay				62	80	fine to med. sand			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																
0	2	top soil																																																			
2	18	clay																																																			
18	33	fine sand																																																			
33	36	clay																																																			
36	58	fine sand																																																			
58	62	clay																																																			
62	80	fine to med. sand																																																			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5/25/95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>38</u> This Water Well Record was completed on (mo/day/yr) <u>5/26/95</u> under the business name of <u>Weninger Drilling, Inc</u> by (signature) <u>Kathina Morrisey</u>																																																					